INCH-POUND

MIL-I-38139C(USAF)
AMENDMENT 4
01 SEPTEMBER 1994
SUPERSEDING
AMENDMENT 3
16 AUGUST 1988

MILITARY SPECIFICATION

INDICATOR, VERTICAL VELOCITY AAU-18/A,
INTEGRALLY LIGHTED

This amendment forms a part of MIL-I-38193C(USAF), dated 29 June 1978, and is approved for use within the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Add: "Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2)."

* Under SPECIFICATIONS, Federal, delete "QQ-P-416" and "PPP-B-636" entirely. Add: "PPP-B-1672, Boxes, Shipping, Reusable With Cushioning."

* Under SPECIFICATIONS, Military, change "MIL-P-116" to read: "Preservation, Methods Of."

* Under SPECIFICATIONS, Military, add: "MIL-B-131, Barrier Materials, Watervaporproof, Greaseproof, Flexible, Heat Sealable."

* In the "Beneficial comments" Block, delete address on line three and add "Oklahoma City Air Logistics Center/TICLA, Tinker AFB, OK 73145-5990."

PAGE 2

Under SPECIFICATIONS, Military, add: "MIL-C-83488, Coating, Aluminum Ion Vapor Deposited."

AMSC N/A FSC 6610

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:57Z
Check the source to verify that this is the current version before use.

* Under STANDARDS, Federal, add "FED-STD-101, Preservation, Packaging And Packing Materials: Test Procedures."

Under STANDARDS, Military, delete "MIL-STD-105," "MIL-STD-143," "MIL-STD-794," and "MIL-STD-831" entirely. Add: "MIL-STD-970, Standards And Specification, Order of Preference For The Selection Of," and "MIL-STD-2073-1, DOD Material Procedures For Development And Application Of Packaging Requirements."

* After STANDARDS, Military, delete statement in parenthesis that begins: "(Copies of specifications, standards, drawings, and publications....." entirely and add: "(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Document Order Desk, Bldg 4D, 700 Robbins Avenue, Philadelphia, PA 1911-5094.)."

Add: "2.2 Other publications. The following document(s) form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DoD adopted shall be those listed in the issue of the DODISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS shall be the issue of the nongovernment documents which is current on the date of the solicitation.

American Society For Testing And Materials (ASTM)

ASTM D3951 - Packaging, Commercial

(Application for copies should be addressed to: ASTM, 1916 Race Street, Philadelphia, PA 19103.)

(Nongovernment standards and other publications are normally available from the organizations which prepare or which distribute the documents. These documents also may be available in or through libraries or other information services)."

Add: "2.3 Order of precedence. In the event of a conflict between the test of this specification and the reference cited herein (except for associated detail specifications, specification sheets, or MS standards), the test of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained."

3.1 Delete entire paragraph and add: "3.1 First article. When specified (see 6.4), a sample shall be subjected to first article inspection (see 6.4) in accordance with 4.4."

Add: "3.3.3.1 Recycled and reclaimed materials. Recycled and reclaimed materials shall be encouraged to the maximum extent possible without jeopardizing the intended end use of the item."



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:57Z
Check the source to verify that this is the current version before use.

PAGE 10

* Delete 3.18 and 3.18.1 in its entirety.

PAGE 11

3.19.2 Delete paragraph and add: "Steel parts. Steel parts shall be coated with ion vapor deposited aluminum, where practicable, in accordance with MIL-C-83488, type I and II as applicable and of a class that is adequate to achieve the degree of protection required. Other protective coating, in lieu of MIL-C-83488, may be used if demonstrated to be satisfactory and approved by the preparing activity. Cadmium plating must be avoided when satisfactory alternative processes can be used."

Add: "4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material."

Delete 4.2 entirely and add: "4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.4)
b. Quality conformance inspection (see 4.5)."

PAGE 12

4.3 Delete entirely and add: "4.3 Inspection conditions. Unless otherwise specified, all inspections shall be performed in accordance with the test condition specified in 4.3.1 of this specification."

4.4 Delete "Qualification testing" and add: "First article inspection."

4.4.1 Line 6, delete "qualification" and add: "first article."

4.4.2 Delete entirely.

4.4.3 Delete "Qualification test." in title and add: "First article." Delete qualification test in line one, and add: "first article."



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:57Z
Check the source to verify that this is the current version before use.

4.5 Delete entirely and add: "4.5 Quality conformance inspections. Quality conformance inspection shall consist on:

a. Individual tests
b. Sampling test."

PAGE 13

4.5.1.1 Delete entirely.

PAGE 14

4.5.2.3.2 Delete entirely.

4.5.2.3.3 Delete entirely.

PAGE 20

Delete section 5 entirely and add:

* "5. PACKAGING

5.1 Preservation. Preservation shall be level "A" or "C" as specified (see 6.2).

5.1.1 Preservation-packaging. Unless otherwise specified by the contracting activity, item shall be packaged in Quantity Unit Pack (QUP) of one each. Each item will be provided a preservation method IA-8 in accordance with MIL-P-116.

5.1.2 Cleaning. Item shall be cleaned in accordance with MIL-P-116 C-1 process.

5.1.3 Drying. Immediately after cleaning, the item shall be dried following any one or combination of the drying procedures listed in MIL-P-116. The drying procedures employed shall not be injurious to the item.

5.1.4 Level A. Item shall be preserved in accordance with MIL-P-116 and MIL-STD-2073-1 to provide a method IA-8.

5.1.5 Level C. Item shall be individually preserved in a manner that will afford adequate protection against corrosion, deterioration, and physical damage during shipment from the supply source to the first receiving activity as specified in MIL-P-116 and MIL-STD-2073-1.



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:57Z
Check the source to verify that this is the current version before use.

5.2 Packing. Packing shall be level "A," "B," or "C" as specified (see 6.2).

5.2.1 Container-cushioning. Unit container requirements shall conform to MIL-B-131, barrier material, unless otherwise specified by the contracting activity. Unit containers shall be large enough to allow for application of sufficient cushioning/wrap material, between the item and unit container. Item Cushioning/wrap material shall be of sufficient density and thickness to protect the unit container from punctures. Intermediate/shipping containers shall be large enough to allow for the application of sufficient cushioning material, between the unit container and intermediate/shipping container. Cushioning material shall be of sufficient density and thickness to ensure shock transmission does not exceed peak values in G's established for the item.

5.2.2 Level A. Fiberboard containers do not meet Level "A" container criteria.

5.2.3 Level B. Item will be preserved as specified in 5.1 and shall be packed in exterior containers conforming to PPP-B-1672, weather-resistant unless otherwise specified by the contracting activity. Exterior container shall be uniform shape, size, and minimum tare and cube, consistent with the protection required. Closure shall be in accordance with appropriate PPP-B-1672 procedure and contracting activity.

5.2.4 Level C. Item will be packed in such a manner that will afford adequate protection against physical damage during direct domestic shipment from the supply source to the first receiving activity. These packs shall conform to MIL-STD-2073-1.

5.3 Marking. Unit, intermediate, and exterior containers shall be marked in accordance with special markings required by the contracting activity and MIL-STD-129.

5.4 Inspection and test. Test of methods of preservation shall be accomplished in accordance with section 4 of MIL-P-116 to ensure compliance with section 5 of this specification. Packaging tests shall be conducted in accordance with rough handling as specified in FED-STD-101."

PAGE 21

* Under 6. NOTES add: "(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)"

* Under 6.2, Delete line one entirely and add: "Acquisition requirements. Acquisition documents must specify the following:."

* Under 6.2, Add "(e) Issue of DODISS to be cited in the solicitation, and if required, the specific issue of individual documents referenced (see 2.1)."



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:57Z
Check the source to verify that this is the current version before use.

Under 6.4, Delete entire paragraph and add: "6.4 First article. A first article is required for inspection and it shall be tested and approved under the appropriate provisions of 7-104.55 of the Defense Procurement Regulation. The contracting officer should include specific instructions in all procurement instruments regarding arrangements for examinations, tests, and approval."

Delete 6.4.1 entirely.

Under 6.5 Line three after "STANAG 3320," add: "and ASCC Air Std 10/8."

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
AIR FORCE -99

Preparing activity:
AIR FORCE -71

Project number:
6610-F403



Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:57Z
Check the source to verify that this is the current version before use.