MILITARY SPECIFICATION

PITOT-STATIC TUBE, COMPENSATED TRU-62/A

This amendment forms a part of Military Specification MIL-I-38136A dated 27 June 1969, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1, delete and substitute:

"2.1 Government documents

2.1.1 Specifications and standards. The following specifications and standards form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation."

2.1, delete "MIL-STD-100" and substitute "DOD-STD-100".

2.1, delete "MS 33586" and substitute "MIL-STD-889 Dissimilar Metals".

At bottom of page add:

"AMSC N/A

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: ASD/ENES, Wright-Patterson AFB OH 45433-6503 by using the self-addressed Standardization Document Improvement proposal (DD Form 1426) appearing at the end of this document or by letter."

PAGE 2

Source paragraph, delete and substitute:

"(Copies of specifications and standards required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting activity.)"

FSC 6610

DISTRIBUTION STATEMENT A. Approved for public release, distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:57Z
Check the source to verify that this is the current version before use.

PAGE 2

Add:

"2.2 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein (except for associated detail specifications, specification sheets or MS standards), the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws or regulations unless a specific exemption has been obtained."

3.1, delete and substitute:

"3.1 First article. When specified in the contract or purchase order, a sample shall be subject to first article inspection (see 4.4 and 6.4)."

3.3.4.1, delete "MS 33586" and substitute "MIL-STD-889".

PAGE 5

3.6, delete "MIL-STD-100" and substitute: "DOD-STD-100".

PAGE 10

4.1, delete and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material."

Source: https://assist.dla.mil -- Downloaded: 202640-21T11:57Z
Check the source to verify that this is the currentversion before use.

PAGE 10

4.2 delete and substitute:

"4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.4)

b. Quality conformance inspection (see 4.5)."

4.4, delete and substitute:

"4.4 First article inspection

"4.4.3, delete and substitute:

"4.4.3 First article tests. The first article tests shall consist of all the test specified under 4.6."

PAGE 11

4.5, delete "Quality conformance tests" and substitute "Quality conformance inspection".

PAGE 17

5, delete and substitute:

"5. PACKAGING"

6.4, add:

"6.4 First article. When a first article inspection is required, the items should be a first article sample as specified in 4.2. The first article should consist of six units. The contracting officer should include specific instructions in acquisition documents regarding arrangement for examinations, approval of first article test results and disposition of first articles. Invitations for bids should provide that the Government reserves the right to waive the requirement for samples for first article inspection to those bidders offering a product which has been previously acquired or tested by the Government, and that bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bid that prior Government approval is presently appropriate for the pending contract."

6.4, renumber to "6.5".

Custodians:
Air Force - 11

Review activity:
Air Force - 71, 99

Preparing activity:
Air Force - 11

Project 6610-F189

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T11:57Z
Check the source to verify that this is the current version before use.