MIL-P-50562(PA)
Amendment 3
15 MARCH 1976
SUPERSEDING
Amendment 2
19 September 1975

MILITARY SPECIFICATION

PROJECTILE, 8 INCH, M424A1 LOADING ASSEMBLY

This amendment forms a part of Military Specification MIL-P-50562(MU), dated 3 November 1971.

Page 2, delete Par 3.4 in its entirety and substitute the following:

"3.4 X-Ray examination. -

3.4.1 Zones. - For purposes of inspection and determination of cavities, cracks and etc, the charge shall be divided into Zone 1, Zone 2 and Zone 3 in accordance with Figure II and defined as follows:

A. Zone 1.

a. 3 vertical cracks maximum each not in excess of 1/16 inch width, shall be acceptable.

b. Maximum cavitation shall not exceed 1/32 square inch. However, no individual cavity shall exceed 1/8 x 1/4 inch projected area.

B. Zone 2.

a. Cracks in this zone shall not be considered for rejection purposes.

b. Total cavitation shall not exceed a total of 1 square inch.

C. Zone 3.

a. All explosive defects in this zone to be disregarded.

3.4.2 Complete separation of charge. - There shall be no evidence of complete separation of the powder charge regardless of cavity or crack width.

3.4.3 Pipes and porous areas. - Pipes and porous areas shall be treated as cavities, and shall be subject to restrictions placed upon cavities (see 3.4.1), except that 80 percent of the projected length and 80 percent of the projected areas shall be considered for acceptance purposes."

FSC NUOR

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:29Z
Check the source to verify that this is the current version before use.

*Page 5 - Table I - Delete (4)

* Page 7 - Par 4.3.2.1.1 - Delete Major 101

* Page 9 - Par 4.3.2.1.4 - Delete Majors 112 and 113

* Page 10 - Par 4.3.2.1.6 - Under critical, delete (1) and substitute "None defined"

* Page 10 - Par 4.3.2.1.6 - Add Major 107, "Car seal present and properly attached .....Visual

* Page 10 - Par 4.3.3 - Delete Test b.

* Page 11 - Par 4.3.3.2 - Delete paragraph.

* Page 12 - Par 4.4.2 - Delete paragraph.

Page 12 - Delete par 5.1, 5.2 and 5.3 and substitute:

Para 5.1 - Preservation, packaging, packing and marking. The projectile shall be packed in a container complying with drawing 8787063. The container shall be closed, sealed, tested and marked in accordance with the requirements of drawing 8787063.

Page 12 - Change Par "5.4" to "5.2" - Data cards

Page 13 - Delete par 6.1.1b.

"The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment."

Custodian
Army-PA

Preparing Activity
Army-PA

Project No. NUOR-A063

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:29Z
Check the source to verify that this is the current version before use.




FIGURE II

CHARGE HE, M424 PROJ.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:29Z
Check the source to verify that this is the current version before use.