INCH-POUND

MIL-T-55164/7G
9 March 1993
SUPERSEDING
MIL-T-55164/7F
24 February 1987


MILITARY SPECIFICATION SHEET

TERMINAL LUGS, SOLDER TYPE


STYLES TBLD AND TBLS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of Specifications and Standards (DODISS) specified in the solicitation: MIL-T-55164.



TERMINAL BOARD TYPES 37, 38 AND 39




TERMINAL BOARD TYPE 43

FIGURE 1 - DIMENSIONS AND CONFIGURATION.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:32Z
Check the source to verify that this is the current version before use.



TERMINAL BOARD TYPE 44

FIGURE 1-DIMENSIONS AND CONFIGURATION (CONT.)

Dimensions	TBL-37 1/	TBL-38 1/	TBL-39 1/	TBL-43 1/	TBL-44 1/
A (Style TBLD)	1.219	1.59	1.859	1.062	1.031
A (Style TBLS)	.92	1.188	1.406	.812	.719
B	.280/.300	.325	.411	.180	.180
C	.255	.375	.469	---	---
D	.160	.220	.281	---	---
E	.062 by .158	.062 by .149/.235	.094 by .281	.062 by .125	.062 by .125
F	.234	.248/.328	.391	.188	.188
G	.453	.578	.680	.406	.516
H	.312	.421	.500	.250	---
J (dia)	.092	.125	.125	.062	.062
K (dia)	.141/.160	.147	.187	.093	.093

1/ The complete part number shall include either the letter "D" or the letter "S" in place of the "-".

NOTES:

1. Dimensions are in inches.

2. Tolerances area as follows:

   Dimensions A and C thru G: ±.016
   Dimensions B, H, J, and K (except for types 43 and 44): ±.005
   Dimension B for types 43 and 44: ±.006
   Dimension K for types 43 and 44: ±.007

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:32Z
Check the source to verify that this is the current version before use.

NOTES (CONT.):

3. Drawing depicts only general design characteristics and is not intended to limit specific manufacturing processes.

4. Terminal boards may be supplied with or without lugs.

5. Dimensions B thru K apply to both TBLD and TBLS lugs.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Material: Nickel plated brass or tin plated (maximum of 80% tin) brass per ASTM-B36 or ASTM-B121.

Current rating: See table II.

Table II - Current Ratings.

Terminal Board Style	Current Rating (Amperes)
37TB	15
38TB	20
39TB	30
43TB	5
44TB	5

Revision letters are not used to denote changes due to the extensiveness of the changes.

Custodians:
Army - ER
Air Force - 85

Preparing activity:
Army - ER

(Project 5940-1137)

Review activities:
Army - AR, MI, AV
Navy - EC
Air Force - 99

User activities:
Army - AT, ME
Navy - MC, AS

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T22:32Z
Check the source to verify that this is the current version before use.