
MILITARY SPECIFICATION SHEET

SWITCHES, TOGGLE, FOUR POSITION ON, CENTER OFF

(.623 DIA)

This specification sheet is approved for use by the Air Force Acquisition Logistics Division, Electronic Support Division (AFALD/PTES), Wright-Patterson AFB, Ohio 45433, Department of the Air Force, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the switch described herein shall consist of this document and the latest issue of Specification MIL-S-9419.



CIRCUIT DIAGRAM


ARROWS INDICATE CONTACT MADE IN THE DIRECTION OF LEVER TRAVEL AS VIEWED FROM TERMINAL END

PART NUMBER M9419/1-001

FIGURE 1. Dimensions and configuration.

FSC 5930

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T12:53Z
Check the source to verify that this is the current version before use.



CIRCUIT DIAGRAM

ARROWS INDICATE CONTACT MADE IN THE DIRECTION OF LEVER TRAVEL AS VIEWED FROM TERMINAL END

PART NUMBER M9419/1-002

FIGURE 1. Dimensions and configuration - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T12:53Z
Check the source to verify that this is the current version before use.

INCHES	MM	INCHES	MM
.005	.13	.17	4.3
.015	.38	.27	6.86
.02	.5	.300	7.62
.025	.64	.40	10.2
.03	.8	.46	11.7
.035	.89	.50	12.7
.06	1.5	.618	15.70
.07	1.8	.623	15.82
.11	2.8	.70	17.8
.12	3.0	1.00	25.4
.125	3.18		

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Unless otherwise specified, tolerances are ±.01 (.3 mm) for two place decimals and ±1° on angles.

FIGURE 1. Dimensions and configuration - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T12:53Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Electrical ratings: 28VDC, 1 Amp inductive; overload, 28VDC, 2 Amps inductive.

Actuating force: 24 ± 12 oz.

Actuating lever travel: Not applicable.

Terminal identification: Molded, clearly visible, and adjacent to designated terminal.

Arrows: Indicate direction of travel (actuation).

Strength of actuating lever pivot, lever stop and cap:

3 pound inches Torque
25 pound load at 45°
25 pound load to top of cap
1 pound drop at 6 inches

Strength of terminals: 15 pounds.

Part numbers: M9419/1-001
M9419/1-002

Revision letters are not used to denote changes due to the extensiveness of the changes.

Custodian:
Air Force - 85

Review activities:
Air Force - 99
DLA - ES
ARMY - MI

Preparing activity:
Air Force - 85

(Project 5930-F531)

☆ U.S. GOVERNMENT PRINTING OFFICE: 1980 0 — 603-121/3934

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T12:53Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS: This form is provided to solicit beneficial comments which may improve this document and enhance its use. DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity. A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed.

NOTE: This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-S-9419/1B(USAF), 8 September 1980

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1. ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW.

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDED WORDING CHANGE

C. REASON FOR RECOMMENDED CHANGE(S)

2. REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*

TELEPHONE NO.

DATE

DD FORM 1 OCT 76 1426 PREVIOUS EDITION WILL BE USED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T12:53Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF AIR FORCE
DOD-318

U.S.MAIL

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

AFALD/PTES(Standardization)
WPAFB, OH 45433

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T12:53Z
Check the source to verify that this is the current version before use.