
MILITARY SPECIFICATION SHEET

Ⓐ CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, 90°, SHIELD TERMINATION, CATEGORY 3C (FOR MIL-C-38999 SERIES I AND II CONNECTORS)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the accessories described herein shall consist of this specification and the latest issue of MIL-C-85049.



Ⓐ ADAPTER-1

Ⓐ TABLE I. Shell sizes and dimensions.


Adapter shell size	Fits connector shell size Series II	Series I	A Dia. Max	B Dia Max	D Dia. Max	L90 Max
8	8	9	.594	.359	.656	.719
10	10	11	.719	.406	.781	.766
12	12	13	.844	.500	.938	.859
14	14	15	.969	.578	1.062	.938
16	16	17	1.094	.641	1.219	1.000
18	18	19	1.219	.688	1.344	1.047
20	20	21	1.344	.734	1.469	1.094
22	22	23	1.469	.796	1.594	1.156
24	24	25	1.594	.859	1.719	1.219

NOTES:
1. Dimensions are in inches.
2. Dimensions apply after plating.
3. Metric equivalents are given for general information only.

INCHES	mm
.094	2.39
.359	9.12
.406	10.31
.500	12.7
.578	14.68
.594	15.09
.641	16.28
.656	16.66
.688	17.48
.719	18.26
.734	18.64
.766	19.46
.781	19.84
.796	20.22
.844	21.44
.859	21.82
.938	23.83
1.000	25.40
1.047	26.59
1.062	26.97
1.094	27.79
1.156	29.36
1.219	30.96
1.344	34.14
1.469	37.31
1.594	40.49
1.719	43.66

FIGURE 1. Part number designation - Adapter shell sizes chart.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.
Source: https://assist.dla.mil -- Downloaded: 202610-23T10:12Z
Check the source to verify that this is the current version before use.



INCHES	mm	INCHES	mm
.001	.03	.506	12.80
.005	.13	.571	14.50
.031	.79	616	15.65
.291	7.39	.664	16.87
.346	8.79	.738	18.75
.438	11.13	.796	20.22
.441	11.20		

(A) ADAPTER - 2

Fits adapter shell size	Dash No	A +.001 -.005	B +.010 -.001	C Max Dia	Fits adapter shell size	Dash No	A +.001 -.005	B +.010 -.001	C Max Dia
8	-81	.291	.164	.219	18	-181	.616	.217	.266
	-82		.172	.234		-182		.290	.344
	-83		.188	.250		-183		.343	.391
						-184		.381	.430
						-185		.451	.500
						-186			
10	-101	.346	.217	.266	20	-201	.664	.328	.375
						-202		.391	.453
						-203		.445	.500
						-204		.406	.469
						-205		.494	.531
						-206		.500	.547
12	-121	.441	.198	.250	22	-221	.738	.359	.406
	-122		.217	.266		-222		.438	.484
	-123		.280	.328		-223		.453	.500
	-124					-224		.469	.516
						-225		.552	.609
14	-141	.506	.217	.266	24	-241	.796	.594	.641
	-142		.290	.344					
	-143		.312	.359					
	-144		.343	.391					
	-145		.360	.406					
	-146		.387	.438					
16	-161	.571	.217	.266					
	-162		.290	.344					
	-163		.343	.391					
	-164		.406	.453					
	-165		.328	.375					

NOTES:
1. Dimensions are in inches.
2. Dimensions apply after plating.
3. Metric equivalents are given for general information only

FIGURE 2. Dimensions and configuration - adapter reducer

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Design and construction

Ⓐ Dimensions and configuration See figures 1 and 2. Interface dimensions shall conform to MIL-C-38999, series I and II.

Adapter reducer (figure 2) is used with adapter (figure 1) of MIL-C-85049/32 and figure 1 of MIL-C-85049/33.

Adapter (figure 1) may be of a three-piece construction. Method of joining is optional. Individual pieces shall be shipped unassembled.

Material and finish See table I.

Ⓐ TABLE I. Material and finish.

Figure	Material	Finish
1 and 2	Copper alloy	Tin-lead solder plated per QQ-S-571

Part number. See example below

Ⓐ For figure 1 See example

M85049/ 32 - 1 - 10

Military designator

Specification sheet

Figure

Adapter shell size (see figure 1)

Ⓐ For figure 2 See example

M85049/ 32 - 2 - 101

Military designator

Specification sheet

Figure

Dash number (see figure 2)

Ⓐ Assembly instructions. Simplified assembly instructions shall be packaged with each accessory.

Ⓐ Qualification:

See MIL-C-85049, category 3C, backshell shall be tested with MIL-C-38999 series I connector.

Ⓐ QPL evaluating activity: Naval Avionics Center, Code B/714, 6000 East 21st Street, Indianapolis, Indiana 46219-2189.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.

Supersession data

MS27487- * - 2 → M85049/32-1-*

MS27489 - * → M85049/32-2 - *

Adapter shell size

Dash number

Custodians:
Army - CR
Navy - AS
Air Force - 85

Review activities:
Army - AR, MI
Navy - EC
Air Force - 11, 15, 17, 19, 99
DLA - ES

Preparing activity:
Air Force - 85

Agent:
DLA - ES

(Project 5935-3377-E)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.