
MILITARY SPECIFICATION SHEET

CONNECTOR ACCESSORIES, ELECTRICAL, BACKSHELL, NONENVIRONMENTAL, STRAIGHT, SHIELD TERMINATION, CATEGORY 3B (FOR MIL-C-27599 SERIES I AND MIL-C-38999 SERIES I AND II CONNECTORS)

This specification is approved for use by all Departments and Agencies of the Department of Defense

The complete requirements for procuring the backshells described herein shall consist of this document and the latest issue of Specification MIL-C-85049



NOTES
1. Dimensions are in inches
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Metric equivalents are in parentheses.
4. Standard minimum length is 1.5 inch ± 032 (38 ± 81 mm) See table III for longer lengths
5 See table I for minimum and maximum clamp size available with each accessory shell size
See table II for cable range for each clamp size

FIGURE 1 Configurations and dimensions

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.

TABLE I. Accessory shell size, connector shell size and clamp size.

Accessory shell size	Connector shell size		Min clamp size	Max clamp size
	Series II	Series I		
08	8	9	01	02
10	10	11	01	03
12	12	13	02	04
14	14	15	02	05
16	16	17	02	06
18	18	19	03	07
20	20	21	03	08
22	22	23	03	09
24	24	25	04	10

TABLE II Clamp size and dimensions.

CLAMP SIZE	CABLE RANGE		Y DIM MAX
	MIN	MAX	
01	062 (1.57)	.125 (3.18)	.781 (19.84)
02	125 (3.18)	.250 (6.35)	.969 (24.61)
03	.250 (6.35)	375 (9.52)	1 062 (26 97)
04	.312 (7.92)	.500 (12.70)	1.156 (29.36)
05	.437 (11.10)	.625 (15.88)	1.250 (31.75)
06	.562 (14.27)	.750 (19.05)	1.375 (34.92)
07	.687 (17.45)	.875 (22 22)	1.500 (38 10)
08	.812 (20.62)	1.000 (25.40)	1.625 (41.28)
09	.937 (23.80)	1.125 (28.58)	1.750 (44.45)
10	1.062 (26.97)	1.250 (31.75)	1.875 (47.62)

TABLE III. Length.

Accessory shell size	Code	Length in inches ± 032
08 thru 24	Standard	1 5 (38 1)
08 thru 24	A	2.5 (63.5)
14 thru 24	B	3.5 (88.9)
20 thru 24	C	4 5(114.3)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.


REQUIREMENTS

Design and construction
Dimensions and configuration: See figure 1 and tables I, II, and III Interface dimensions shall conform to MIL-C-38999

Material Accessory components - aluminum alloy in accordance with MIL-C-85049.
Clamp assembly screws - 300 series stainless steel

Finish 1/ N, W

Part number see example below.



Simplified assembly instructions shall be shipped with the unit package


QUALIFICATION

See MIL-C-85049, category 3B, backshell shall be tested with MIL-C-38999 series I connectors

Qualification of MIL-C-85049/17 will qualify MIL-C-85049/36 by similarity

QPL evaluating activity Defense Electronics Supply Center, (DESC-E), Dayton, Ohio 45444

Supersession data



1/ N Not for Navy use

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.

Custodians
Air Force - 85
Army - CR
Navy - AS

Review activities
Air Force - 11, 15, 17, 19, 99
Army - MI, AR
Navy - EC, MC, OS
DLA - ES

Preparing activity
Air Force - 85

(Project 5935-3067-47)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID
DEPARTMENT OF AIR FORCE
DOD-316

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

AFALD/PTES-Standardization
WPAFB, OH 45433

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS This form is provided to solicit beneficial comments which may improve this document and enhance its use DoD contractors, government activities, manufacturers, vendors, or other prospective users of the document are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity A response will be provided to the submitter, when name and address is provided, within 30 days indicating that the 1426 was received and when any appropriate action on it will be completed

NOTE This form shall not be used to submit requests for waivers, deviations or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

DOCUMENT IDENTIFIER *(Number)* AND TITLE

MIL-C-85049/36, 16 Jan 80

NAME OF ORGANIZATION AND ADDRESS OF SUBMITTER

☐ VENDOR ☐ USER ☐ MANUFACTURER

1 ☐ HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE? ☐ IS ANY PART OF IT TOO RIGID, RESTRICTIVE, LOOSE OR AMBIGUOUS? PLEASE EXPLAIN BELOW

A. GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDED WORDING CHANGE

C REASON FOR RECOMMENDED CHANGE(S)

2 REMARKS

SUBMITTED BY *(Printed or typed name and address — Optional)*	TELEPHONE NO
	DATE

DD FORM 1 OCT 76 1426 PREVIOUS EDITION WILL BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:12Z
Check the source to verify that this is the current version before use.