
MILITARY SPECIFICATION SHEET

CONNECTOR ACCESSORIES, ELECTRICAL, STRAIN RELIEF, 90°, CATEGORY 4C (FOR MIL-C-24308 CONNECTORS)

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the accessories described herein shall consist of this document and the latest issue of Specification MIL-C-85049.



Part number		Shell							
Steel	Nonmagnetic	size	A	B	C	D	E	F	G
M85049/50-1	M85049/50-6	1	1.218 1.188	.748 .688	.989 .979	.467 .407	.467 .407	.498 .438	.311 .251
M85049/50-2	M85049/50-7	2	1.546 1.516	.748 .688	1.317 1.307	.467 .407	.467 .407	.498 .438	.311 .251
M85049/50-3	M85049/50-8	3	2.093 2.063	.998 .938	1.857 1.847	.467 .407	.655 .595	.498 .438	.311 .251
M85049/50-4	M85049/50/9	4	2.733 2.703	1.217 1.157	2.505 2.495	.467 .407	.842 .782	.498 .438	.311 .251
M85049/50-5	M85049/50-10	5	2.640 2.610	1.280 1.220	2.411 2.401	.592 .532	.936 .876	.561 .501	.373 .313

INCHES	MM	INCHES	MM	INCHES	MM	INCHES	MM
.688	17.48	1.188	30.18	1.516	38.51	2.610	66.29
.748	19.00	1.217	30.91	1.546	39.27	2.640	67.06
.938	23.83	1.218	30.94	2.063	52.40	2.703	68.66
.998	25.35	1.220	30.99	2.093	53.16	2.733	69.42
1.157	29.39	1.280	32.51				

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Dimensions apply after plating.

FIGURE 1. Configurations and dimensions.

FSC 5935

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:13Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:


Design and construction.
Dimensions and configuration: See figure 1.
Screws and nuts are shown assembled for reference only and are to be shipped unassembled in a common container with the accessory.
Material and finish: See table I.

TABLE I. Material and finish.

Part name	1/ Material	Finish
Nut 2/	300 series stainless steel	Yellow chromate over cadmium per QQ-P-416 type II, class 2 or zinc per QQ-Z-325, type II, .0003 minimum thickness.
	Brass	
Screw	300 series stainless steel	
	Brass	
Clamp cable	Low carbon steel sheet S.A.E. 1010 .024 thick.	
	Brass sheet per QQ-B-613 alloy 260 1/2 H.	
Shell	Low carbon steel sheet S.A.E. 1010	
	Soft rolled brass per QQ-B-613, comp. 2, Anl. temper	
Rivnut or equivalent	Aluminum alloy per MIL-C-85049	Anodized

1/ For material see figure 1.
2/ For dash numbers -3, -4, and -5 - MS21083N04.
For dash numbers -8, -9, and -10 - MS21083B04.

Part number: See example below:




Qualification:

See MIL-C-85049, category 4C.

QPL evaluating activity: Defense Electronics Supply Center, (DESC-E), Dayton, OH 45444.

Supersession data:



Custodians:
Army - CR
Navy - EC
Air Force - 85

Review activities:
Army - MI, AR
Navy - EC
Air Force - 11
DLA - ES

Preparing activity:
Navy - EC

Agent:
DLA - ES

(Project 5935-3067-36)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:13Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MIL-C-85049/50

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A
☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?
   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

5/N 0102-014-1802

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:13Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, D.C. 20360

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
NAVY DEPARTMENT
DOD 316

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20360

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T10:13Z
Check the source to verify that this is the current version before use.