MIL-A-37194A
21 July 1978
SUPERSEDING
MIL-A-37194
13 January 1975

MILITARY SPECIFICATION

ALUMINUM ACETATE SOLUTION TABLETS, EFFERVESCENT

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Aluminum Acetate Solution Tablets, Effervescent, in boxes of 100s (see 6.2).

2. APPLICABLE DOCUMENTS

2.1 Issues of documents. The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

PPP-B-566 - Boxes, Folding, Paperboard.
PPP-B-636 - Boxes, Fiberboard.
PPP-B-676 - Boxes, Setup.
PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals.

STANDARDS

FEDERAL

FED-STD-140 - Tablets (for Medicinal Purposes).

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Defense Personnel Support Center, Directorate of Medical Materiel, DPSC-ATT, 2800 S. 20th St., Philadelphia, PA 19101, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 6505

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:09Z
Check the source to verify that this is the current version before use.

* 2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE, FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U. S. PHARMACOPEIAL CONVENTION, INC.

The United States Pharmacopeia (USP).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

The National Formulary (NF).

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be Aluminum Acetate Solution Tablets, Effervescent (Burow's Solution Tablets, Effervescent), and shall be in accordance with all applicable requirements of FED-STD-140 and as stated herein:

S2. Classification. Shall be type II, class 2.

S5.3 The following is added to this paragraph:

Shall be compressed effervescing tablets consisting essentially of aluminum sulfate and calcium acetate, which, when mixed with distilled water according to the manufacturer's directions, will produce modified Burow's Solution, USP, i.e., 4 tablets in 1 pint to produce and approximate concentration of 1:10 (except for the presence of calcium sulfate). The tablets shall meet the requirements as specified below.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:09Z
Check the source to verify that this is the current version before use.

S5.3.1 Four tablets to a pint of distilled water will produce a solution containing a concentration of aluminum oxide within the limits of 1:10.43 strength of Aluminum Acetate Solution, USP. The solution shall yield from each 100 ml not less than 0.114 gram and not more than 0.140 gram of aluminum oxide (Al_2O_3).

S5.3.2 Four tablets to a pint of distilled water will produce a solution containing a concentration of acetic acid within the limits of 1:12.06 strength of Aluminum Acetate Solution, USP. The solution shall yield from each 100 ml not less than 0.349 gram, and not more than 0.427 gram of acetic acid ($C_2H_4O_2$).

S6.4.9.1 and S6.4.9.2 Delete and substitute:

"Applicable to type II, class 2 tablets:

S6.4.9.2 Tablets shall completely disintegrate in the ratio of four (4) tablets to a pint of distilled water at 25° C, within 5 minutes. Swirling or stirring may be employed to facilitate solution."

3.2 Expiration dating period. The expiration dating period shall be not less than 36 months.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of 3 years after delivery of the supplies to which such records relate.

4.1.2 No company supplying any ingredients(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:09Z
Check the source to verify that this is the current version before use.

4.2 Sampling. Sampling shall be in accordance with FED-STD-140.

* 4.3 Packaging inspection. The inspection of the intermediate package, packing and marking for shipment and storage shall be in accordance with quality assurance provisions of the applicable container specification and the marking requirements of MIL-STD-129.

* 4.4 Labeling inspection. Sampling shall be in accordance with MIL-STD-105 and the unit of product shall be the unit of issue. The inspection lot shall be the number of units of issue of each batch, lot, control number, etc., offered for inspection at one time. The inspection level for labeling shall be S-2 and the acceptance number shall be zero.

4.5 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

5. PACKAGING

5.1 Packaging requirements. The requirements for packaging shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.2.1 Unit of issue. One box containing one hundred individually packaged tablets, as specified, constitutes one unit of issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:09Z
Check the source to verify that this is the current version before use.

5.2.2 Level A.

5.2.2.1 Immediate containers. Each tablet shall be individually sealed in a commercially available immediate package considered acceptable by the Food and Drug Administration (FDA) for the product contained therein and shall be of such compatibility that neither the contents nor the container are altered in any way by each other.

5.2.2.2 Unit package. One hundred individually packaged tablets shall be packaged in a snug-fitting box constructed in accordance with PPP-B-566 or PPP-B-676. Closure of the box shall be secured to prevent spilling of contents under normal handling.

5.2.2.3 Intermediate package. Six unit packages, each containing 100 individually packaged tablets, shall be packaged in a snug-fitting box constructed in accordance with PPP-B-566, PPP-B-636, type CF, class domestic or PPP-B-676. Closure of the box shall be secured to prevent spilling of contents under normal handling.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B, or C as specified (see 6.1).

5.3.1 Level A. Four intermediate packages (24 units), shall be packed in an exterior container designed for a type 2 load and constructed in accordance with PPP-B-636, class weather-resistant except that grade W5c is not acceptable. Closure, waterproofing and strapping shall be as specified in the appendix of the box specification.

* 5.3.2 Level B. Four intermediate packages (24 units) shall be packed in an exterior container designed for a type 2 load and constructed in accordance with PPP-B-636, type CF, class domestic. Closure of container shall be as specified in the appendix of the box specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:09Z
Check the source to verify that this is the current version before use.

* 5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, to point of delivery called for in the contract or purchase order.

5.4 Marking.

* 5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act and regulations promulgated thereunder, and shall include the information required below:

5.4.1.1 Immediate container. Each immediate container label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the expiration date.

5.4.1.2 Unit packages. Each unit package label shall bear the following information:

(a) label information in accordance with commercial practice.

(b) the National Stock Number.

* NOTES: (1) The National Stock Number need not be preceded by any prefix.

(2) Strip labeling may be used.

(3) Label adhesion test shall not apply.

* 5.4.2 Intermediate package. Each intermediate package shall be marked in accordance with MIL-STD-129. Lot (control) number, contract or purchase order number and name of contractor shall be shown. Type I shelf life marking as specified in MIL-STD-129 shall also be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F)"

* 5.4.3 Exterior container. Exterior container shall be marked in accordance with MIL-STD-129. Lot (control) number shall be shown. Type I shelf life marking as specified in MIL-STD-129 shall also be shown. Marking shall include the legend:

"STORE AT CONTROLLED ROOM TEMPERATURE 15° - 30° C (59° - 86° F)"

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:09Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item:

National Stock Number.	Item Identification
6505-00-890-1633	ALUMINUM ACETATE SOLUTION TABLETS, EFFERVESCENT, 100s

6.3 Changes from previous issue. The margins of this specification are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activity:
DoD - MB

Preparing activity:
DLA-DM

Project No. 6505-2036

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:09Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE: MIL-A-37194A

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:09Z
Check the source to verify that this is the current version before use.