MILITARY SPECIFICATION

BISACODYL SUPPOSITORIES, NF

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers Bisacodyl Suppositories, NF (See 6.2).

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-566	Box, Folding, Paperboard.
PPP-B-601	Box, Wood, Cleated-Plywood.
PPP-B-621	Box, Wood, Nailed and Lock-Corner.
PPP-B-636	Box, Fiberboard.
PPP-B-676	Box, Setup.
PPP-C-186	Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals.

Military

MIL-L-10547	Liners, Case, and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible.

STANDARDS

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

(Copies of specifications and standards required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:10Z
Check the source to verify that this is the current version before use.

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposals shall apply.

AMERICAN PHARMACEUTICAL ASSOCIATION PUBLICATION

National Formulary.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE,
FOOD AND DRUG ADMINISTRATION

Federal Food, Drug, and Cosmetic Act and
Regulations Promulgated Thereunder.

(Application for copies should be addressed to the Food and Drug Administration, Washington, DC 20204.)

U.S. PHARMACOPEIAL CONVENTION, INC.

Pharmacopeia of the United States.

(Application for copies should be addressed to the Mack Publishing Company, Easton, PA 18042.)

3. REQUIREMENTS

3.1 Material. Shall be a rectal suppository containing 10 mg of Bisacodyl, N.F., in each suppository, within the applicable assay limits for the suppositories.

3.2 Ingredients.

3.2.1 Bisacodyl. The bisacodyl used in the manufacture of the suppository shall comply with the tests, standards, and requirements of the N.F.

3.3 Other ingredients. All other ingredients entering into the finished suppositories shall be of U.S.P. or N.F. quality or, if not included in either of these compendia, the ingredients shall be of the highest pharmaceutical grade.

3.4 Workmanship. The material and its containers shall be free from any defects which detract from their appearance or impair their serviceability.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:10Z
Check the source to verify that this is the current version before use.

3.5 Potency Period. The potency period (Expiration dating period) shall not be less than 36 months.

3.6 Delivery. Not more than 4 months of the expiration dating period (potency period) shall have elapsed at time of delivery to the Government. The potency date is the date of forming the suppositories or the date of manufacturer's or contractor's final quality approval which shall be not later than one (1) month after the date of forming the suppositories.

4. QUALITY ASSURANCE PROVISIONS

4.1 Supplier responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period equal to the expiration dating period (potency period) specified by the contractor for the item delivered under the contract but in no event less than 3 years after delivery of the supplies to which such records relate.

4.1.2 No company supplying any ingredient(s) to the contractor will be considered an acceptable facility for the performance of any inspection requirements specified herein.

4.2 Lot. For purposes of this specification, a lot, batch, or control is that single, uniform, and homogeneous quantity of bisacodyl suppositories, produced from one formulation, subjected to the same compounding and manufacturing operation, and filled into final containers.

4.3 Sampling. Sampling shall be conducted in accordance with the procedures set forth in Military Standard MIL-STD-105; the inspection level shall be S-2 with an Acceptable Quality Level (AQL) of 1.0 percent defective for major defects.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:10Z
Check the source to verify that this is the current version before use.

4.3.1 Classification of defects. Examination will be conducted in accordance with the following classification of defects*:

Major

101	Suppository not homogeneous in appearance as evidenced by discoloration and/or spotting.
102	Suppository not uniform in shape.
103	Suppository not free of foreign matter (When surface is viewed and the suppository is subsequently cut longitudinally).
104	Suppository not free of breaks, pits or other irregularities.

* Inspection is not restricted to the classified possible defects listed above.

4.4 Tests and examinations. Tests and examinations shall be performed to determine compliance with all requirements of this document and all referenced documents.

4.5 Examination of preparation for delivery. An examination shall be made to determine whether the packaging, packing, and marking comply with the requirements of Section 5. Defects shall be scored as specified in Table I. Sampling shall be in accordance with MIL-STD-105. The sample unit shall be one container fully prepared for delivery. The lot shall be the number of containers offered for inspection at one time. The inspection level shall be S-2 and the acceptable quality level shall be 4.0 defects per hundred units.

Table I. Examination of Preparation for Delivery

Examination	Defect
Containers	Not as specified.
Quantity	Quantity in interior packages and shipping containers not as specified.
Materials	Any component missing or damaged.
Workmanship	Inadequate application of components such as incomplete closure of container flaps, tape improperly applied, or containers distorted.
Markings	Omitted, incorrect, illegible, improper size, location, sequence, or method of application.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:10Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Preparation for delivery shall be in accordance with all applicable requirements of PPP-C-186, and as specified herein.

5.2 Packaging. Packaging shall be level A or C as specified (see 6.1).

5.2.1 Unit of issue. One box containing fifty (50) individually packaged suppositories, as specified, constitutes one unit of issue.

5.2.2 Level A.

5.2.2.1 Immediate container. Immediate container shall be in accordance with PPP-C-186. Immediate container shall comply with the classification Group G, Type II, Class 1 - Delete "Mold" and substitute "Compartment (cell)". In paragraph 3.8.2.2.1 line 1, delete "Class 1. Mold (cell)" and substitute "Class 1. Compartment (cell)." Line 2, delete "hermetically sealed, close-fitting mold" and substitute "sealed, close-fitting compartment (cell)". In paragraph 4.3.1.4, line 1, delete "Hermetically sealed," and substitute "Sealed,". Line 2, delete "Hermetically " and substitute "Type II, Class 1, ". Delete the word "hermetically" wherever it appears in the paragraph.

5.2.2.2 Unit package. Each unit of issue shall be packaged in a box of appropriate size constructed in accordance with PPP-B-566 or PPP-B-676. Closure shall be adequate to prevent accidental opening.

5.2.2.3 Intermediate package. Twelve (12) units of issue shall be packaged in a box of appropriate size constructed in accordance with PPP-B-566, PPP-B-676 or PPP-B-636, type CF, class domestic. Closure shall be adequate to prevent accidental opening.

5.2.3 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.3 Packing. Packing shall be level A, B or C as specified (see 6.1).

5.3.1 Level A. Ninety-six (96) units of issue shall be packed in a box designed for a type 2 load, and constructed in accordance with PPP-B-601, overseas type; PPP-B-621, Class 2, or PPP-B-636, type CF, class weather-resistant, grade V3c. Closure and strapping shall be as specified in the appendix of the applicable box specification.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:10Z
Check the source to verify that this is the current version before use.

5.3.1.2 Case liner. Each level A wood box shall be lined with a waterproof case liner conforming to MIL-L-10547. Closure and sealing shall conform to applicable paragraphs of appendix thereto. Case liner shall not be required for fiberboard boxes. Fiberboard box shall be waterproof as specified in the appendix of PPP-B-636.

5.3.2 Level B. Ninety-six (96) units of issue shall be packed in a box designed for a type 2 load, and constructed in accordance with PPP-B-601, domestic type; PPP-B-621, class 1; or PPP-B-636, class domestic. Closure shall be as specified in the appendix for the applicable box specification.

5.3.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, constructed so as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.4 Marking.

5.4.1 Labeling. Labeling shall be in accordance with the requirements of the Federal Food, Drug and Cosmetic Act, and shall include the information required below.

5.4.1.1 Immediate container. Each immediate container shall be labeled with information in accordance with commercial practice.

5.4.1.2 Unit package. Each unit package label shall bear the following:

(a) labeling information in accordance with commercial practice.
(b) the National Stock Number.
(c) the expiration date.

NOTES:

(1) The national stock number shall not be preceded by any prefix.
(2) Strip labeling may be used.
(3) Label adhesion test shall not apply.

5.4.2 Intermediate package. Each intermediate package shall be marked as specified in 5.5.3 of PPP-C-186. Type I shelf life markings as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86°F.)"

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:10Z
Check the source to verify that this is the current version before use.

5.4.3 Exterior container. Each exterior container shall be marked as specified in 5.5.4 of PPP-C-186. Type I shelf life marking as specified in MIL-STD-129 shall be shown. Marking shall include the legend: "STORE AT CONTROLLED ROOM TEMPERATURE (59° - 86°F.)"

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Number and date of this specification.
(b) the National Stock Number.
(c) Selection of applicable levels of packaging and packing (see 5.2 and 5.3).

6.2 This specification covers the following item(s):

National Stock No.	Item Identification
6505-00-889-9033	Bisacodyl Suppositories, NF, 10 mg, 50s.

6.3 Supersession data. This specification includes the requirements of Defense Medical Purchase Description No. 5 dated 13 September 1974.

6.4 This specification does not cover all types, classes, grades, or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6505-1357

Review information is current as of date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:10Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE: MIL-B-37201

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T10:10Z
Check the source to verify that this is the current version before use.