INCH-POUND

A-A-54765
6 November 1992

COMMERCIAL ITEM DESCRIPTION

LABEL, Pressure Sensitive Adhesive

The General Services Administration has authorized the use of this commercial item description.

This commercial item description covers pressure sensitive adhesive pharmacy labels to alert patients to medication limitations.

Salient characteristics:

Style and design. The label shall be of a roll type, assembled onto a continuous roll of backing paper end to end (adhesive side of label to backing paper), 1000 per roll. The size of the roll shall be a maximum width of 1/2 inch and a maximum diameter of 4 inches. Each roll shall be suitable for use in a pharmacy auxiliary label dispenser which shall be designated to have labels pop up ready for use.

The paper shall be high gloss paper backed with pressure sensitive adhesive. The legend shall be printed in a contrasting background with permanent, non-smear ink.

The size of the auxiliary label shall be a nominal 3/8 inch wide by 1-1/2 inches long, with the format on a horizontal plane. The adhesive may not be removed without destroying the label. Labels shall be satisfactory when applied to glass and plastic containers or directly over a prescription label. The labels shall be provided in a convenient dispenser box containing a roll of 1000 self-adhesive labels and designed for easy removal of an individual label.

Workmanship. The labels shall be free from defects which detract from their appearance or impair their serviceability. Labels shall be free from cuts, tears, holes, smears, dirt or foreign material.

AMSC N/A FSC 7690

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:38Z
Check the source to verify that this is the current version before use.

Unit. Roll (RO). One roll containing one thousand labels of the National Stock Number specified, constitutes one unit.

QUALITY ASSURANCE PROVISIONS.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in specification where such inspection are deemed necessary to assure supplies and services conform to prescribed requirements.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Sampling for examination. Sampling for examination shall be conducted in accordance with MIL-STD-105 and as specified herein. Unit of product for examination purposes shall be one roll of labels as specified. Sampling shall be inspection level II with an Acceptable Quality Level (AQL) of 1.0.

Examination. Examination shall be conducted to determine compliance with specification requirements.

Sampling for tests. Sampling for tests shall be conducted in accordance with MIL-STD-105 and as specified herein. Unit of product for test purposes shall be one roll of labels. Sampling shall be inspection level S-2 with an AQL of 1.0.

Tests. Tests shall be conducted to determine compliance with specification requirements. Where feasible, the same sample shall be used for determination of two or more test characteristics.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:38Z
Check the source to verify that this is the current version before use.

Sampling for inspection. Sampling for inspection shall be conducted in accordance with MIL-STD-105. Where feasible, the same sample shall be used for the determination of two or more inspection characteristics. The unit of product for inspection purposes shall be one roll of labels. Unless otherwise specified, sampling for examination shall be conducted at inspection level II, AQL of 2.5, and sampling for tests shall be conducted at inspection level S-1, AQL 1.0.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerance specified using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this document are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.

Contractor certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:38Z
Check the source to verify that this is the current version before use.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

Ordering data. Intermediate/exterior package quantities and labeling and marking must be specified in the contract and/or order.

NOTE 1: The following National Stock Numbers and their respective Item Identifications are covered by this document:

NATIONAL STOCK NUMBERS	ITEM IDENTIFICATIONS
7690-01-227-3546	LABEL, Pressure Sensitive Adhesive, "POISON" Legend, 3/8 by 1-1/2 in., 1000s
7690-01-253-8277	LABEL, Pressure Sensitive Adhesive, "KEEP IN REFRIGERATOR, DO NOT FREEZE" Legend, 3/8 by 1-1/2 in., 1000s
7690-01-254-4091	LABEL, Pressure Sensitive Adhesive, "DO NOT USE AFTER _____" Legend, 3/8 by 1-1/2 in., 1000s
7690-01-254-4092	LABEL, Pressure Sensitive Adhesive, "REFRIGERATE-SHAKE WELL, DISCARD AFTER _____" Legend, 3/8 by 1-1/2 in., 1000s
7690-01-254-5797	LABEL, Pressure Sensitive Adhesive, "DO NOT DRINK ALCOHOLIC BEVERAGES WHILE TAKING THIS MEDICATION" or "DO NOT DRINK ALCOHOLIC BEVERAGES WHEN TAKING THIS MEDICATION", Legend 3/8 by 1-1/2 in., 1000s

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:38Z
Check the source to verify that this is the current version before use.

NATIONAL STOCK NUMBERS	ITEM IDENTIFICATIONS
7690-01-254-9545	LABEL, Pressure Sensitive Adhesive, "DO NOT TAKE DAIRY PRODUCTS, ANTACIDS, OR IRON PREPARATIONS WITHIN ONE HOUR OF THIS MEDICATION" Legend, 3/8 by 1-1/2 in., 1000s
7690-01-255-2831	LABEL, Pressure Sensitive Adhesive, "CAUTION, FEDERAL LAW PROHIBITS THE TRANSFER OF THIS DRUG TO ANY PERSON OTHER THAN THE PATIENT FOR WHOM IT WAS PRESCRIBED" Legend, 3/8 by 1-1/2 in., 1000s
7690-01-255-2832	LABEL, Pressure Sensitive Adhesive, "SHAKE WELL BEFORE USING" Legend, 3/8 by 1-1/2 in., 1000s
7690-01-257-4639	LABEL, Pressure Sensitive Adhesive, "MAY CAUSE DISCOLORATION OF THE URINE OR FECES" Legend, 3/8 by 1-1/2 in., 1000s
7690-01-257-4640	LABEL, Pressure Sensitive Adhesive, "WARNING - TO PREVENT LOSS OF POTENCY, KEEP THESE TABLETS IN ORIGINAL CONTAINER, CLOSE TIGHTLY IMMEDIATELY AFTER EACH USE" or "WARNING - TO PREVENT LOSS OF POTENCY, KEEP TABLETS IN ORIGINAL CONTAINER, CLOSE TIGHTLY IMMEDIATELY AFTER EACH USE" Legend, 3/8 by 1-1/2 in., 1000s
7690-01-257-4641	LABEL, Pressure Sensitive Adhesive, "FOR THE NOSE" Legend, 3/8 by 1-1/2 in., 1000s
7690-01-257-4643	LABEL, Pressure Sensitive Adhesive, "FOR VAGINAL USE ONLY" Legend, 3/8 by 1-1/2 in., 1000s

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:38Z
Check the source to verify that this is the current version before use.

NATIONAL STOCK NUMBER	ITEM IDENTIFICATION
7690-01-257-4644	LABEL, Pressure Sensitive Adhesive, "TO CONTROL YOUR BLOOD PRESSURE, TAKE REGULARLY. DO NOT DISCONTINUE UNLESS DIRECTED BY YOUR PHYSICIAN" or "TO CONTROL YOUR BLOOD PRESSURE TAKE EXACTLY AS DIRECTED. DO NOT SKIP DOSES OR DISCONTINUE UNLESS DIRECTED BY YOUR DOCTOR" Legend, 3/8 by 1-1/2 in, 1000's
7690-01-257-9941	LABEL, Pressure Sensitive Adhesive, "DRINK A FULL GLASS OF ORANGE JUICE OR EAT A BANANA DAILY WHILE TAKING THIS MEDICATION" Legend, 3/8 by 1-1/2 in., 1000's
7690-01-257-9942	LABEL, Pressure Sensitive Adhesive, "FOR THE EYE" Legend, 3/8 by 1-1/2 in., 1000s
7690-01-258-1584	LABEL, Pressure Sensitive Adhesive, "DO NOT TAKE ASPIRIN WITHOUT KNOWLEDGE AND CONSENT OF YOUR PHYSICIAN" or "DO NOT TAKE ASPIRIN WITHOUT THE CONSENT OF YOUR PHYSICIAN" Legend, 3/8 in. by 1-1/2 in., 1000s
7690-01-258-9528	LABEL, Pressure Sensitive Adhesive, "CAUTION - DOSAGE STRENGTH DIFFERENT FROM ORDER. USE APPROPRIATE AMOUNT" Legend, 3/8 by 1-1/2 in., 1000s

NOTE 2: Label dispenser characteristics shall be defined under NSN 7690-01-253-8287, Dispenser Pharmacy, Auxiliary Label.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:38Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

Preparing Activity:

DoD-MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
USPHS
FDA-MPQAS

Project Number: 7690-0090
Location: LABELCD/S11

Source: https://assist.dla.mil -- Downloaded: 2026l0-26T09:38Z
Check the source to verify that this is the currentversion before use.

3.3.3.4 inclusive. These limits are shown

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revisio letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification o requirements on current contracts. Comments submitted on this form do not constitute or imply authorization t waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER A-A-54765	2. DOCUMENT DATE (YYMMDD) 6 November 1992

3. DOCUMENT TITLE
LABEL, Pressure Sensitive Adhessive

4. NATURE OF CHANGE *(Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)*

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	e. DATE SUBMITTED (YYMMDD)

7. PREPARING ACTIVITY

a. NAME Defense Personnel Support Center ATTN: DPSC-MSE	b. TELEPHONE (Include Area Code) (1) Commercial: (215)737-2870 (2) AUTOVON: 444-2870
c. ADDRESS (Include Zip Code) 2800 South 20th Street Philadelphia, PA 19145	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340

DD Form 1426, OCT 89 *Previous editions are obsolete.*

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:38Z
Check the source to verify that this is the current version before use.