DATA ITEM DESCRIPTION

Form Approved
OMB No. 0704-0188

2. TITLE	1. IDENTIFICATION NUMBER
SPECIAL TOOLING (ST) REPORT FOR EAGLE TIMS	DI-MISC-81538

3. DESCRIPTION/PURPOSE

3.1 This report describes specific information on ST reportable under the Eagle Tooling Information Management System (TIMS).

4. APPROVAL DATE (YYMMDD)	5. OFFICE OF PRIMARY RESPONSIBILITY (OPR)	6a. DTIC APPLICABLE	6b. GIDEP APPLICABLE
970314	N/NAVICP-0713.14		

7. APPLICATION/INTERRELATIONSHIP

7.1 This Data Item Description (DID) contains the format and content preparation instruction for the data product generated by specific and discrete task requirements as delineated in the contract.

7.2 This DID may be applied when special tooling is manufactured, procured, or newly reported.

7.3 Contract should specify means of data transfer, e.g., electronic transfer, FTP, 3.5" disk in ASCII format, or magnetic 1/2" data cartridge in EBCDIC format.

8. APPROVAL LIMITATION	9a. APPLICABLE FORMS	9b. AMSC No.
		N7250

10. PREPARATION INSTRUCTIONS

10.1 Reference Documents The applicable issue of the documents cited herein, including their approval dates and dates of any applicable amendments, notices, and revisions shall be as specified in the contract.

10.2 Format Eight individual ST files will be provided. Refer to Figures 1 through 8 as layout. Further explanation is detailed in 10.3.

10.3 Content Characters in fields may be of variable length, blank fill at the end of field to maximize size. Fields not required must be blank filled. The ST report shall include the following information as needed.

10.3.1 Part to Next Assembly File- Use the ST record layout format IAW Figure 1 (Identify to File Name: Part NHA.dat)

A. Part Number (a maximum of 20 alphanumeric characters)

B. Part Name (a maximum of 15 alphanumeric characters)

C. Aircraft Model (a maximum of 7 alphanumeric characters-enter model designation with the hyphen)

11. DISTRIBUTION STATEMENT

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:50Z
Check the source to verify that this is the current version before use.

DI-MISC-81538

BLOCK 7 FIELDS (Continued)

7.4 This DID may be tailored to eliminate fields not required.

BLOCK 10 FIELDS (Continued)

D. Type Designation (associated with model-a maximum of 2 alphanumeric characters- when there is only one character, blank fill the second character. A= production, KA = retrofit tech directive kit, KM= modification aircraft kit, RL= spares, RS= deliverable support equipment)

E. From Ship (a maximum of 4 numeric characters)

F. Thru Ship (a maximum of 4 numeric characters)

G. Next Higher Assembly Part Number (a maximum of 20 alphanumeric characters- enter the actual next higher assembly part number in which the part is assembled)

H. Quantity per Next Higher Assembly (a maximum of 5 numeric characters)

I. Filler (two blank fill characters)

10.3.2 Tool Information File-required for all special tooling including reference and alignment tools. Use the ST record layout format IAW Figure 2 (Identify to File Name: toolinfo.dat)

A. Tool Number (Tool I.D.- a maximum of 32 alphanumeric characters)

B. Duplication Number (enter dup number, three character numeric maximum-requires individual tool information for each dup)

C. Part to Tool Indicator (two characters PT= tool to produce part, TT= tool to produce tool. OT= tool has no ties)

D. Ownership Code (two alphanumeric characters RT= Right to Title, YY= contractor owned, H7= government owned)

E. Current Disposition Code (two positions with the second position blank filled. D= disposed (scrapped), R= re-identified, L= lost, C= customer has title, T= tool transferred)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:50Z
Check the source to verify that this is the current version before use.

DI- MISC-81538

BLOCK 10 FIELDS (Continued)

F. Tool Bar Code (8 alphanumeric characters associated with the individual tool)

G. Fabrication Hours (a maximum of 4 numeric characters, plus 1 decimal- if no tenths, enter 0)

H. Dollar Cost (a maximum of 8 numeric characters-cumulative amount paid to vendor for tool on voucher, rounded to the nearest whole dollar)

I. CAGE (Contractor and Government Entity Code-5 alphanumeric characters)

J. Current Storage Location (15 alphanumeric characters citing physical storage location)

K. Size (a maximum of four numeric characters-identifies length, width, height in whole cubic feet-will max at 9999)

L. Weight (a maximum of four numeric characters-indicates weight of tool in whole pounds-will max at 9999)

M. Tool Condition (a maximum of two alphanumeric characters from DoD 4160.21M Defense Reutilization and Marketing Manual)

N. Accountable Contract (a maximum of 25 alphanumeric characters)

O. Original Contract (a maximum of 25 alphanumeric characters)

P. Serial Number (a maximum of 10 alphanumeric characters)

Q. Reidentified From Tool Number (a maximum of 33 alphanumeric characters)

R. Reidentified to Tool Number (a maximum of 33 alphanumeric characters)

S. Tool Name (A maximum of 35 alphanumeric characters)

T. Tool Type (one position T=special tool (default) S= Special Test Equipment)

U. Contractor Post Production Support Recommendation (one position blank= no recommendation, R= retain, D= dispose)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:50Z
Check the source to verify that this is the current version before use.

DI- MISC-81538

BLOCK 10 FIELDS (Continued)

10.3.3 Part To Tool- Use the ST record layout format IAW Figure 3 (Identify to File Name: parttool.dat)

A. Part Number (a maximum of 20 alphanumeric characters)

B. Tool Number (Tool I.D.- a maximum of 32 alphanumeric characters)

C. Filler (three blank fill characters)

10.3.4 Tool To Reference Linkage- to be used only when a requirement for reference or alignment tool exists- Use the ST record layout format IAW Figure 4 (Identify to File Name: reftool.dat)

A. Tool Number (Tool I.D.- a maximum of 32 alphanumeric characters)

B. Reference Tool (Master or alignment tool- a maximum of 32 alphanumeric characters)

10.3.5 Part Notes- Allows entry of notes pertinent to production of the part- Use the ST record layout format IAW Figure 5 (Identify to File Name partnote.dat)

A. Part Number (A maximum of 20 alphanumeric characters)

B. Note Line Number (one numeric character depicting the line of text)

C. Note (a maximum of 65 characters of freeform text)

10.3.6 Tool Notes- Allows entry of notes pertinent to use of the tool- Use the ST record layout format IAW Figure 6 (Identify to File Name toolnote.dat)

A. Tool ID (A maximum of 32 alphanumeric characters)

B. Note Line Number (one numeric character depicting the line of text)

C. Note (a maximum of 65 characters of freeform text)

Source: https://assist.dla.mil -- Downloaded: 20260-26T10:50Z
Check the source to verify that this is the current version before use.

DI- MISC-81538

BLOCK 10 FIELDS (Continued)

10.3.7 Tool Drawings- Allows identification of any drawings pertinent to the use of the tool-Use the ST record format IAW Figure 7 (Identify to File Name tooldraw.dat)

A. Tool ID (A maximum of 32 alphanumeric characters identifying the tool)

B. Filler (One blank filled space)

C. Drawing Number (Seven alphanumeric characters to identify the tool drawing)

D. Filler (One blank filled space)

E. Drawing Revision Number (Two numeric characters to allow for identification of any revision. Blank fill if none)

F. Filler (One blank filled space)

10.3.8 Part Common Weapons System- Allows identification of other aircraft applications that this tool may be common to-Use the ST record format IAW Figure 8 (Identify to File Name partothr.dat)

A. Part Number (A maximum of 20 alphanumeric characters)

B. Record Type (C= Common. If not common, omit this record)

C. Weapons System (Weapons system that tool is also common to- up to ten, seven alphanumeric characters each left justified, e.g., F-14, EA-6B, AV-8B)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:50Z
Check the source to verify that this is the current version before use.

IMPORT FILES

1. Part-to-Next-Higher-Assembly file

lrecl = 79

Part-to-Next-Higher-Assembly record			
FIELD NAME	START	LENGTH	REQ'D FIELD
A. Part Number	01	20	Y
B. Part Name	21	15	Y
C. Model Designation	36	07	N
D. Type	43	02	N
E. Ship From	45	04	N
F. Ship Thru	49	04	N
G. NHA Part Number	53	20	N
H. Qty per NHA	73	05	N
I. Filler	78	02	N

Note 1: A Part-to-NHA record creates a Part Master for the Part Number.

Note 2: A Part Number may have 0-many NHA Part Numbers.

Note 3: If a Part Number has no next higher assembly, then fields C-H should be blank.
If a Part Number has next higher assembly, then fields C-H are required.

Note 4: Each NHA Part Number referenced must have it's own Part Number record.

FIGURE 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:50Z
Check the source to verify that this is the current version before use.

DI-MISC-81538

2. Tooling Information file

lrecl = 256

Tooling Information record			
FIELD NAME	**START**	**LENGTH**	**REQ'D FIELD**
A. Tool ID	01	32	Y
B. Dup Number (numeric)	33	03	Y
C. Part-to-Tool code PT = tool is tied to a part TT = tool makes another tool OT = tool has no ties	36	02	N
D. Ownership code RT = Right to title YY = Contractor owned H7 = Government owned	38	02	Y
E. Current Disposition code D = disposed (scrapped) R = re-identified L = lost C = customer has title T = tool transferred	40	02	N
F. Tool Bar code	42	08	N
G. Fab Hours (numeric)	50	05.1	N
H. Dollar cost (numeric)	55	08	N
I. Cage Code	63	05	Y
J. Current Storage Location (e.g. plant/dept/aisle/bin)	68	15	N
K. Size (cubic feet)	83	04	N
L. Weight (pounds)	87	04	N
M. Tool Condition	91	02	N

FIGURE 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:50Z
Check the source to verify that this is the current version before use.

DI-MISC-81538

Tooling Information record			
FIELD NAME	**START**	**LENGTH**	**REQ'D FIELD**
N. Accountable Contract	93	25	N
O. Original Contract	118	25	N
P. Serial Number	143	10	N
Q. Reidentified From	153	32	N
R. Reidentified To	185	32	N
S. Tool Name	217	35	Y
T. Tool Type T = Standard Tooling (default) S = Special Test Equip	252	01	N
U. Contractor PPS Recommendation blank = no recommendation R = Retain for contractor D = Dispose per contractor	253	01	N
V. Filler	254	02	N

Note 1: A Tooling Information record creates a Tool Master for the Tool ID.

Note 2: A Dup Number represents a duplicate copy of the Tool ID.

Note 3: A Tool ID may have 1-999 Dup Numbers.

Note 4: Serial Number is Unique to a given Tool ID and Dup Number.

FIGURE 1

Source: https://assist.dla.mil -- Downloaded: 20260-26T10:50Z
Check the source to verify that this is the current version before use.

DI-MISC-81538

3. Part-to-Tool linkage file

lrecl = 65

Part-to-Tool record			
FIELD NAME	START	LENGTH	REQ'D FIELD
A. Part Number	01	20	Y
B. Tool ID	21	32	Y
C. Filler	53	03	N

Note-1: If a part has no tooling attached this record may be omitted.

Note-2: Part Number must have been defined by an entry in the Part-to-NHA file.

Note-3: Tool ID must have been defined by an entry in the Tooling Information file.

FIGURE 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:50Z
Check the source to verify that this is the current version before use.

DI-MISC-81538

4. Reference Tooling linkage File

lrecl = 64

Master Tooling record			
FIELD NAME	START	LENGTH	REQ'D FIELD
A. Tool ID	01	32	Y
B. Master Tool ID	33	32	Y

Note-1: If a Tool ID has no reference tooling, this record may be omitted.

Note-2: The Master Tool may be used in the manufacture or alignment of the cited Tool ID.

Note-3: The Tool ID and Master Tool ID must have been defined in the Tooling Information file.

Note-4: A Master Tool cannot be used to make itself (ie. Master tool-id cannot = Tool id).

FIGURE 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:50Z
Check the source to verify that this is the current version before use.

5. Part Notes file

lrecl = 86

Part to Freeform Notes Record			
FIELD NAME	START	LENGTH	REQ'D FIELD
A. Part Number	01	20	Y
B. Note Line Number (1-9)	21	01	Y
C. Note (freeform text)	22	65	Y

Note-1: If a Part Number has no notes, then this record may be omitted.

Note-2: A part may have 1-9 note records

FIGURE 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:50Z
Check the source to verify that this is the current version before use.

DI-MISC-81538

6. Tool Notes file

lrecl = 103

Tool to Freeform Notes Record			
FIELD NAME	START	LENGTH	REQ'D FIELD
A. Tool ID	01	32	Y
B. Note Line Number (1-9)	33	01	Y
C. Note (freeform text)	34	70	Y

Note-1: If a Tool ID has no notes, then this record may be omitted.

Note-2: A tool may have 1-9 tool note records.

FIGURE 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:50Z
Check the source to verify that this is the current version before use.

DI-MISC-81538

7. Tool Drawings file

lrecl = 44

Tool to Drawings Record			
FIELD NAME	START	LENGTH	REQ'D FIELD
A. Tool ID	01	32	Y
B. Filler	33	01	N
C. Drawing Number	34	07	Y
D. Filler	41	01	N
E. Drawing Revision Number	42	02	Y
F. Filler	44	01	N

Note: If a Tool ID has no drawing References, then this record may be omitted.

FIGURE 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:50Z
Check the source to verify that this is the current version before use.

DI-MISC-81538

8 Part Common Weapon Systems file

lrecl = 91

Part to Other Weapons Systems			
FIELD NAME	START	LENGTH	REQ'D FIELD
A. Part Number	01	20	Y
B. Record Type C = Common to other weapon systems	21	01	Y
C. Weapon System occurs 1-10 times 7 char each left justified. e.g. F-14 EA-6B AV-8B	22	70	Y

Note: If a Part Number is not common to any other weapon system, this record may be omitted.

FIGURE 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:50Z
Check the source to verify that this is the current version before use.