INCH-POUND

MIL-H-17902F(SH)
AMENDMENT 1
12 December 1990

MILITARY SPECIFICATION

HOSE, END FITTINGS AND HOSE ASSEMBLIES,
SYNTHETIC RUBBER, AIRCRAFT FUELS

This amendment forms a part of MIL-H-17902F(SH), dated 23 December 1988, and is approved for use by the Department of the Navy and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

1.2.1.2, table II: Delete and substitute:

"TABLE II. Hose type designation.

Symbol	Hose type/configuration
CCA	Collapsible hose assembly
CCH	Collapsible hose only
NCA	Noncollapsible hose assembly
NCH	Noncollapsible hose only

"

PAGE 5

3.2.5, table V: Delete and substitute part number 11:

"

11.	Coupling body male	Brass, Forging	ASTM B.283, UNS C37700

"

3.2.5, table V: Add the following:

"

17.	Coupling body female	Brass, Forging	ASTM B.283, UNS C37700

"

PAGE 8

3.4.2, Delete lines (b) and (e).


AMSC N/A FSC 4720

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:44Z
Check the source to verify that this is the current version before use.

least two places 90 degrees apart on the diameter. [illegible]

Figure 1: Delete and substitute:




E- THIS DRAWING SHOWS THE GENERAL ARRANGEMENT OF HOSE, COUPLING AND CONTROL WIRE. IT DOES NOT PROVIDE DETAILS ON COMPONENT SUBASSEMBLY SUCH AS, ATTACHMENT OF SWIVEL TO COUPLING BODY FOR FEMALE COUPLING END.

FIGURE 1. Hose and control wire assembly."

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:44Z
Check the source to verify that this is the current version before use.

Figure 3: Delete and substitute:

"



SIZE	F	G	H	I	J	K
1-1/2	0.560	1-1/2 - 11-1/2 NPT	1.52	19/32	15/32	1/8
2-1/2	.781	2-1/2 - 8 NPT	2.52	15/16	11/16	3/16

FIGURE 3. Partial detail of female coupling end."

Preparing activity:
Navy-SH
(Project 4720-N003)

Review activity:
DLA-CS

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:44Z
Check the source to verify that this is the current version before use.