
MILITARY SPECIFICATION SHEET

TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, SECTIONAL, MODULES, ELECTRONIC, FEEDBACK TYPE, SIZE 12, SERIES I

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the blocks described herein shall consist of this document and the latest issue of Specification MIL-T-81714.



Size 12 Electronic Block

AMSC N/A FSC 5940

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:58Z
Check the source to verify that this is the current version before use.




FIG. 1A

FIGURE 1. Blocks with diode.

TABLE I. Dash numbers for Figure 1.

Dash No.	Figure	Ref Des	Part Number	Specification
-001	1A	D1	JAN 1N3618	MIL-S-19500/427
-002	1A	D1	JAN 1N5622	MIL-S-19500/427

Inch	mm	Inch	mm	Inch	mm	Inch	mm
.002	0.05	.034	0.86	.351	8.92	.850	21.59
.005	0.13	.038	0.97	.440	11.18	.891	22.63
.007	0.18	.040	1.02	.550	13.97	1.032	26.21
.010	0.25	.059	1.50	.690	17.53	1.050	26.67
.011	0.28	.335	8.51	.760	19.30	1.170	29.72
.014	0.36	.350	8.89	.835	21.21		

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:58Z
Check the source to verify that this is the current version before use.

NOTES:


1. Dimensions are in inches.

2. This block is designed for installation in the MIL-T-81714/5 rack and MIL-T-81714/16 rack with its indexing indicator adjacent to the indexing rack rail. This block can also be installed in MIL-T-81714/29 brackets.

3. Tool for contact inserting/removal is M81969/14-04 and shall be ordered separately.

4. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.

5. The part number consists of the letter M, specification sheet number, block class, and electronic component/circuit dash number (see Table I).



Part Number Example:

M81714/20-D-001

Feedback type electronic block, size 12, Class D with -001 circuit (one JAN 1N3618 diode).

8. Classes A, B and C components are inactive for new design. Only Class D components shall be used for direct Government acquisition.

Revision letters are not used to denote changes due to the extensiveness of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:58Z
Check the source to verify that this is the current version before use.

Custodians:
Army - ER
Navy - AS
Air Force - 85

Review Activities:
Navy - EC, OS
Air Force - 99
DLA - GS

User Activities:
Army - MU, AV, AT, WC, MI
Navy - SH

Preparing Activity:
Navy - AS
(Project No. 5940-1000-19)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:58Z
Check the source to verify that this is the current version before use.