MILITARY SPECIFICATION SHEET

TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS, ELECTRONIC, IN-LINE JUNCTION, INTEGRAL RESISTOR, SERIES I

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the wire in-line junction described herein shall consist of this document and the latest issue of specification MIL-T-81714.




FIGURE 1. Style 1 electronic in-line junction.

TABLE I. Style 1 part numbers.

			Contacts (See Note 3)	
Part Number 1/	Ohms	Resistor P/N	Size	Part Number
M81714/22-1-*001	100	RLR07C1000JP	20	M39029/1-101
M81714/22-1-*002	9100	RLR07C9101GM	20	M39029/1-101

1/ See Note 5
* Class D

AMSC N/A FSC 5940

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:58Z
Check the source to verify that this is the current version before use.

Inch	mm	Inch	mm
.178	4.52	.310	7.87
.218	5.54	.410	10.41
.225	5.72	2.125	53.98
.256	6.50	2.600	66.04
.260	6.60	3.100	78.74
.280	7.11		




FIGURE 2. Style 2 electronic in-line junction.

TABLE II. Style 2 part numbers.

Part Number 1/	Ohms	Resistor P/N	Contacts	
			Size	Part Number
M81714/22-2-*001	9100	RLR20C9101GM	20	M39029/1-101

1/ See Note 5
* Class D

REQUIREMENTS:

1. Materials:

a. Current carrying members of the electronic in-line junction shall be in accordance with the in-line junction specification.

b. Housing shall be covered by shrink tubing and/or shrouded with grommet material.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:58Z
Check the source to verify that this is the current version before use.

NOTES:

1. Dimensions are in inches.

2. MIL-T-81714 requirements apply to basic in-line junction only. For rating and characteristics of electronic component(s), consult component specification.


3. Tool for contact insertion/removal shall be ordered separately.

Electronic In-Line Junction Style	Tool
1	M81969/14-02
2	M81969/14-03

4. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.

5. International interest, see specification MIL-T-81714.

6. The part number consists of the letter M, specification sheet number, style number (see Figures), in-line junction class D (see Note 3), and bussing designator (Ref Spec Sheet).



Part Number Example:

M81714/22-1D001

In-line junction, Size 22, Style 1, Class D with 001 circuit (one RLR07C101JM resistor).

7. Classes A, B and C components are inactive for new design. Only Class D components shall be used for direct Government acquisition.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:58Z
Check the source to verify that this is the current version before use.

Revision letters are not used to denote changes due to the extensiveness of the changes.

Custodians:
Army - ER
Navy - AS
Air Force - 85

Review Activities:
Navy - EC, OS
Air Force - 99
DLA - GS

User Activities:
Army - MU, AV, AT, WC, MI
Navy - SH

Preparing Activity:
Navy - AS
(Project No. 5940-1000-21)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:58Z
Check the source to verify that this is the current version before use.