MILITARY SPECIFICATION SHEET

TERMINAL JUNCTION SYSTEM, TERMINAL JUNCTION BLOCKS,
SECTIONAL, BUSSING MODULES, FEEDBACK TYPE, SERIES II

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the block described herein shall consist of this document and the latest issue of specification MIL-T-81714.




FIGURE 1. Block size 0W, 0X, 0Z.

AMSC N/A FSC 5940

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.




FIGURE 2. Block size OY.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.




FIGURE 3. Component designator.

TABLE 1. Dimensions.

Component Designator	Contact Part Nos.	Bus/Contact Description	A Max	B Max
OZ	12/16	One Bus - 2 Size 12 & 6 Size 16	1.047	.977
OY	16/20	One Bus - 2 Size 16 & 6 Size 20	.920	.880
OX	12/16	2 Buses - 1 Size 12 & 3 Size 16 Per Bus	1.047	.977
OW	12/16	5 Buses - 1 Size 22, 1 Size 20 & 1 Size 16 Per Bus	.920	.890

TABLE 2.


Component Designator	Contact Part Nos.	Inserting/Removal Tool	End Seal Plug	Block Removal Tool
OW	12/16	M81969/16-04 M81969/14-02 M81969/14-03	MS27488-22 MS27488-20 MS27488-16	M81714/69-02
OY	16/20	M81969/14-02 M81969/14-03	MS27488-20 MS27488-16	M81714/69-01
OZ	12/16	M81969/14-02 M81969/16-03	MS27488-16 MS27488-12	M81714/69-02
OX	12/16	M81969/14-03 M81969/16-03	MS27488-16 MS27488-12	M81714/69-02

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.

Inch	mm	Inch	mm	Inch	mm	Inch	mm
.005	0.12	.040	1.01	.214	5.43	.672	17.06
.006	0.15	.083	2.10	.225	5.71	.720	18.18
.007	0.17	.093	2.36	.226	5.74	.880	22.35
.010	0.25	.110	2.79	.250	6.35	.890	22.61
.012	0.30	.130	3.30	.303	7.69	.920	23.37
.016	0.40	.170	4.31	.315	8.00	.997	24.82
.018	0.45	.180	4.57	.510	12.95	1.020	25.90
.030	0.76	.189	4.80	.518	13.15	1.047	26.59
.035	0.88	.202	5.13	.630	16.00		

NOTES:

1. Dimensions are in inches.
2. Block is designed for installation in MIL-T-81714/67 racks or MIL-T-81714/68 brackets.
3. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
4. The part number consists of the letter M, specification sheet number and component designator.



Part Number example:

M81714/61-02

Custodians:
Army - ER
Navy - AS
Air Force - 85

Review Activities:
Navy - EC, OS
Air Force - 99
DLA - GS

User Activities:
Army - MU, AV, AT, WC, MI
Navy - SH

Preparing Activity:
Air Force - 85
(Project No. 5940-1000-33)

Agent:
Navy - AS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T05:59Z
Check the source to verify that this is the current version before use.