MILITARY SPECIFICATION

TEST SET, INVERTER, CONVERTER CHASSIS ASSEMBLY: 11748234

This amendment forms a part of Military Specification MIL-T-48599 (MU) dated 11 April 1977, and is approved for use by the U.S. Army Armament Research and Development Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 4

Table I, J1 Terminal Column:

Delete "1 & 32" and substitute "1 & 22".


Delete "22 & 32" and substitute "22 & 30"

PAGE 5

3.4.2.2.3, Delete in its entirety and substitute:

"3.4.2.2.3 Diode Resistance.- The diode shall have a forward bias resistance of 5 ohms maximum."

Figure 1, Delete in its entirety and substitute new Figure 1.



FSC 4931

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:33Z
Check the source to verify that this is the current version before use.

PAGE 12

Table V, J1 Terminal Column:

Delete " 1 & 32" and substitute "1 & 22".

Delete "22 & 32" and substitute "22 & 30".

Table V, Figure Column: Delete "3,4,5,6,7,8,9,10,11,12,13" and substitute "2,3,4,5,6,7,8,9,10,11,12".

4.5.2.2.2.1, line 2, after J1-29 Add: "J1-32".

PAGE 13

4.5.2.2.2.3, Delete in its entirety and substitute:

"4.5.2.2.2.3 Diode Resistance.- With the switch turned to OFF position, connect the common lead of the Digital D.C. Voltmeter (Item 2)to the cathode site of the diode (J1-29) and the + lead to J1-32 Terminal, the Digital D.C. Voltmeter shall read the diode resistance of 5 ohms maximum".

PAGE 14

Figure 7: Delete "J1-1" and substitute "J1-22".

Delete "J1-32" and substitute "J1-1".

PAGE 15


Figure 8: Delete "J1-32" and substitute "J1-30".

Figure 11: Delete "J1-2" and substitute "J1-4".

Delete "J1-4" and substitute "J1-2".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:33Z
Check the source to verify that this is the current version before use.

Figure 13, Delete in its entirety and substitute new Figure 13:



Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 4931-A194)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:33Z
Check the source to verify that this is the current version before use.