MILITARY SPECIFICATION

STARTER, ENGINE, CARTRIDGE/PNEUMATIC
SHAFT DRIVE, GENERAL SPECIFICATION
FOR

This amendment forms a part of MIL-S-27266A(USAF), dated 8 June 1971, and is approved for use within the Department of the Air Force and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

2.1 Delete " title and first sentence" and add new: "2.1 Government documents."

Add: "2.1.1 Specifications and standards. The following specifications and standard form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation."

Under SPECIFICATION, Federal, delete "PPP-B-636"

Under SPECIFICATION, Military, delete "MIL-S-7742" and "MIL-C-8188".

Add boxed paragraph to bottom center of page:

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Oklahoma City Air Logistics Center/MMEDO, Tinker AFB OK 73145-5990 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

PAGE 2

Under SPECIFICATION, Military, delete "MIL-C-27658."

Under STANDARDS, Military, Change "MIL-STD-100 to "DOD-STD-100" and add: "MIL-STD-129 Marking For Shipment And Storage", "MIL-STD-201 Climatic Information To Determine Design And Test Requirements For Military Systems And Equipment" and "MIL-STD-2073-1 DOD Material Procedures For Development And Application Of Packaging Requirements."

Add: "2.2 Other publications. The following document(s) form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted shall be those listed in the issue of the DODISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS shall be the issue of the nongovernment documents which is current on the date of the solicitation."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T11:26Z
Check the source to verify that this is the current version before use.

American Society For Testing And Material (ASTM)

ASTM D3951 Packaging, Commercial

(Application for copies should be addressed to: ASTM, 1916 Race St, Philadelphia PA 19103.)

(Nongovernment standards and other publications are normally available from the organizations which prepare or which distribute the documents. These documents also may be available in or through libraries or other informational services.)"

Add: "2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein (except for associated detail specifications, specification sheets or MS standards), the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained.

PAGE 18

Add: "3.17 Recycled and reclaimed materials. Recycled and reclaimed materials shall be used to the maximum extent possible without jeopardizing the end use of the item."

Delete "4.1" and add new "4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

PAGE 19

Change "4.1.1" to 4.1.1.1 and add new: "4.1.1 Responsibility for compliance. All items must meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to acceptance of defective material."

Delete "4.2" "a" and "b" entirety and add new: 4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

a. Qualification inspection (See 4.3).

b. Quality conformance inspection (see 4.4).

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T11:26Z
Check the source to verify that this is the current version before use.

Delete "4.3" and add new "4.3 Inspection conditions. Unless otherwise specified, all inspections shall be performed in accordance with the test conditions specified in the following applicable paragraph."

PAGE 41

Delete Section 5 in its entirety and add:

5. PACKAGING

5.1 Preservation packaging. Preservation-packaging shall be level A, C, or Industrial, IAW MIL-STD-2073-1, as specified (see 6.2).

5.1.1 Level A. Unless otherwise specified by the contracting activity, each starter shall be individually preserved and packaged according to MIL-STD-2073-1. The method of preservation shall conform to submethod 1C-1 of MIL-P-116.

5.1.2 Level C. Each starter shall be preserved and packaged in a manner which will afford adequate protection against corrosion, deterioration, and physical damage during shipment from supply source to the first receiving activity for immediate use.

5.1.3 Industrial. The Industrial preservation of starter shall be in accordance with ASTM D3951.

5.2 Packing. Packing shall be Level A, B, C or Industrial as specified. (See 6.2).

5.2.1 Level(S) A, B, or C. The level of packing shall be specified by the contracting activity. The level of packing shall be accomplished in accordance with the requirements outlined in MIL-STD-2073-1.

5.2.2 Industrial. The packaged starter shall be packed in accordance with ASTM D3951.

5.3 Marking. In addition to any special marking required by the contract or order, marking shall be in accordance with Military Standard MIL-STD-129.

5.4 Inspection and Test. Test of methods of preservation and packaging shall be accomplished in accordance with section 4 of MIL-P-116 to insure compliance with section 5 of this specifications.

Delete "6.5".

Custodians:
AIR FORCE -99
AIR FORCE -85

Review activity
ARMY -AV

Preparing activity:
AIR FORCE -71

Project number:
2995-F162

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T11:26Z
Check the source to verify that this is the current version before use.