INCH-POUND

A-A-59563
17 February 2004
SUPERSEDING
O-S-571G
13 November 1991

COMMERCIAL ITEM DESCRIPTION

SODIUM CARBONATE, ANHYDROUS, TECHNICAL

The General Services Administration has authorized the use of this commercial item description for all federal agencies.

1. SCOPE. This commercial item description (CID) covers technical grade anhydrous sodium carbonate for use in various washing, cleaning, and scouring processes, with or without soap, as conditions may require when a moderately strong alkaline material is desired, and for the treatment of water. It is not intended for use in glass making. Anhydrous sodium carbonate is commonly known as soda ash.

2. CLASSIFICATION. The anhydrous sodium carbonate shall conform to the following types (see 7.4(b)):

Type I - Light soda ash
Type II - Medium soda ash
Type III- Dense or heavy soda ash
Type IV- Briquettes

3. SALIENT CHARACTERISTICS

3.1 Chemical and physical characteristics. The four types of anhydrous sodium carbonate shall have the chemical and physical characteristics listed in table I.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data that may improve this document should be sent to: STDZNMGT@dla.mil or Defense Supply Center Richmond (DSCR), ATTN: DSCR-VEB, 8000 Jefferson Davis Highway, Richmond, VA 23297-5616.

AMSC N/A FSC 6810

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:18Z
Check the source to verify that this is the current version before use.

TABLE I. Chemical and physical characteristics.

Type	Characteristic			
	Loss on heating, maximum percent by weight	Water-insoluble matter in dried material, maximum percent by weight	Total alkalinity in dried material, minimum percent by weight	Apparent density, pounds per cubic foot, range of value
I	1.0	0.25	99.2	29 to 37
II	1.0	0.25	99.2	42 to 62
III	1.0	0.25	99.2	54 to 75
IV	1.0	0.25	98.0	weight[1]

[1]Twenty-five briquettes shall weigh 16 ± 1 ounces.

3.2 Testing. The anhydrous sodium carbonate shall display the chemical and physical properties listed in table I when tested in accordance with ASTM D 501, "Standard Test Methods of Sampling and Chemical Analysis of Alkaline Detergents".

4. REGULATORY REQUIREMENTS

4.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4.2 Material safety data sheets (MSDS). MSDS shall be furnished in accordance with 29 CFR 1910.1200, "Hazard Communication", and FED-STD-313, "Material Safety Data, Transportation Data, and Disposal Data for Hazardous Materials Furnished to Government Activities", and submitted as directed in the acquisition order at the time of acquisition award.

5. PRODUCT CONFORMANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this CID, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance.

5.2 Market acceptability. The product offered must have been previously sold either to the government or on the commercial market.


6. PACKAGING

6.1 Preservation, packing, and marking. Preservation, packing, and marking shall be as specified in the acquisition order (see 7.4(c)).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:18Z
Check the source to verify that this is the current version before use.

7. NOTES

7.1 Part or identification number (PIN). The following PIN procedure is for government purposes and does not constitute a requirement for the contractor.



7.2 Sources of documents.

7.2.1 FAR. The FAR may be obtained from the Superintendent of Documents, P.O. Box 371954, Pittsburgh, PA 15250-7954. Electronic copies of FAR documents may be obtained from http://www.arnet.gov/far/.

7.2.2 CFR. The CFR may be obtained from the Superintendent of Documents, P.O. Box 371954, Pittsburgh, PA 15250-7954. Electronic copies of CFR documents may be obtained from http://www.access.gpo.gov/.

7.2.3 Federal standards. Copies of federal standards may be obtained from General Services Administration, Federal Supply Service, Specification Section, 470 East L'Enfant Plaza SW, Suite 8100, Washington, DC 20407. Electronic copies of federal standards may be obtained from http://assist.daps.dla.mil/quicksearch/.

7.2.4 ASTM standards. Copies of ASTM standards may be obtained from ASTM International, 100 Barr Harbor Drive, P.O. Box C700, West Conshohocken, PA 19428-2959. Electronic copies of ASTM standards may be obtained from http://www.astm.org/.

7.3 National stock numbers (NSNs). The following is a list of NSNs assigned that correspond to this CID. This list may not be indicative of all possible NSNs associated with the CID.

NSN	Type
6810-00-237-2906	I
6810-00-233-1715	II
6810-00-262-8567	I, II, III

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:18Z
Check the source to verify that this is the current version before use.

7.4 Ordering data. The acquisition order should specify the following:

a. CID document number, revision, and CID PIN.
b. Type (see 2).
c. Preservation, packing, and marking (see 6.1).

7.5 Subject term (key word) listing.

alkaline
cleaning
scouring
soda ash
washing
water treatment

MILITARY INTERESTS:

Custodians:
Army - EA
Navy - YD
Air Force - 68

Review Activities:
Army - AR, CR4, MD, SM
Navy - MC

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA - 7FLE
DOC - NIST
DOI - MIN
NASA - KSC

Preparing Activity:
DLA - GS3

(Project 6810-1701)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T10:18Z
Check the source to verify that this is the current version before use.