MIL-L-970/16A(SH)
3 January 1977
SUPERSEDING
MIL-L-970/16(SHIPS)
7 April 1967

MILITARY SPECIFICATION SHEET


LAMPHOLDER, WEATHERPROOF, MEDIUM SCREW,

MOLDED RUBBER, 250-VOLT, 660-WATT, STREAMER TYPE

This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the lampholder described herein shall consist of this document and the latest issue of Specification MIL-L-970.

(A) INACTIVE FOR NEW DESIGN AFTER 3 JANUARY 1977 USE MIL-F-16377/39 FOR REPLACEMENT PURPOSES ONLY



(A) Denotes changes

FIGURE 1. Lampholder, weatherproof.

FSC 6250

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:30Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

(A) Material:	Molded rubber in accordance with MIL-P-2765 and shall have a durometer hardness of 60 - 65. Socket shall have a minimum wall thickness of 3/16 inch. Examination of each lampholder shall reveal no flaws in adhesion of molded rubber to cable sheath nor any other details of poor workmanship.
All metal parts:	Brass.
Screw shell length:	Shall be sufficient to provide full engagement with lamp base.

TESTS:

(A) First article inspection:	Shall be in accordance with MIL-L-970, except for the following:
Grounding circuit:	Shall be conducted in accordance with J-C-175 to assure that all metal guards are electrically connected to the green grounding lead.
Strength:	25 pounds.
Torque:	25 inch-pounds.
Quality conformance inspection:	Shall be in accordance with MIL-L-970.

(A) GENERAL INFORMATION: General information is as follows:

(a) Military part number: M970/1.
(b) National Stock Number: No number assigned.

Preparing activity:
Navy - SH

(Project 6250-N141)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:30Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers' vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

NAME OF ORGANIZATION AND ADDRESS

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*

TELEPHONE NO.

DATE

DD FORM 1 JAN 72 1426

REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

S/N 0102-014-1602

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:30Z
Check the source to verify that this is the current version before use.

FOLD

COMMANDER
NAVAL SHIP ENGINEERING CENTER (SEC 6124)
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20362

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID

DEPARTMENT OF THE NAVY

DOD 316

COMMANDER
NAVAL SHIP ENGINEERING CENTER (SEC 6124)
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20362

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:30Z
Check the source to verify that this is the current version before use.