
MIL-L-970/3A(SH)
3 January 1977
SUPERSEDING
MIL-L-970/3(SHIPS)
17 June 1966

MILITARY SPECIFICATION SHEET

LAMPHOLDER, BASE MOUNTED, CANDELABRA SCREW, 125-VOLT, 75-WATT

This specification sheet is approved for use by the Naval Sea Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the lampholder described herein shall consist of this document and the latest issue of Specification MIL-L-970.



SH8307A

NOTE: All dimensions are in inches. Unless otherwise specified tolerances for fractions are ±1/64 inch.

FIGURE 1. Base mounted lampholder.

FSC 6250

Source: https://assist.dla.mil -- Downloaded: 20260-16T12:28Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

Dimensions and configuration: See figure and table I.

Mounting provisions and keying arrangement: See table II.

TABLE I. Connector, electrical, printed wiring board receptacle, Types A and AD.

Dash number	Style	Dimensions (inches) 1/							
		A	B	C	D	E	F	G	H
001	32		3.875 (98.425)	.125 (3.175)	.370 (9.398)	.067 (1.702)	4.105 (104.267)	4.235 (107.569)	.022 x .936 (.559) (.914)

1/ Millimeters are in parentheses.

TABLE II. Mounting provisions and keying arrangement.

Style	Class	Size	Mounting provision	Key
32	Termi-point	2	Special	Yes

(A) Contact current rating: 3.0 ampere max.

Custodian:
Air Force - 11

Preparing activity:
Air Force - 11

Agent:
DSA - ES

(Project 5935-F859)

☆ U. S. GOVERNMENT PRINTING OFFICE: 1972-714-534/764

Source: https://assist.dla.mil -- Downloaded: 20261O-16T12:28Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity *(as indicated on reverse hereof)*.

SPECIFICATION

ORGANIZATION *(Of submitter)* | CITY AND STATE

CONTRACT NO. | QUANTITY OF ITEMS PROCURED | DOLLAR AMOUNT
$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES.

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO IF "YES", IN WHAT WAY?

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)* | DATE

DD FORM 1 APR 63 1426 REPLACES NAVSHIPS FORM 4863, WHICH IS OBSOLETE PLATE NO. 15419

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:28Z
Check the source to verify that this is the current version before use.

FOLD

COMMANDER
NAVAL SHIP ENGINEERING CENTER (SEC 6124)
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20362

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID

DEPARTMENT OF THE NAVY

DOD 316

COMMANDER
NAVAL SHIP ENGINEERING CENTER (SEC 6124)
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20362

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T12:28Z
Check the source to verify that this is the current version before use.