MIL-B-20179D
3 March 1986
SUPERSEDING
MIL-B-20179C(ME)
28 June 1979

MILITARY SPECIFICATION

BAG, BAILEY BRIDGE PARTS AND TOOLS: CLOTH, COTTONDUCK

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers a cotton-duck bag with handles for transporting tools and small parts.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications and standards. The following specifications and standards form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of these documents shall be those listed in the issue of the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto, cited in the solicitation.

SPECIFICATIONS

FEDERAL

T-R-605 - Rope, Manila and Sisal.
V-T-276 - Thread, Cotton.
FF-R-556 - Rivet, Solid, Small; Rivet, Split, Small Rivet Tubular, Small; Burr and Cap, Rivet; General Purpose.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: USA Belvoir Research, Development, and Engineering Center, ATTN: STRBE-TSE, Fort Belvoir, VA 22060-5606 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 5420
AMSC N/A
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T07:23Z
Check the source to verify that this is the current version before use.

CCC-C-419	- Cloth, Duck, Cotton, Unbleached, Plied Yarns (Army and Numbered).
CCC-D-950	- Dyeing and Aftertreating Process for Cotton Cloth.
PPP-B-601	- Boxes, Wood, Cleated-Plywood.
PPP-B-640	- Box, Fiberboard, Corrugated, Triple Wall.

MILITARY

MIL-C-496	- Clip, End Strap.
MIL-W-530	- Webbing, Textile, Cotton, General Purpose Natural or in Color.
MIL-B-543	- Buckles, Tongueless and Web Strap.
MIL-T-3530	- Treatments, Mildew Resistant and Water Repellent for Thread and Twine.
MIL-L-10547	- Liner, Case, and Sheet, Overwrap, Water Vaporproof or Waterproof Flexible.

STANDARDS

FEDERAL

FED-STD-751	- Dyeing and Aftertreating Processes for Cotton Cloths.

MILITARY

MIL-STD-105	- Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	- Marking for Shipment and Storage.
MIL-STD-130	- Identification Marking of US Military Property.

DRAWING

ME

13220E9185	- Bag, Bailey Bridge, Parts and Tools.

(Copies of specifications, standards, handbooks, drawings, publications, and other Government documents required by contractors in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting activity.)

2.2 Other publications. The following document(s) form a part of this specification to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted shall be those listed in the issue of the DoDISS specified in the solicitation. Unless otherwise specified, the issues of documents not listed in the DoDISS shall be the issue of the nongovernment documents which is current on the date of the solicitation.

Source: https://assist.dla.mil -- Downloaded: 202610-19T07:23Z
Check the source to verify that this is the current version before use.

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

A153 - Zinc Coating (HotDip) on Iron and Steel Hardware.
D 3951 - Standard Practice for Commercial Packaging.

(Application for copies should be addressed to the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.)

(Nongovernment standards and other publications are normally available from the organizations which prepare or which distribute the documents. These documents also may be available in or through libraries or other informational services.)

2.3 Order of precedence. In the event of a conflict between the text of this specification and the references cited herein, (except for associated detail specifications, specifications sheets or MS standards), the text of this specification shall take precedence. Nothing in this specification, however, shall supersede applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 Description. The bag shall be in accordance with drawing 13220E9185 and as specified herein.

3.1.1 Drawing. The drawing forming a part of this specification is an end product drawing. No deviation from the prescribed dimensions and tolerances is permissible without prior approval of the contracting officer. Where tolerances could cumulatively result in incorrect fits, the contractor shall provide tolerances within those prescribed on the drawing to insure correct fit, assembly, and operation of the bag. Any data (e.g., shop drawings, layouts, flow sheets, processing procedures, etc.) prepared by the contractor or obtained from a vendor to support fabrication and manufacture of the production item shall be made available, upon request, for inspection by the contracting officer or his designated representative.

3.2 First article. When specified (see 6.2), a sample shall be subjected to first article inspection (see 4.3 and 6.3). Any changes or deviations of bags from the approved first article during production will be subject to the approval of the contracting officer. Approval of the first article will not relieve the contractor of his obligation to furnish bags conforming to this specification.

3.3 Material. Material shall be as specified herein and on the applicable drawing. Materials not specified shall be selected by the contractor and shall be subject to all provisions of this specification.

3.3.1 Cotton duck. Cotton duck shall conform to CCC-C-419, type I, hard texture No. 1 or medium texture No. 1, and shall be dyed and treated in accordance with CCC-D-950, type II, class B, method 56, except that not less than 0.4 percent copper as metal from the inhibitor shall be used. The cotton duck shall be dyed Olive Drab 7.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T07:23Z
Check the source to verify that this is the current version before use.

3.3.2 Webbing. Cotton webbing shall conform to MIL-W-530, type IIa, class 4, except that not less than the maximum of 2.2 percent copper as metal from copper 8-quinolinate shall be deposited within the webbing. The webbing shall be dyed Olive Drab 7.

3.3.3 Recovered materials. For the purpose of this requirement, recovered materials are those materials which have been collected from solid waste and reprocessed to become a source of raw materials, as distinguished from virgin raw materials. The components, pieces and parts incorporated in the bag may be newly fabricated from recovered materials to the maximum extent practicable, provided the bag produced meets all other requirements of this specification. Used, rebuilt or remanufactured components, pieces and parts shall not be incorporated in the bag.

3.4 Rope. Rope shall conform to T-R-605, type M, class 2. 2-1/4-inch circumference, and shall be mildew resistant.

3.5 Belt rivets and burrs. Belt rivets and burrs shall conform to FF-R-556, type I, class 2, grade A, size number 15, overall length as required.

3.6 Buckles. The buckles shall conform to MIL-B-543, type III, class 3, 1-1/2inch size, and shall be zinc coated in accordance with ASTM A153.

3.7 End clips. End clips for the free end of the webbing shall conform to MIL-C-496, type I, 1-1/2inch, steel, and shall be zinc coated in accordance with ASTM A153.

3.8 Thread. Thread shall conform to V-T-276, type IV A, ticket No. 8/8, dyed Olive Drab 7, and shall be made mildewresistant in conformance to MIL-T-3530, class I.

3.9 Identification marking. The bag shall be identified in accordance with MIL-STD-130 and as shown on the drawing.

3.10 Workmanship.

3.10.1 Sewing. All sewing shall be machine stitching with 4 or 5 stitches backstitched not less than 1 inch at each break. Stitches shall conform to FED-STD-751, type 301, and seams shall be type 301-SSe-3.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure that supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T07:23Z
Check the source to verify that this is the current version before use.

4.1.1 Component and material inspection. The contractor is responsible for insuring that components and materials used are manufactured, examined, and tested in accordance with referenced specifications, standards, and drawings, as applicable.

4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

(a) First article inspection (see 4.3).
(b) Quality conformance inspection (see 4.4).
(c) Inspection of packaging (see 4.6).

4.3 First article inspection. The first article bag shall be examined as specified in 4.5.1. Presence of one or more defects will be cause for rejection.

4.4 Quality conformance inspection.

4.4.1 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.4.2 Examination. Samples selected in accordance with 4.4.1 shall be examined for the defects specified in 4.5.1. AQL shall be 2.5 percent defective.

4.5 Inspection procedure.

4.5.1 Examination. The bag shall be examined as specified herein for the following defects:

101. Nonconformance to dimensions shown on the drawing.
102. Materials not as specified.
103. Color of cotton duck not as specified.
104. Rope not as specified.
105. Rivets and burrs not as specified.
106. Buckles not as specified.
107. End clips not as specified.
108. Zinc coating of buckles and end clips not as specified.
109. Thread not as specified.
110. Rope and thread not mildew resistant as specified.
111. Identification marking missing or not as specified.
112. Workmanship not as specified.
113. Sewing not as specified.
114. Webbing not as specified.
115. Used, rebuilt, or remanufactured components, pieces or parts incorporated in the bag.

4.6 Inspection of packaging.

4.6.1 Quality conformance inspection of pack.

Source: https://assist.dla.mil -- Downloaded: 202610-19T07:23Z
Check the source to verify that this is the current version before use.

4.6.1.1 Unit of product. For the purpose of inspection, a completed pack prepared for shipment shall be considered a unit of product.

4.6.1.2 Sampling. Sampling for examination shall be in accordance with MIL-STD-105.

4.6.1.3 Examination. Samples selected in accordance with 4.6.1.2 shall be examined for the following defects: AQL shall be 2.5 percent defective.

116.	Bags not secured in the quantities and in the manner specified for levels A, B, or commercial.	
117.	Boxes not as specified for levels A or B.	
118.	Case liner not provided for level A.	
119.	Boxes not closed and strapped as specified for levels A or B.	
120.	Marking missing, illegible, incorrect, or incomplete for levels A, B, or commercial.	

5. PACKAGING

5.1 Packing. Packing shall be level A, level B, or commercial as specified (see 6.2).

5.1.1 Level A. Fifty bags shall be squarely stacked flatwise with the ends of successive bags alternated. The stack shall be compressed to form a flat package and secured while under compression with two ties of cotton tape or twine. The ties shall be applied girthwise and spaced approximately 5 inches in from each end. The bags shall then be packed in a closefitting box conforming to PPP-B-601, overseas type, style optional. The box shall be provided with a case liner in accordance with MIL-L-10547, type IV, grade F. The box shall be closed and strapped in accordance with the appendix to the box specification.

5.1.2 Level B. Fifty bags shall be stacked, compressed, and secured as specified in 5.1.1 for level A. The bags shall then be packed in a closefitting box conforming to PPP-B-640, class 2, style optional. The box shall be closed and strapped in accordance with the appendix to the box specification.

5.1.3 Commercial. Fifty bags shall be stacked, compressed, and secured as specified in 5.1.1 for level A. The bags shall then be packed in a container in accordance with ASTM D 3951.

5.2 Marking.

5.2.1 Levels A and B. Marking for levels A or B shall be in accordance with MIL-STD-129.

5.2.2 Commercial. Marking for commercial packaging shall be in accordance with ASTM D 3951. In addition, weight and cube data shall be marked on the shipping container.

Source: https://assist.dla.mil -- Downloaded: 202610-19T07:23Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Intended use. The bag is intended to be used to transport small parts and tools during construction of the M2 Panel Bridge (Bailey Type).

6.2 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) For first article: When required, time frame for submission, and number of bags required.
(c) Degree of packing required (see 5.1).

6.3 First article. When a first article inspection is required, the items should be a preproduction model. The first article should consist of 1 or more units. The contracting officer should include specific instructions in acquisition documents regarding arrangements for examinations, tests, and approval of the first article test results and disposition of the document's first article.

Custodian:
Army - ME

Review:
Navy - MC

Preparing activity:
Army - ME

Project 5420-0158

Source: https://assist.dla.mil -- Downloaded: 202610-19T07:23Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T07:23Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Belvoir R&D Center
ATTN: STRBE-DS
Fort Belvoir, VA 22060-5606

Source: https://assist.dla.mil -- Downloaded: 202640-19T07:23Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-B-20179D	Bag, Bailey Bridge Parts and Tools: Cloth, Cottonduck

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T07:23Z
Check the source to verify that this is the current version before use.