MIL-C-11334(CmlC)
13 August 1951

MILITARY SPECIFICATION

CHLORAMINE-T, REAGENT.

1. SCOPE

1.1 This specification covers one grade of chloramine-T for use as a chemical reagent.

2. APPLICABLE SPECIFICATIONS AND OTHER PUBLICATIONS

2.1 Specifications.- The following specifications, of the issue in effect on date of invitation for bids, form a part of this specification:

FEDERAL SPECIFICATION

NN-B-621 - Boxes; Wood, Nailed and Lock-Corner.

MILITARY SPECIFICATIONS

JAN-P-106 - Packaging and Packing for Overseas Shipment - Boxes; Wood, Nailed.

JAN-P-127 - Packaging and Packing for Overseas Shipment - Tape; Adhesive, Pressure-Sensitive, Water Resistant.

MIL-L-10547 - Liners, Case, Waterproof.

U.S. ARMY SPECIFICATION

19-10 - Fillers, Interior Packing, Fiberboard, Corrugated, Single and Double Faced (For General Packing Purposes).

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:56Z
Check the source to verify that this is the current version before use.

NAVY DEPARTMENT SPECIFICATION

General Specification for Inspection of Material.

(Army.- Copies of specifications may be obtained from the procuring agency or as directed by that agency. Both the title and identifying number or symbol should be stipulated when requesting copies.)

(Navy.- Copies of Federal, Military, and Navy Department specifications may be obtained upon application to the Bureau of Supplies and Accounts, Navy Department, Washington 25, D.C., except that activities of the Armed Forces should make application to the Commanding Officer, Naval Supply Depot, Scotia 2, N.Y. Both the title and identifying number or symbol should be stipulated when requesting copies.)

(Air Force.- Copies of Federal, Military, and U.S. Army specifications may be obtained upon application to the Commanding General, Air Development Force, Wright-Patterson Air Force Base, Dayton, Ohio. Both the title and identifying number or symbol should be stipulated when requesting copies.)

2.2 Other publications.- The following publications, of the issue in effect on date of invitation for bids, form a part of this specification:

INTERSTATE COMMERCE COMMISSION REGULATIONS

Regulations for Transportation of Explosives and Other Dangerous Articles, etc.)

(Information as to the availability of Interstate Commerce Commission Regulations for Transportation of Explosives and Other Dangerous Articles, etc., may be obtained from the Interstate Commerce Commission, Washington 25, D.C.)

MILITARY STANDARD

MIL-STD-129 - Marking of Shipments.

(Copies of Military Standards may be obtained from the same source as the specifications.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:56Z
Check the source to verify that this is the current version before use.

3. REQUIREMENTS

3.1 Physical requirements.

3.1.1 Form.- The material shall be a crystalline powder.

3.1.2 Color.- The material shall be white.

3.2 Chemical requirements.

3.2.1 Assay.- The material shall assay 12 to 13% active chlorine, when tested as specified in 4.4.2.

3.2.2 Solubility.- The material shall pass test specified in 4.4.3.

4. SAMPLING, INSPECTION, AND TEST PROCEDURES

4.1 Lot.- A lot shall consist of the chloramine-T which has been processed in such manner that all the material in the lot is uniform.

4.2 Sampling.- Samples shall be selected from each lot for test purposes as follows:

a. From lots of less than 100 unit containers - select one unit container (see 6.5).

b. From lots of 100 to 500 unit containers - select two unit containers.

c. From lots of more than 500 unit containers - select three unit containers.

4.3 Inspection.

4.3.1 Procedures.- For Naval purchases, the general inspection procedures shall be in accordance with the General Specifications for Inspection of Material.

4.3.2 Packing and marking.- The inspector shall inspect the packing and marking of the material for compliance with section 5.

4.4 Tests.

4.4.1 Reagents.- Analytical reagent grade chemicals and distilled water shall be used throughout the tests. Blank determinations shall be run in parallel with each test, using the same quantities of reagents used in the test and corrections shall be applied when significant.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:56Z
Check the source to verify that this is the current version before use.

4.4.2 Assay.- Weigh, to the nearest mg., approximately 0.5 gm. of the specimen, and dissolve in 50 ml. of water in a glass-stoppered flask. Add 5 ml. of a 10-percent aqueous solution of potassium iodide, and 3 ml. of glacial acetic acid, and allow to stand for 10 minutes. Titrate the liberated iodine with 0.1N sodium thiosulfate, using starch indicator. Calculate the percentage active chlorine in the following manner:

$$\text{Percent active chlorine} = \frac{A \times B}{C} \times 100$$

where

A = volume of 0.1N sodium thiosulfate, in ml.

B = 0.001773

C = wt. of specimen, in gm.

4.4.3 Solubility.- Dissolve 2.000 gm. of the specimen in 20 ml. of water at 25 ± 5°C. If the solution is not clear and complete the specimen does not comply with 3.2.2.

4.5 Rejection.- If any specimen selected as specified in 4.2 fails to conform to this specification, the lot shall be rejected.

5. PREPARATION FOR DELIVERY

5.1 Packaging.- One hundred gm. of chloramine-T shall be packaged in a screw-capped bottle. The bottle shall be sealed with a secondary closure of self-shrinking plastic film or conformable plastic tape, acceptable to the procuring agency (see 6.6). The top, bottom, and sides of each bottle shall be cushioned with either vermiculite or shredded asbestos not less than 3/4 inch thick. The bottle shall be placed in a telescoping type of water-resistant fibre can. The fibre can shall be sealed with pressure-sensitive tape conforming to grade B, type I, of Specification JAN-P-127.

5.2 Packing.- (See 6.1.)

5.2.1 For domestic shipment.- A uniform number of identical unit packages, packaged as specified in 5.1, shall be packed in a strapped, nailed, wood box conforming to Specification NN-B-621. Interlocking fiberboard partitions conforming to Specification 19-10 shall be used to separate each unit package.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:56Z
Check the source to verify that this is the current version before use.

5.2.2 For overseas shipment.- The chloramine-T, packaged as specified in 5.1, shall be packed in a style 2, 2-1/2, or 4; strapped, nailed, wood box conforming to Specification JAN-P-106. A uniform number of identical packages shall be packed in double tiers in each box. The gross weight of the box and contents shall not exceed 70 pounds. Interlocking partitions of double-faced, corrugated, fiberboard conforming to Specification 19-10 shall be used to separate each unit package. Double-faced, corrugated pads conforming to Specification 19-10 shall be placed between the contents and the waterproof liner on all interior surfaces of the box. Each box shall be lined with waterproofing material conforming to Specification MIL-L-10547 and sealed in accordance with the appendix thereto.

5.3 Marking.

5.3.1 Unit container.- Each unit container (bottle, ampule, or can) shall be labeled to show the name of the contents, the analysis or maximum impurities of the contents, and the manufacturer's lot number (see 6.5).

5.3.2 Packages.- Each package shall have a permanent waterproofed label or tag firmly affixed thereto and listing the following information:

a. Stock number of the item contained.
b. Nomenclature of the item contained.
c. Nomenclature of the major item to which the item pertains, if applicable.
d. Quantity contained.

5.3.3 Shipping containers.- In addition to any special marking required by the contract or order, shipping containers shall be marked in accordance with the Interstate Commerce Commission Regulations for Transportation of Explosives and Other Dangerous Articles, etc., and Standard MIL-STD-129.

6. NOTES

6.1 Ordering data.- Procurement documents should specify the following:

a. The title, number, and date of this specification.
b. Whether the material is to be packed for domestic or overseas shipment.

6.2 Caution.- This material should be stored in a dry place, and containers kept tightly closed.

6.3 Inspection.- Inspection will not necessarily include all specification requirements; however, the omission of inspection does not constitute a waiver of these requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:56Z
Check the source to verify that this is the current version before use.

6.4 Sampling and testing.- If the contractor consistently produces high quality material and operates under a system of quality control acceptable to the Government, the Government, at its discretion, may modify, in whole or in part, the sampling and testing procedures specified herein. However, the Government reserves the right to return at any time, without previous notice to the contractor, to the sampling and testing procedures specified in this specification.

6.5 Unit container.- A unit container is defined as the first tie, wrap, or container applied to a single item which provides a complete and properly identifiable package.

6.6 Secondary closure.- Commercial products similar to Dupont "Cel-O-Seal" bands and Minnesota Mining and Manufacturing Company Tape No. 471 have been found to be acceptable for the secondary closure specified in 5.1.

Notice.- When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Custodian:

Army - Chemical Corps

Other interest:

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:56Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:56Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Avionics Research and Development Activity
ATTN: DAVAA-S/PE
Fort Monmouth, NJ 07703

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T15:56Z
Check the source to verify that this is the current version before use.