MILITARY SPECIFICATION SHEET

CAPACITOR, FIXED, PAPER-PLASTIC OR PLASTIC DIELECTRIC, DIRECT CURRENT (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY
STYLE CPV09

Military Specification Sheet MIL-C-14157/2A, dated 28 April 1967, is hereby canceled. Future procurement of style CPV09 capacitors should be made under the following specification sheets:

FROM MIL-C-14157/2A					TO MIL-C-19978/9 and MIL-C-19978/12
Type designation 1/	Dash number				
	Circuit diagram 1		Circuit diagram 3		
	Cap. tolerance		Cap. tolerance		
	J(±5%)	K(±10%)	J(±5%)	K(±10%)	
CPV09A-KC562--	2001-	2002-	2003-	2004-	CQR09A-KC562-3-
CPV09A-KC682--	2005-	2006-	2007-	2008-	CQR09A-KC682-3-
CPV09A-KC183--	2009-	2010-	2011-	2012-	CQR09A-KC183-3-
CPV09A-KC223--	2013-	2014-	2015-	2016-	CQR09A-KC223-3-
CPV09A-KC273--	2017-	2018-	2019-	2020-	CQR09A-KC273-3-
CPV09A-KC333--	2021-	2022-	2023-	2024-	CQR09A-KC333-3-
CPV09A-KC393--	2025-	2026-	2027-	2028-	CQR09A-KC393-3-
CPV09A-KC473--	2029-	2030-	2031-	2032-	CQR09A-KC473-3-
CPV09A-KC563--	2033-	2034-	2035-	2036-	CQR09A-KC563-3-
CPV09A-KC683--	2037-	2038-	2039-	2040-	CQR09A-KC683-3-
CPV09A-KC823--	2041-	2042-	2043-	2044-	CQR09A-KC823-3-
CPV09A-KC104--	2045-	2046-	2047-	2048-	CQR09A-KC104-3-
CPV09A-KC124--	2049-	2050-	2051-	2052-	CQR19A-KC124-3-
CPV09A-KC154--	2053-	2054-	2055-	2056-	CQR19A-KC154-3-
CPV09A-KC184--	2057-	2058-	2059-	2060-	CQR09A-KC184-3-
CPV09A-KC224--	2061-	2062-	2063-	2064-	CQR09A-KC224-3-
CPV09A-KC274--	2065-	2066-	2067-	2068-	CQR09A-KC274-3-
CPV09A-KC334--	2069-	2070-	2071-	2072-	CQR09A-KC334-3-
CPV09A-KC394--	2073-	2074-	2075-	2076-	CQR09A-KC394-3-
CPV09A-KC474--	2077-	2078-	2079-	2080-	CQR09A-KC474-3-
CPV09A-KC564--	2081-	2082-	2083-	2084-	CQR09A-KC564-3-
CPV09A-KC684--	2085-	2086-	2087-	2088-	CQR09A-KC684-3-
CPV09A-KC824--	2089-	2090-	2091-	2092-	CQR09A-KC824-3-
CPV09A-KC105--	2093-	2094-	2095-	2096-	CQR09A-KC105-3-
CPV09A-KD392--	3001-	3002-	3003-	3004-	CQR19A-KD392-3-
CPV09A-KD472--	3005-	3006-	3007-	3008-	CQR19A-KD472-3-
CPV09A-KD123--	3009-	3010-	3011-	3012-	CQR09A-KE123-3-
CPV09A-KD153--	3013-	3014-	3015-	3016-	CQR09A-KE153-3-
CPV09A-KD183--	3017-	3018-	3019-	3020-	CQR19A-KD183-3-
CPV09A-KD223--	3021-	3022-	3023-	3024-	CQR19A-KD223-3-
CPV09A-KD273--	3025-	3026-	3027-	3028-	CQR09A-KE273-3-
CPV09A-KD333--	3029-	3030-	3031-	3032-	CQR09A-KE333-3-
CPV09A-KD393--	3033-	3034-	3035-	3036-	CQR09A-KE393-3-
CPV09A-KD473--	3037-	3038-	3039-	3040-	CQR09A-KE473-3-
CPV09A-KD563--	3041-	3042-	3043-	3044-	CQR19A-KD563-3-
CPV09A-KD683--	3045-	3046-	3047-	3048-	CQR19A-KD683-3-
CPV09A-KD823--	3049-	3050-	3051-	3052-	CQR09A-KE823-3-
CPV09A-KD104--	3053-	3054-	3055-	3056-	CQR09A-KE104-3-
CPV09A-KD124--	3057-	3058-	3059-	3060-	CQR09A-KE124-3-
CPV09A-KD154--	3061-	3062-	3063-	3064-	CQR09A-KE154-3-
CPV09A-KD184--	3065-	3066-	3067-	3068-	CQR09A-KE184-3-
CPV09A-KD224--	3069-	3070-	3071-	3072-	CQR09A-KE224-3-
CPV09A-KD274--	3073-	3074-	3075-	3076-	CQR09A-KE274-3-
CPV09A-KD334--	3077-	3078-	3079-	3080-	CQR09A-KE334-3-
CPV09A-KD394--	3081-	3082-	3083-	3084-	CQR19A-KD394-3-

1/ See footnote at end of table.

Source: https://assist.dla.mil -- Downloaded: 202610-18T02:54Z
Check the source to verify that this is the current version before use.

FROM MIL-C-14157/2A					TO MIL-C-19978/9 and MIL-C-19978/12
Type designation 1/	Dash number				
	Circuit diagram 1		Circuit diagram 3		
	Cap. tolerance		Cap. tolerance		
	J(±5%)	K(±10%)	J(±5%)	K(±10%)	
CPV09A-KD474--	3085-	3086-	3087-	3088-	CQR19A-KD474-3-
CPV09A-KD564--	3089-	3090-	3091-	3092-	CQR19A-KD564-3-
CPV09A-KD684--	3093-	3094-	3095-	3096-	CQR19A-KD684-3-
CPV09A-KD824--	3097-	3098-	3099-	3100-	CQR19A-KD824-3-
CPV09A-KD105--	3101-	3102-	3103-	3104-	CQR19A-KD105-3-
CPV09A-KE182--	4001-	4002-	4003-	4004-	CQR09A-KF182-3-
CPV09A-KE222--	4005-	4006-	4007-	4008-	CQR09A-KF222-3-
CPV09A-KE272--	4009-	4010-	4011-	4012-	CQR09A-KE272-3-
CPV09A-KE332--	4013-	4014-	4015-	4016-	CQR09A-KE332-3-
CPV09A-KE562--	4017-	4018-	4019-	4020-	CQR09A-KF562-3-
CPV09A-KE682--	4021-	4022-	4023-	4024-	CQR09A-KF682-3-
CPV09A-KE822--	4025-	4026-	4027-	4028-	CQR09A-KF822-2-
CPV09A-KE103--	4029-	4030-	4031-	4032-	CQR09A-KF103-3-
CPV09A-KE123--	4033-	4034-	4035-	4036-	CQR09A-KE123-3-
CPV09A-KE153--	4037-	4038-	4039-	4040-	CQR09A-KE153-3-
CPV09A-KE183--	4041-	4042-	4043-	4044-	CQR09A-KF183-3-
CPV09A-KE223--	4045-	4046-	4047-	4048-	CQR09A-KF223-3-
CPV09A-KE273--	4049-	4050-	4051-	4052-	CQR09A-KE273-3-
CPV09A-KE333--	4053-	4054-	4055-	4056-	CQR09A-KE333-3-
CPV09A-KE393--	4057-	4058-	4059-	4060-	CQR09A-KE393-3-
CPV09A-KE473--	4061-	4062-	4063-	4064-	CQR09A-KE473-3-
CPV09A-KE563--	4065-	4066-	4067-	4068-	CQR09A-KE563-3-
CPV09A-KE683--	4069-	4070-	4071-	4072-	CQR09A-KE683-3-
CPV09A-KE823--	4073-	4074-	4075-	4076-	CQR09A-KE823-3-
CPV09A-KE104--	4077-	4078-	4079-	4080-	CQR09A-KE104-3-
CPV09A-KE124--	4081-	4082-	4083-	4084-	CQR09A-KE124-3-
CPV09A-KE154--	4085-	4086-	4087-	4088-	CQR09A-KE154-3-
CPV09A-KE184--	4089-	4090-	4091-	4092-	CQR19A-KE184-3-
CPV09A-KE224--	4093-	4094-	4095-	4096-	CQR19A-KE224-3-
CPV09A-KE274--	4097-	4098-	4099-	4100-	CQR09A-KE274-3-
CPV09A-KE334--	4101-	4102-	4103-	4104-	CQR09A-KE334-3-
CPV09A-KE394--	4105-	4106-	4107-	4108-	CQR09A-KE394-3-
CPV09A-KE474--	4109-	4110-	4111-	4112-	CQR09A-KE474-3-
CPV09A-KE564--	4113-	4114-	4115-	4116-	CQR19A-KE566-3-
CPV09A-KE684--	4117-	4118-	4119-	4120-	CQR19A-KE684-3-
CPV09A-KE824--	4121-	4122-	4123-	4124-	CQR19A-KE824-3-
CPV09A-KE105--	4125-	4126-	4127-	4128-	CQR19A-KE105-3-
CPV09A-KF102--	6001-	6002-	6003-	6004-	CQR09A-KF102-3-
CPV09A-KF122--	6005-	6006-	6007-	6008-	CQR09A-KF122-3-
CPV09A-KF152--	6009-	6010-	6011-	6012-	CQR09A-KF152-3-
CPV09A-KF182--	6013-	6014-	6015-	6016-	CQR09A-KF182-3-
CPV09A-KF222--	6017-	6018-	6019-	6020-	CQR09A-KF222-3-
CPV09A-KF272--	6021-	6022-	6023-	6024-	CQR09A-KF272-3-
CPV09A-KF332--	6025-	6026-	6027-	6028-	CQR09A-KF332-3-
CPV09A-KF392--	6029-	6030-	6031-	6032-	CQR09A-KF392-3-
CPV09A-KF472--	6033-	6034-	6035-	6036-	CQR09A-KF472-3-
CPV09A-KF562--	6037-	6038-	6039-	6040-	CQR09A-KF562-3-

1/ See footnote at end of table.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T02:54Z
Check the source to verify that this is the current version before use.

FROM MIL-C-14157/2A					TO MIL-C-19978/9 and MIL-C-19978/12
Type designation 1/	Dash number				
	Circuit diagram 1		Circuit diagram 3		
	Cap. tolerance		Cap. tolerance		
	J(±5%)	K(±10%)	J(±5%)	K(±10%)	
CPV09A-KF682--	6041-	6042-	6043-	6044-	CQR09A-KF682-3-
CPV09A-KF822--	6045-	6046-	6047-	6048-	CQR09A-KF822-3-
CPV09A-KF103--	6049-	6050-	6051-	6052-	CQR09A-KF103-3-
CPV09A-KF123--	6053-	6054-	6055-	6056-	CQR09A-KF123-3-
CPV09A-KF153--	6057-	6058-	6059-	6060-	CQR09A-KF153-3-
CPV09A-KF183--	6061-	6062-	6063-	6064-	CQR09A-KF183-3-
CPV09A-KF223--	6065-	6066-	6067-	6068-	CQR09A-KF223-3-
CPV09A-KF273--	6069-	6070-	6071-	6072-	CQR09A-KF273-3-
CPV09A-KF333--	6073-	6074-	6075-	6076-	CQR09A-KF333-3-
CPV09A-KF393--	6077-	6078-	6069-	6080-	CQR19A-KF393-3-
CPV09A-KF473--	6081-	6082-	6083-	6084-	CQR19A-KF473-3-
CPV09A-KF563--	6085-	6086-	6087-	6088-	CQR09A-KF563-3-
CPV09A-KF683--	6089-	6090-	6091-	6092-	CQR09A-KF683-3-
CPV09A-KF823--	6093-	6094-	6095-	6096-	CQR09A-KF823-3-
CPV09A-KF104--	6097-	6098-	6099-	6100-	CQR09A-KF104-3-
CPV09A-KF124--	6101-	6102-	6103-	6104-	CQR09A-KF124-3-
CPV09A-KF154--	6105-	6106-	6107-	6108-	CQR09A-KF154-3-
CPV09A-KF184--	6109-	6110-	6111-	6112-	CQR09A-KF184-3-
CPV09A-KF224--	6113-	6114-	6115-	6116-	CQR09A-KF224-3-
CPV09A-KF274--	6117-	6118-	6119-	6120-	CQR09A-KF274-3-
CPV09A-KF334--	6121-	6122-	6123-	6124-	CQR09A-KF334-3-
CPV09A-KF394--	6125-	6126-	6127-	6128-	CQR19A-KF394-3-
CPV09A-KF474--	6129-	6130-	6131-	6132-	CQR19A-KF474-3-

1/ Complete type designation will include additional symbols to indicate circuit, capacitance tolerance, and failure rate level.

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

Preparing activity:
Navy - EC

Agent:
DSA - ES

(Project 5910-1157-2)

Source: https://assist.dla.mil - Downloaded: 2026-10-18T02:54Z
Check the source to verify that this is the current version before use.