
FED SUP CLASS 6610



MS14114-2 GYROSCOPE

DASH NO	
-1	GYROSCOPE ASSEMBLY (WITH MOUNT)
-2	GYROSCOPE
-3	MOUNT

NOTES

1. DECAL LOCATIONS OPTIONAL
2. DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED TOLERANCES DECIMALS ± 010

DECAL LOCATIONS OPTIONAL

FOR DESIGN FEATURE PURPOSES THIS STANDARD TAKES PRECEDENCE OVER PROCUREMENT DOCUMENTS REFERENCED HEREIN REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATIONS FOR BID

APPROVED 7 Apr 1975 REVISED

P.A. NAVY - AS Other Cost	TITLE GYROSCOPE, DISPLACEMENT, ROLL AND PITCH (HARD MOUNTED)	MILITARY STANDARD MS14114(AS)
PROCUREMENT SPECIFICATION MIL-G-23081 (AS)	SUPERSEDES MS17398(AS)	SHEET 1 OF 3


DD FORM 672-1 (Limited coordination)

This military standard is approved for use by all Departments & Agencies of the Department of Defense. Reviewer for all engineering and design applications and for reprinting use shall be made from this document

Review/user information is requested on or as of the date of this document for future coordination of changes to this document. draft circulation should be based on the information in the current DoDISS

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:34Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
6610



MS14114-3 MOUNT

NOTE
1 NOT FUNCTIONALLY INTERCHANGEABLE WITH MS17398(AS)

DECAL LOCATIONS OPTIONAL

APPROVED 7 Apr 1975 REVISED

P.A. NAVY – AS Other Cust	TITLE GYROSCOPE, DISPLACEMENT, ROLL AND PITCH (HARD MOUNTED)	MILITARY STANDARD MS14114(AS)
PROCUREMENT SPECIFICATION MIL-G-23081(AS)	SUPERSEDES: MS17398(AS)	SHEET 2 OF 3

DD FORM (PARTS) 672-1 (Limited coordination)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

PLATT NC 1493A

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:34Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
6610

CONNECTOR TABLE	
ELECTRICAL PIN	CIRCUIT
A B C	115/220 V, 400 Hz ØA 115/220 V, 400 Hz ØB 115/220 V, 400 Hz ØC PHASE ROTATION A, B, C
D (x) E (y) F (z)	ROLL TRANSMITTER SYNCHRO STATOR
R (x) H (y) P (z)	PITCH TRANSMITTER SYNCHRO STATOR
G	3 PHASE, 400 Hz NEUTRAL
J	POWER WARNING FLAG
T	POWER EXCITATION FOR ALARM FLAG
K	PITCH ERECTION CUTOUT
L	ROLL ERECTION CUTOUT
B (H) S (C)	ROLL SYNCHRO EXCITATION 115V, 400 Hz 0B
L (H) V (C)	PITCH SYNCHRO EXCITATION 115V, 400 Hz 0B
N	MANUAL FAST ERECTION
Q	WHEEL MONITOR (WHEN REQUIRED)

DECAL LOCATIONS OPTIONAL

APPROVED 7 Apr 1975 REVISED

P.A. NAVY – AS Other Cust	TITLE GYROSCOPE, DISPLACEMENT, ROLL AND PITCH (HARD MOUNTED)	MILITARY STANDARD MS14114(AS)
PROCUREMENT SPECIFICATION MIL-G-23081 (AS)	SUPERSEDES MS17398(AS)	SHEET 3 OF 3

DD FORM 1 JAN 72 672-1 (Limited coordination)

PLATE NO 14938

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:34Z
Check the source to verify that this is the current version before use.

FOLD

DEPARTMENT OF THE NAVY
Naval Air Engineering Center
Philadelphia, PA 19112

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
DEPARTMENT OF THE NAVY
DOD 316

Engineering Specifications and Standards Department (Code ES)
Naval Air Engineering Center
Philadelphia, PA 19112

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:34Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL	OMB Approval No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity

DOCUMENT IDENTIFIER AND TITLE MS14114(AS) GYROSCOPE, DISPLACEMENT, ROLL AND PITCH (HARD MOUNTED)

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1 HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A GIVE PARAGRAPH NUMBER AND WORDING

B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO (If "Yes", in what way?)

4 REMARKS

SUBMITTED BY (Printed or typed name and address - Optional)	TELEPHONE NO
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:34Z
Check the source to verify that this is the current version before use.