FED SUP CLASS
5340




TABLE I. DASH NUMBERS AND DIMENSIONS

B LENGTH	A-LENGTH .562	.625	.688	750	812	875	938
	DASH NUMBERS						
438	-005 1/	-035 1/	-065 1/	-095 1/	-125	-155 1/	-185
500	-006 1/	-036 1/	-066 1/	-096 1/	-126	-156 1/	-186
562	-007 1/	-037 1/	-067 1/	-097 1/	-127	-157 1/	-187
.625	-008 1/	-038 1/	-068 1/	-098 1/	-128	-158 1/	-188
.688	-009 1/	-039 1/	-069 1/	-099 1/	-129	-159 1/	-189
750	-010 1/	-040 1/	-070 1/	-100 1/	-130	160 1/	-190
812	-011	-041	-071	-101	-131	-161	-191
.875	-012 1/	-042 1/	-072 1/	-102 1/	-132	-162 1/	-192
938	-013	-043	-073	-103	-133	-163	-193
1.000	-014 1/	-044 1/	-074 1/	-104 1/	-134	-164 1/	-194
1.062	-015	-045	-075	-105	-135	-165	-195
1 125	-016 1/	-046 1/	-076 1/	-106 1/	-136	-166 1/	-196
1.188	-017	-047	-077	-107	-137	-167	-197
1 250	-018 1/	-048 1/	-078 1/	-108 1/	-138	-168 1/	-198
1.312	-019	-049	-079	-109	-139	-169	-199
1 375	-020 1/	-050 1/	-080 1/	-110 1/	-140	-170 1/	-200
1.438	-021	-051	-081	-111	-141	-171	-201
1 500	-022 1/	-052 1/	-082 1/	-112 1/	-142	-172 1/	-202

1/ PREFERRED SIZES

APPROVED 22 NOV 66 REVISED (B) 5 JUN 87

(B) ENTIRE STANDARD REVISED

PA NAVY-AS / Other Cust AIR FORCE-11	INTERNATIONAL INTEREST	TITLE BRACKET, ANGLE, 90°, CRES .190 x .375 BOLT	MILITARY STANDARD MS9603
PROCUREMENT SPECIFICATION NONE	SUPERSEDES MS9231		PAGE 1 OF 3

DD FORM 672-1 (COORDINATED) PREVIOUS EDITIONS ARE OBSOLETE 5340-1827

DISTRIBUTION STATEMENT A Approved for public release; distribution is unlimited

This military standard is approved for use by all Departments and Agencies of the Department of Defense. Distribution for all new engineering and design applications and for repetitive use shall be made from this document when applicable

AMSC N/A

REVIEWER ACTIVITIES
DLA-IS

USER ACTIVITIES

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:21Z
Check the source to verify that this is the current version before use.

TABLE I DASH NUMBERS AND DIMENSIONS - CONTINUED

B LENGTH	A-LENGTH 1.000	1.062	1 125	1.188	1 250	1.312
	DASH NUMBERS					
.438	-215[1]	-245	-275[1]	-305	-335[1]	-365
.500	-216[1]	-246	-276[1]	-306	-336[1]	-366
.562	-217[1]	-247	-277[1]	-307	-337[1]	-367
.625	-218[1]	-248	-278[1]	-308	-338[1]	-368
.688	-219[1]	-249	-279[1]	-309	-339[1]	-369
.750	-220[1]	-250	-280[1]	-310	-340[1]	-370
.812	-221	-251	-281	-311	-341	-371
.875	-222[1]	-252	-282[1]	-312	-342[1]	-372
.938	-223	-253	-283	-313	-343	-373
1.000	-224[1]	-254	-284[1]	-314	-344[1]	-374
1.062	-225	-255	-285	-315	-345	-375
1 125	-226[1]	-256	-286[1]	-316	-346[1]	-376
1.188	-227	-257	-287	-317	-347	-377
1.250	-228[1]	-258	-288[1]	-318	-348[1]	-378
1.312	-229	-259	-289	-319	-349	-379
1.375	-230[1]	-260	-290[1]	-320	-350[1]	-380
1 438	-231	-261	-291	-321	-351	-381
1.500	-232[1]	-262	-292[1]	-322	-352[1]	-382

[1] PREFERRED SIZES

TABLE I. DASH NUMBERS AND DIMENSIONS - CONTINUED

B LENGTH	A-LENGTH 1.375	1.438	1.500	1 625	1.750	1.875	2.000
	DASH NUMBERS						
.438	-395[1]	-425	-455[1]	-515[1]	-575[1]	-635[1]	-695[1]
.500	-396[1]	-426	-456[1]	-516[1]	-576[1]	-636[1]	-696[1]
.562	-397[1]	-427	-457[1]	-517[1]	-577[1]	-637[1]	-697[1]
.625	-398[1]	-428	-458[1]	-518[1]	-578[1]	-638[1]	-698[1]
.688	-399[1]	-429	-459[1]	-519[1]	-579[1]	-639[1]	-699[1]
750	-400[1]	-430	-460[1]	-520[1]	-580[1]	-640[1]	-700[1]
.812	-401	-431	-461	-521	-581	-641	-701
.875	-402[1]	-432	-462[1]	-522[1]	-582[1]	-642[1]	-702[1]
.938	-403	-433	-463	-523	-583	-643	-703
1.000	-404[1]	-434	-464[1]	-524[1]	-584[1]	-644[1]	-704[1]
1 062	-405	-435	-465	-525	-585	-645	-705
1 125	-406[1]	-436	-466[1]	-526[1]	-586[1]	-646[1]	-706[1]
1.188	-407	-437	-467	-527	-587	-647	-707
1.250	-408[1]	-438	-468[1]	-528[1]	-588[1]	-648[1]	-708[1]
1 312	-409	-439	-469	-529	-589	-649	-709
1.375	-410[1]	-440	-470[1]	-530[1]	-590[1]	-650[1]	-710[1]
1.438	-411	-441	-471	-531	-591	-651	-711
1.500	-412[1]	-442	-472[1]	-532[1]	-592[1]	-652[1]	-712[1]

[1] PREFERRED SIZES

USER ACTIVITIES
REVIEWER ACTIVITIES
DLA-IS
This military standard is approved for use by all Departments and Agencies of the Department of Defense
Selection for all new engineering and design applications and for repetitive use shall be made from this
document when applicable

APPROVED 22 NOV 66 REVISED (B) FOR CHANGES SEE PAGES 1, 2 AND 3

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:21Z
Check the source to verify that this is the current version before use.

FED SUP CLASS
5340

REQUIREMENTS.

1 MATERIAL CORROSION RESISTANT STEEL IN ACCORDANCE WITH AMS 5504

2 FINISH . HEAT TREATMENT AND CLEANING IN ACCORDANCE WITH AMS 2550.

3. HARDNESS : ROCKWELL C30-38.

4. DIMENSIONING AND TOLERANCING. DIMENSIONING AND TOLERANCING SHALL BE IN ACCORDANCE WITH ANSI Y14.5M

5. TOLERANCES. UNLESS OTHERWISE SPECIFIED, TOLERANCES SHALL BE FOR LINEAR DIMENSION ± 010 ANGULAR DIMENSIONS ± 5°

6 EDGES . BREAK SHARP EDGES .003-.015 UNLESS OTHERWISE SPECIFIED.

7 PART NUMBER. THE PART NUMBER SHALL CONSIST OF THE BASIC MS NUMBER FOLLOWED BY A DASH NUMBER FROM TABLE I.

EXAMPLE MS9603-005

DASH NUMBER

BASIC MS NUMBER

MS9603-005 INDICATES - BRACKET, ANGLE, 90° CRES, 375 BOLT, 562 LONG X 190 BOLT, 438 LONG.

NOTES.

1 ALL DIMENSIONS ARE IN INCHES

2. DO NOT USE UNASSIGNED PART NUMBER

3. IN THE EVENT OF A CONLICT BETWEEN THE TEXT OF THIS STANDARD AND THE REFERENCES CITED HEREIN, THE TEXT OF THIS STANDARD SHALL TAKE PRECEDENCE.

4 REFERENCED GOVERNMENT (OR NON-GOVERNMENT) DOCUMENTS OF THE ISSUE LISTED IN THAT ISSUE OF THE DEPARTMENT OF DEFENSE INDEX OF SPECIFICATIONS AND STANDARDS (DODISS) SPECIFIED IN THE SOLICITATION FORM A PART OF THIS STANDARD TO THE EXTENT SPECIFIED HEREIN

5. THIS STANDARD WAS DEVELOPED COOPERATIVELY WITH THE ENGINE AND PROPELLER UTILITY PARTS COMMITTEE OF THE SAE

6. AS AND AMS ARE SAE PUBLICATIONS

7. APPROXIMATE WEIGHT LB/100 = 1 316 (A+B) + 221.

APPROVED 22 NOV 66 REVISED (B) FOR CHANGES SEE PAGES 1, 2 AND 3

P.A. NAVY-AS	INTERNATIONAL INTEREST	TITLE	MILITARY STANDARD
Other Cust AIR FORCE-11		BRACKET, ANGLE, 90° CRES .190 x.375 BOLT	MS9603
PROCUREMENT SPECIFICATION NONE	SUPERSEDES MS9231		PAGE 3 OF 3

DD FORM 1 MAY 73 672-1 (COORDINATED) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE 5340-1827

USER ACTIVITIES

REVIEWER ACTIVITIES
DLA-1S

This military standard is approved for use by all Departments and Agencies of the Department of Defense (selection for all new engineering and design applications and for reprotuive use shall be made from this document when applicable

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T13:21Z
Check the source to verify that this is the current version before use.