MIL-C-6458C
AMENDMENT 6

23 DEC 81
SUPERSEDING
AMENDMENT 5
1 September 1978

MILITARY SPECIFICATION

CHAIN ASSEMBLIES, SINGLE LEG, AIRCRAFT CARGO TIE DOWN

This amendment forms a part of Military Specification MIL-C-6458C, dated 8 June 1966, and is approved for use by all Departments and Agencies of the Department of Defense.

*Add to bottom of Page 1:

"Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: HQ AFLC CASO/LODS, Federal Center, Battle Creek, MI 49016 by using the self-addressed Standardization Document Proposal (DD Form 1426) appearing at the end of this document or by letter."

Page 3

Table I: Delete and substitute new Table I which forms page 3 of this amendment.

Page 4

Figure 1: Delete and substitute new Figure 1 which forms page 4 of this amendment.

Page 5

*3.7.2.1, line 2: Add the following new sentence: "Maximum weld diameter dimension shall restrict only that portion of the weld protrusion which affects mating of the chain with the gripping."

*3.10, delete in its entirety and substitute:

"3.10 Identification of product. The chain assembly shall be identified by means of a metal tag permanently attached to the end link of the chain. The identification tag shall be marked in accordance with MIL-STD-130 and contain, as a minimum, Federal Stock Number, contract number and contractor's name or manufacturer's code. This tag shall be constructed with sufficient durability to provide identification and not become detached for the service life of the chain."

*Add the following new paragraph:

"3.12 Reclaimed materials. The use of reclaimed materials shall be encouraged to the maximum extent possible."

FSC 1670

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T07:04Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

*Concluding material: Delete and substitute:

"Custodians:
Air Force - 99
Army - GL

Preparing activity:
Air Force - 99

Review activities:

Army - AV

(Project Number 1670-0657)"


Source: https://assist.dla.mil -- Downloaded: 2026-10-17T07:04Z
Check the source to verify that this is the current version before use.


TABLE I - PHYSICAL CHARACTERISTICS

	CHAIN ASSEMBLY			LINK DIMENSIONS (INCHES)					
	DESIGN STRENGTH (POUNDS)	MAXIMUM WEIGHT (POUNDS)	MINIMUM LENGTH (INCHES	ACTUAL BAR SIZE	MAXIMUM OUTSIDE LENGTH	MAXIMUM OUTSIDE WIDTH	MINIMUM OUTSIDE WIDTH	MINIMUM INSIDE LENGTH	MAXIMUM WELD DIAMETER
TYPE I	14,100	8	108	0.281	1.521 1/	0.975 1/	-	0.825 1/	.329
TYPE II	35,250	24	108	0.469	2.407 1/	1.515 1/	1.475 1/	1.383 1/	.547


1/ AFTER PROOF LOAD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T07:04Z
Check the source to verify that this is the current version before use.





DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G
TOLERANCES	± 1/32	MAX	APPROXIMATE				MAX
TYPE I	3/8	2-1/4	1	3	1-5/16	2-5/16	1
TYPE II	5/8	3-7/16	1-5/8	4-1/4	1-3/4	3-1/2	1-3/8



SECTION A-A




FIGURE 1. GRAB HOOK

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T07:04Z
Check the source to verify that this is the current version before use.