INCH-POUND

MIL-I-6447C
AMENDMENT 3

10 FEBRUARY 1993

SUPERSEDING
AMENDMENT 2
27 MAY 1980

MILITARY SPECIFICATION

INDICATOR, TRUE AIRSPEED, TYPE M-1A

This amendment forms a part of MIL-I-6447C, dated 21 May 1974, and is approved for use by all Department and Agencies of the Department of Defense.

PAGE 1

* 1.1 Add title "Scope".

* 2.1 Delete sentence and add: "Government documents."

* Add: "2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.2)."

* Under SPECIFICATIONS, Federal, delete "QQ-P-416", "PPP-B-636" entirely and add: "PPP-B-601 Boxes, Wood, Cleated Plywood" and "PPP-B-1672 Boxes, Shipping, Reusable With Cushioning".

* Under SPECIFICATIONS, Military, delete "MIL-P-26514" entirely and add: "MIL-B-131 Barrier Material, Water-vaporproof, Flexible Heat Sealable"; "MIL-D-3464 Desiccants, activated, bagged, packaging Use and Static Dehumidification" and "MIL-C-83488 Coating, Aluminum, ION Vapor Deposited".

Add the following boxed paragraph to bottom center of page:

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Oklahoma City Air Logistics Center/TICLA, Tinker AFB, OK 73145-5990 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T07:03Z
Check the source to verify that this is the current version before use.

* Under STANDARDS, Federal, add: "FED-STD-143" entirely and add: "MIL-STD-970 Standards & Specifications, Order Of Preference For The Selection Of" and MIL-STD-2073/1A DOD Materiel Procedures For Development & Application Of Packaging Requirements."

* Delete source paragraph and add new: "Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Document Order Desk, Building 4D, 700 Robbins Ave, Philadelphia, PA 19111-5094.

* Add: "2.2 Order of precedence. In the event of a conflict between the text of this document and the references cited herein (except for related associated detail specifications, specification sheets, or MS standards), the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained."

Delete "3.1" entirely and add: "3.1 First article. When specified (see 6.4), a sample shall be subjected to first article inspection (see 6.4) in accordance with 4.4."

3.2 Line 3 delete "qualification" and add: "first article."

PAGE 8

Delete "3.9.2" entirely and add: "Steel parts. Steel parts shall be coated with ion vapor deposited aluminum, where practicable, in accordance with MIL-c-83488, type I or II as applicable and of a class that is adequate to achieve the degree of protection required. Other protective coating, in lieu of MIL-C-83488, may be used if demonstrated to be satisfactory and approved by the preparing activity. Cadmium plating must be avoided when satisfactory alternative processes can be used."

PAGE 10

Add: "3.14 Reclaimed materials. The use of reclaimed materials shall be encouraged to the maximum extent possible."

* Delete "4.1" entirely and add: "4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements (examinations and tests) as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirements; specific herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in this specification where such inspections are deemed necessary to ensure supplies and services conform to prescribed requirements."

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T07:03Z
Check the source to verify that this is the current version before use.

* Add: "4.1.1 Responsibility for compliance. All items shall meet all requirements of sections 3 and 5. The inspection set forth in this specification shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the specification shall not relieve the contractor of the responsibility of ensuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling inspection, as part of manufacturing operations, is an acceptable practice to ascertain conformance to requirements, however, this does not authorize submission of known defective material, either indicated or actual, nor does it commit the Government to accept defective material.

* Delete "4.2", "(a)" and "(b)" entirely and add: "4.2 Classification of inspections. The inspection requirements specified herein are classified as follows:

    a. First article inspection (see 4.4).
    b. Quality conformance inspection (4.5).

* Delete "4.3" entirely and add: "4.3 Inspection conditions. Unless otherwise specified, all inspections shall be performed in accordance with the test conditions specified in paragraph 4.5 in this specification."

* 4.4 Delete entirely and add: "First article inspection."

* Delete "4.4.1" entirely.

PAGE 11

4.4.2 Line 1 and 4 delete "Qualification" and add "First article."

PAGE 26

Add new paragraphs:

"4.6 Packaging inspection.

4.6.1 Quality. The inspection of the preservation-packaging and interior package marking shall be in accordance with Group A and B quality conformance inspection requirements, Section 4 of MIL-P-116. The sampling and inspection of the packing and marking for shipment and storage shall be in accordance with the quality assurance provisions of applicable container specification and the marking requirements of MIL-STD-129.

4.6.2 First article. When the unit container is capable of serving as the shipping container first article inspection, and rough handling tests as outlined in Section 4 of MIL-P-116, shall be accomplished followed by a functional test of the unit to ensure freedom from operational malfunction."

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T07:03Z
Check the source to verify that this is the current version before use.

Delete Section 5 entirely and add:

* "5. PACKAGING

5.1 Preservation. Preservation-packaging shall be level A, C, or industrial as specified (see 6.2).

5.1.1 Preservation-packaging. Unless otherwise specified by the contracting activity, item shall be packaged in quantity unit pack (QUP) of one each. Each item will be provided a preservation method IIc IAW MIL-P-116.

5.1.2 Cleaning. Item shall be cleaned IAW MIL-P-116 C-1 process.

5.1.3 Drying. Immediately after cleaning, the item shall be dried following any one or combination of the drying procedures listed in MIL-P-116. The drying procedures employed shall not be injourious to the item.

5.1.4 Level A. Item shall be preserved IAW MIL-P-116 and MIL-STD-2073/1A to provide a method IIc.

5.1.5 Level C. Item shall be individually preserved in a manner that will afford adequate protection against corrosiion, deterioration, and physical damage during shipment from the supply source to the first activity as specified in MIL-P-116 and MIL-STD-2073/1A.

5.2 Packing. Packing shall be level A, B, C, or industrial as specified (see 6.2).

5.2.1 Cushioning. Intermediate container requirements shall conform to PPP-B-1672, weather-resistant, unless otherwise specified by the contracting activity. Intermediate containers shall be large enough to allow for application of sufficient cushioning material, between the unit container and intermediate container. Cushioning material shall be of sufficient density and thickness to ensure shock transmission does not exceed peak values in G's established for the item.

5.2.2 Level A. Item will be preserved as specified in 5.2 and shall be packed in exterior containers conforming to PPP-B-1672, weather-resistant, unless otherwise specified by the contracting activity. Exterior container shall be uniform shape, size, and minimum tare and cube, consistent with the protection required. Closure shall be IAW appropriate PPP-B-1672 procedures, as specified by contractor, special packaging instructions (SPI), and contracting activity.

5.2.3 Level B. Same as Level "A" unless otherwise specified by special packaging instructions (SPI) or the contracting activity.

5.2.4 Level C. Item will be packed in containers in such a manner as to afford adequate protection against physical damage during direct domestic shipment from the supply source to the first receiving activity. These packs shall conform to MIL-STD-2073/1A.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T07:03Z
Check the source to verify that this is the current version before use.

5.4 Inspection and test. Test of methods of preservation shall be accomplished in accordance with section 4 of MIL-P-116 to ensure compliance with Section 5 of this specification. Packaging tests shall be conducted IAW rough handling as specified in FED-STD-101.

* Under Section 6. NOTES add: "(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)"

* Under 6.2 add: "(d) Issue of DODISS to be cited in the solicitation, and if required, the specific issue of indivudual documents referenced (see 2.1)."

PAGE 28

6.4 Delete and add "6.4 First article. A first article is required for inspection and approval (see 3.1 and 4.4)."

PAGE 29

The margins of this amendment are marked with an asterick to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of the document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:

AIR FORCE -99
Navy -AS

Preparing activity:

AIR FORCE -71

Project Number:
6610-0350

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T07:03Z
Check the source to verify that this is the current version before use.