MIL-E-1/1440C (USAF)
14 SEPT 1975
SUPERSEDING
MIL-E-1/1440B (USAF)
8 November 1966

MILITARY SPECIFICATION SHEET

ELECTRON TUBE, DIODE

JAN-575A

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the electron tube described herein shall consist of this document and the latest issue of Specification MIL-E-1.

DESCRIPTION: Half-wave mercury rectifier

Outline - See figure 1

Cathode - Coated filament

ABSOLUTE RATINGS:

Parameter	Ef	epx	ib	Io
Unit:	Vac	kv	a	Adc
Maximum:	5.0 ±5%	15	6	1.5
TEST CONDITIONS:	5.0	16.5	--	---

ABSOLUTE RATINGS:

Parameter:	THg	tk	Freq	Alt
Unit:	°C	sec min	Hz	ft
Maximum:	25 to 50	30	150	10,000
TEST CONDITIONS:	25 to 50	30	60	---

GENERAL:

Qualification - Required

Source: https://assist.dla.mil -- Downloaded: 2026-10-15T14:43Z
Check the source to verify that this is the current version before use.

METHOD	REQUIREMENT OR TEST	CONDITIONS	SYMBOL	LIMITS		UNIT
				MIN	MAX	
	Quality conformance inspection, part 1					
1231	Peak emmision by voltage drop	ib = 12a THg = 30° to 40°C	etd	---	18.0	V
1301	Filament current		If	9.0	11.5	Aac
1353	Operation of rectifiers	Io = 1.5 Adc min; THg = 30° to 50°C; t = 300 See notes 1 and 2	----	---	----	---
	Quality conformance inspection, part 2					
	Dimensions	See figure 1	----	---	----	---
	Quality conformance inspection, part 3					
----	Service life test		t	1,000	====	hrs

NOTES:

1. This test to be performed at the conclusion of the holding period.
2. For operation of rectifiers test, half of the specified voltage may be applied initially and then gradually increased to full voltage in approximately 1 minute.

Custodian

Air Force - 85

Review activities:


Air Force - 11, 17, 80

Preparing activity:

Air Force - 85

(Project 5960-F004)

Source: https://assist.dla.mil -- Downloaded: 2026-10-15T14:43Z
Check the source to verify that this is the current version before use.



PIN CONNECTIONS

PIN NO.	ELEMENT
1	nc
2	f, sh
3	nc
4	f
cap	p

LTR	INCHES		MILLIMETERS	
	MIN	MAX	MIN	MAX
QUALITY CONFORMANCE INSPECTION, PART 2				
A	9.750	11.070	247.65	281.18
B	–	3.125	–	79.38

LTR	QUALIFICATION INSPECTION
C	BASE: A4-29 OR A4-31
D	CAP: C1-5 WITH CERAMIC COLLAR OR C1-6

FIGURE 1 Outline drawing tube type JAN 575A

Source: https://assist.dla.mil -- Downloaded: 2026-10-15T14:43Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-E-1/1440C (USAF) Electron Tube, Diode, JAN-575A

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

   A. GIVE PARAGRAPH NUMBER AND WORDING.

   B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

   ☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

C16061

Source: https://assist.dla.mil -- Downloaded: 2026-10-15T14:43Z
Check the source to verify that this is the current version before use.

FOLD

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEPARTMENT OF THE AIR FORCE
DoD-318



AFLC/MMGE/Standardization
Wright-Patterson AFB OH 45433

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-15T14:43Z
Check the source to verify that this is the current version before use.