INCH-POUND
A-A-50454A
15 June 2021
SUPERSEDING
A-A-50454
24 January 1992

COMMERCIAL ITEM DESCRIPTION

LAMP, INCANDESCENT, G-6
BAYONET CANDELABRA, DOUBLE CONTACT

The General Services Administration has authorized the use of this commercial item description as a replacement for MS15569 which is canceled.

1. SCOPE. This commercial item description (CID) covers G-6 incandescent lamps with a bayonet candelabra base. These lamps can be identified by the industry numbers specified in the notes section herein.

2. SALIENT CHARACTERISTICS

2.1 Physical.

Bulb designation	G-6
Bulb Finish	(See lamp characteristics)
Base designation	Bayonet candelabra, double contact
Filament designation	(See lamp characteristics)
Light center length	0.8125 inch
(distance from the center of the light source to the top of the base pins)	
Dimensions	(See Figure 1)




FIGURE 1. Lamp dimensions (inches)

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data that may improve this document should be sent to: STDZNMGT@dla.mil or Defense Logistics Agency Aviation VEB, 8000 Jefferson Davis Highway, Richmond, VA 23297-5616. Since contact information can change, you may want to verify the currency of this address information using the ASSIST database at https://assist.dla.mil/.

AMSC N/A FSC 6240

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:42Z
Check the source to verify that this is the current version before use.

3D Model for reference only.
To see inside of the bulb, the bulb can be made transparent. Select (left-click) the bulb, then right-click the bulb and use the "Part Options" tab to make the bulb transparent.

FIGURE 1. Lamp dimensions (inches) - Continued

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:42Z
Check the source to verify that this is the current version before use.

2.2 Lamp characteristics.

TABLE I. Lamp characteristics.

CID Part Number	Industry Number[1]	Candle Power[2]	Design Volt	Design Amps	Filament Type	Average Life (Hours)
A50454-1	64	3 ± 8%	7.00	0.63 ± 5%	C-2R	1000
A50454-2	64R	3 ± 8%	7.00	0.63 ± 5%	C-2R	1000
A50454-3	82	6 ± 9%	6.50	1.02 ± 5%	C-2R	500
A50454-4	90	6 ± 15%	13.00	0.58 ± 8%	C-2R	750
A50454-5	90R	6 ± 15%	13.00	0.58 ± 8%	C-2R	750
A50454-6	68	4	13.50	0.59	C-2R	5000
A50454-7	1252	3	28.00	0.23	2C-2V	2000
A50454-8	304	6	28.00	0.30	C-2F	500

[1] R designates a red bulb finish. Other lamps have a clear bulb finish

[2] For lamps A50454-2 and A50454-5, candle power applies to lamp before candle coating is applied.

3. REGULATORY REQUIREMENTS

3.1 Recovered materials. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. PRODUCT CONFORMANCE PROVISIONS

4.1 Product conformance. The products provided shall meet the salient characteristics of this commercial item description, conform to the producer's own drawings, specifications, standards, and quality assurance practices, and be the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance.

4.2 Market acceptability. The product offered must have been previously sold either to the government or on the commercial market.


5. PACKAGING

5.1 Preservation, packing, and marking. For acquisition purposes, the products shall be preserved, packed, and marked as specified in the acquisition order (see 6.4c).

6. NOTES

6.1 Part or identification number (PIN). The following part or identification numbering procedure is for government purposes and does not constitute a requirement for the contractor.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:42Z
Check the source to verify that this is the current version before use.



6.2 Sources of documents.

6.2.1 FAR. Electronic copies of the FAR may be obtained from https://www.acquisition.gov/far/.

6.3 National Stock Numbers (NSNs). The following is a list of NSNs assigned that correspond to this CID. The list may not be indicative of all possible NSNs associated with the CID.

6240000190878
6240001536519
6240001557793
6240001558661
6240001558663
6240001558664
6240001558701
6240007974370

6.4 Ordering data. Purchaser should specify the following:
a. Title, number, and date of this commercial item description
b. CID part number required (see Table I)
c. Packaging requirements (see 5.1)

6.5 Cross reference to specification-based part numbers.

Table II. Cross reference

CID Part Number	MS Part Number	Industry Number
A50454-1	MS15569-1	64
A50454-2	MS15569-2	64R
A50454-3	MS15569-3	82
A50454-4	MS15569-4	90
A50454-5	MS15569-5	90R
A50454-6	MS15569-6	68
A50454-7	MS15569-7	1252
A50454-8	MS15569-8	304

6.6 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:42Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:
Custodian:
Army - CR4
Navy - SH
Air Force - 71
DLA - GS

CIVIL AGENCY
COORDINATING ACTIVITY:
GSA - FAS

Preparing activity:
DLA – GS2

(Project 6240-2021-002)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST database at https://assist.dla.mil/.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:42Z
Check the source to verify that this is the current version before use.