MIL-STD-1167B
1 February 1968

SUPERSEDING
MIL-STD-1167A
18 January 1966

MILITARY STANDARD

AMMUNITION DATA CARD

FSC 1395

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE
WASHINGTON, D. C.

Ammunition Data Card
MIL-STD-1167B 1 February 1968

1. This standard has been approved by the Department of Defense and is mandatory for use by the Departments of the Army, the Navy, and the Air Force, effective 1 February 1968.

2. Recommended corrections, additions, or deletions should be addressed to the Commanding Officer, Picatinny Arsenal, ATTN: SMUPA-ND, Dover, N. J., 07801.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

CONTENTS

	PAGE
1. DEFINITION	1
2. REFERENCED DOCUMENTS	1
3. GENERAL REQUIREMENTS	1
3.1 Requirement	1
3.2 Items of assembly and issue	2
3.3 Size, Material, reproduction and format of data cards	2
3.4 Required information	2
3.5 Distribution of data cards	9
3.6 Lot numbering assignments	9

FIGURES

1a Ammunition data card, front	10
1b Ammunition data card, back	11
2a Ammunition data card, Loaded item, front	12
2b Ammunition data card, Loaded item, back	13
3a Ammunition data card, Inert item, front	14
3b Ammunition data card, Inert item, back	15

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

1. DEFINITION

An Ammunition Data Card is an easily referenced record of the initial history of a lot of ammunition and explosive materiel or of a serially numbered complete round guided missile which contains all required data pertaining to each lot of the item.

2. REFERENCED DOCUMENTS

2.1 The following document of the issue in effect on date of invitation for bids or request for proposal, forms a part of this standard to the extent specified herein.

STANDARDS

Military

MIL-STD-1168 - Lot Numbering of Ammunition

(Copies of specifications, standards, drawings or publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the Contracting Officer.)

2.2 Other publications.-The following document forms a part of this standard to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply.

PUBLICATIONS

NAVY

BuWep Sinst - 8030.2 - Maximum Packaging and Production Packing Depth Range of Smokeless Powder for Assembly of 3-Inch, 5-Inch, 6-Inch and 8-Inch Cartridge Cases; Established and Application of

(Applications for copies should be addressed to the Navy Procuring Activity.)

3. GENERAL REQUIREMENTS

3.1 Requirement.-The requirement for cards is normally stated in the detail specification for the item. As means for determining the necessity of a data card requirement for a given specification, it shall be determined whether item lot numbers are applicable or likely to be applicable. When it is assured that the item lot numbers will be applicable, a data card requirement shall be included in the specification. If (a) the detail specification does not contain a requirement for data cards or (b) if the item is not covered by a specification, the necessity for data cards will be determined by the procuring activity. When data cards are required, the contractor (manufacturer, loader or assembler as appropriate) shall be responsible for their preparation.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

3.2 Items of Assembly and Issue.-A data card shall accompany each lot and serially numbered item of ammunition to its destination whether within a Service, to another Service, or to another contractor. There are no exceptions . This card shall be either one prepared by the contractor or a copy of it. A data card shall accompany both an item of issue and an item of assembly.

3.3 Size, Material, Reproduction and Format of Data Cards.

3.3.1 Ammunition Data Cards shall be 5 by 8 inches in size and printed on commercial manila tag board, or equal, of approximately 200 pounds ream weight.

3.3.1.1 An Ammunition Data Card, Department of Defense Form #1650, is assigned. Local contractor reproduction is authorized. A bureau budget number is assigned. (No. 22-R0269).

3.3.2 Data Cards may be reproduced by mimeograph or offset printing processes or individual typing, or any process which results in a clean, black image.

3.3.3 Data Card format for loaded items.-The basic format of the data card for loaded items is included in figures 1a and 1b. This format provides space for both the general and the detailed information required. The information required will vary with the item.

3.3.4 Data Card format for inert items.-The format of the data card for inert items shall be basically the same format as that for loaded items leaving blank the spaces that are unnecessary.

3.3.5 Examples of a completed card for both a loaded and an inert item are included as figures 2a, 2b, 3a and 3b respectively.

3.4 Required Information.-The following paragraphs have been numbered to correspond with the numbered space appearing on the sample forms (See Figures 1a and 1b). The required information shall be entered on the forms in accordance with the following instructions:

Space 1 - Item Nomenclature.-Show the exact standard nomenclature as given on the drawing for the item. For Guided Missile Explosive Components the nomenclature shall be the item name as it appears in the Federal Item Identification Guides for Supply Cataloging (Handbook H6-1).

Space 2 - Federal Stock Number.-Enter Federal Stock Number and DOD identification code.

Space 3 - Lot.-Insert the complete lot number, or serial number, of an item which is not lotted, of the item(s) represented by the data card.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

Space 4 - Name of Manufacturing, Loading or Assembling Activity. Indicate the full name of the agency responsible for the final acceptance of the item described on this card. This Agency is the arsenal, plant or district administering the contract and supervising the inspection.

Space 5 - Net quantity in lot. **The quantity to be shown here is the net quantity available for shipment.**

Space 6 - Packing of lots.-Enter the method by which the lot is packed for shipment, including the number of rounds, parts or sets in each outside container. Insert the packing and marking drawing number, revision, and any EO's under which the item was packed and marked. Standard abbreviations may be used.

Example: 1 round/fiber container; 1 fiber container/metal container; 4 metal containers/wood box; 8796522, Marking; 8860555, Packing. EO/PA 35189 19 Feb 64.

Space 7 - Contractor.-Enter the manufacturer's name as contained in the contract. In case of a Government owned loading plant, use the Government title of the plant.

Space 8 - Contract or Project Order No.-If the material is procured from industry on a contract, show the contract number. If the material is produced by a Government-operated plant, the Expenditure Order (X.O.) number shall be shown following the production order number.

Space 9 - Drawing and Revision.-The drawing identification shall consist of the drawing and the information in (b) or (c) as applicable. Insert the number of drawing used to obtain the nomenclature shown in Space 4. Separate parts by slant lines (see explanation.)

(a) The drawing number, including the revision number
(b) Numbers of and Engineering Orders describing changes not yet included in drawing revisions which have been applied to the production of the lot represented by the data card.
(c) The identification of any letter or teletype which directs or authorizes any change in the requirement of the drawings, which change has been applied to the lot described.

Examples: 8797090 Rev. A.

The assembly drawing is 8797090 with Revision A. The revision will be found in the revision block of the applicable drawing.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

8797090 Rev. A/EO 5690

The assembly here is modified by EO 5960 which has been used in the production of the material represented by the lot number in advance of the completion of drawing Revision B.

Space 10 - Specification and revision.-The specification identification may consist of one or more of the four parts listed as (a), (b), (c), and (d) below. Enter the numbers of the detail specifications and the parts which apply to acceptance of the lot. Separate parts by slant lines (see explanation).

(a) Specification number, revision letter or number.
(b) Amendment number, if any, preceded by the letter "A".
(c) Numbers of any EO modifying the specification but not yet included by amendment or revision to the specification which have been applied to the production of the lot represented by the data card.
(d) The identification of any letter or teletype which modified any portion of the specifications where modifications have been applied to the lot desired.

Example:

MIL-F-1300C/A2/EO 1000/00AMA-RR 7/1/57

The specification is MIL-F-1300, Revision C, as changed by Amendment 2. This specification is further modified by EO 1000. In addition, a letter 00AMA-RR 7/1/57 contained a modification which applied to the lot represented by the data card.

Space 11 and 12 - Date loading started; completed.-For loaded lots enter the day, month and year of the beginning and ending of the loading and assembly of the lot involved. For inert lots use space 12 only and enter date manufacture was completed. For items of issue, the date completed will be shown by day, month, and year. Assemblies requiring curing shall be considered completed on the date cure was completed.

Space 13 - Date inspected.-Show the date on which inspection of the lot was completed.

Space 14 - Line.-Show the local designation of the assembly line on which the lot was assembled.

Space 15 - Zone weight shell.-When the loading assembly drawing lists zone weights, show the zone number corresponding to the projectile weights.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

Space 16 - Charge weight.-For complete rounds of artillery ammunition, enter the weight for the lot of propellant used in the rounds.

a. Space 16 a. (Applicable to the U.S. Navy procurement only)-Index of Powder. Enter the index of smokeless powder; for example SPDN 3201.

b. Space 16 b. (Applicable to U.S. Navy procurement only) - MPD. Enter the Maximum Packing Depth in inches for the powder index from proof and test sheets or as determined by procedure outlined in BuWepSinst 8030.2.

c. Space 16 c. (Applicable to the U.S. Navy procurement only) - PPDR. Enter the Production Packing Depth Range in inches for the powder index from proof and test sheets or as determined by procedure outlined in BuWepSinst 8030.2.

d. Space 16 d. (Applicable to U.S. Air Force procurement only) - Explosive Weight per package. Enter the weight of the explosive in an explosive item whenever applicable.

Space 17 and 18 - Expected velocity (Muzzle; Expected pressure.-For complete rounds of artillery ammunition show the expected velocity in meters per second and pressure in pounds per square inch for the lot of propellant used in the rounds.

Space 19 - Weight of shell.-Enter the weight of projectile with which the propellant was tested for the lot of propellant used in the rounds.

Space 20, 21 and 22- Number of test samples; sent to; date sent and mode of transportation. When ballistic samples are forwarded to proving grounds for ballistic test as part of the regular inspection, the following information will be shown:

(a) Enter the number of test samples shipped.
(b) Enter the name of proving ground to which they were sent.
(c) Give date shipment and how shipped.

Space 23 - Components.-The information about components to placed on cards for loaded items differs from that to be placed on data cards for inert items.

Loaded items.-For loaded items, the following information will be furnished for each component part, subassembly,

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

explosive, propellant, or other material used in the assembly of the loaded item described by the data card.

(a) Component.-Give the approved item name.

Example: Arming pin

(b) Drawing number.-Enter the drawing number, revision letter and applied EO's if any.

(c) Model.-Enter the model number for any item or subassembly to which a model number has been assigned.

Example: MD-1; M1; MK1

(d) Manufacturer.-Give the name of the manufacturer of each lot of each component used. If any parts are furnished by a supplier other than the one identified in space 7, then the complete information required by the loaded item description shall be furnished ie., the identity of the supplier, date manufactured, lot number and quantity.

Example: Harvey Machine Works

(e) Date manufactured.-Enter the month and year (if available) during which each lot of each component was made.

Example: May 1964

(f) Lot number.-Enter the complete lot number of each component used in loading the item. Data cards shall be prepared and submitted for all lots which contain material partially or totally owned by the Government.

Example: AMC-1-120

(g) Quantity.-When more than one lot of the same component is used in the assembly of the loaded item, the quantity from each lot, within 5 percent, will be indicated in the column. No entry will be necessary when all components of each type are from the same lot.

Inert items.-For inert items which are manufactured by more than one manufacturer all seven sections of the components section shall be filled out (see fig. 2a). If the inert items consist of items made by a single manufacturer, only

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

four classes of information, as described below, should be included (see figure 3a.)

(a) Component
(b) Drawing number
(c) Model
(d) Quantity.-The number of units of each component in the lot.

Space 24 - Disposition.-The status of the lot shall be reported by using the terms accepted, rejected, provisionally accepted, or rejected as appropriate. (Rejection and acceptance of Government owned material shall be covered by Data Cards).

Space 25 - Government inspector signature and typed name.

a. The Government inspector having knowledge of and contact with the production and inspection of the lot will sign the completed master form. The signature is certification of the Government inspector that all required tests and government inspections were performed on the material in the lot, that the information listed is correct, and that the disposition indicated has been properly determined.

b. When the data card is produced by methods other than specified in paragraph 3.3.2, the name of the Government inspector will be printed or typed on each data card above the signature line. The Government inspector will personally sign in ink:

(1) All data cards mailed to Procurement Agency and proving ground for the master file.
(2) All data cards shipped with ballistic samples to proving ground. These will be annotated "provisionally accepted" because the ballistic test is a requirement that must be met prior to final acceptance.
(3) All data cards mailed to the inspection unit of the responsible procurement agency.

Space 23a-(This is a continuation of space 23 to be used when required.) If additional space is needed beyond that provided, the list of components may extend into the "remarks" section.

Space 26 - Remarks.-Any unusual features of the lot represented by the data cards will be reported and identified by the appropriate symbol:

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

(a) Change in process will be listed following a single asterisk(*). -These include changes in location, equipment, manufacturing methods, methods or types of plating or other protective coating methods, or inspection methods. Since changes of this type are usually of a permanent nature, notations may be made first lot affected; the note will be interpreted as applying until further notation is made.

(b) Waivers and deviations from drawings, or specifications will be listed following a double asterisk (**). When all or part of the lot has been accepted on waiver, report the waiver number, letter, or teletype number with date, the name of the part involved, the extent of the deviation, the number of deviating parts, the method of identification of boxes containing the parts accepted on waiver, or other authority for acceptance.

1. For items of issue, the above waiver information will appear only on the data cards sent to the Engineering and Inspection Officers of the responsible Procurement agency, and the master file of the proving ground. Waiver information will not appear on other data cards for items of issue and when data cards are printed from ditto or duplimat masters, this information must be blocked out before other data cards are printed.

2. For items of assembly, waiver information will appear on all data cards.

(c) Unusual occurrence and difficulties will be listed following a triple asterisk (***). Conditions which are out of the ordinary, excessive rejections due either to poor components or improper loading and assembly and any other unusual circumstances in connection with the loading, assembly, packing or inspection of the lot involved should be reported. The inspector will determine what conditions are to be reported.

(d) Other items of information will be added as "Other Remarks" and will include:

(1) Identification of hybrid and miscellaneous lots of components.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.


(2) Use of alternative design or materials.
(3) Change in source of subcontracted parts.
(4) Description of any unusual or important methods of inspection.
(5) Serial numbers of item.-When the items in the lot are serially numbered, list the serial numbers of all items included in the lot.
(6) Description of method of rework or renovation used to rework, rejected or unserviceable lots.

(e) All required data pertaining to each lot of ammunition (includes shells, grenades, mines, bombs, pyrotechnics, and missiles, together with projectiles such as bullets, shots and necessary primers, propellants, fuzes and detonators) not normally listed in the previous spaces can be listed in the remarks space.

3.5 Distribution of Data Cards.-The distribution of data cards shall be made in accordance with the instructions furnished by the procuring installation. A copy of all data cards for the Army and Data cards for items procured for the Army by the Navy and Air Force shall be forwarded to Commanding Officer, ATTN: AMXBR-XSG, Aberdeen Proving Ground, Aberdeen, Maryland. A copy shall also be forwarded immediately to the procuring activity. A copy of all Data Cards for items procured by the Air Force shall be forwarded to Ogden Air Material Area, ATTN: OOYI, Hill Air Force Base, Utah, 84401 for the master files. If the lot is ballistically tested, the Government Inspector will forward two copies of the data card to the proving ground with the ballistic sample (marked as indicated in space 25 (b) (2)), and hold the other copies until he learns the results of the ballistic test then he can enter the final disposition of the lot on these latter copies (see the second sentence, above). When a lot is rejected, the data cards for the lot shall be immediately distributed to the procuring activity, the Government inspector, the contractor and proving ground. (If a rejected lot is later waived, the full distribution required shall be made and it shall be indicated that the lot shall be accepted.)

3.6 Lot Numbering Assignments.-Lot numbering assignments shall be in accordance with Standard MIL-STD-1168 "Lot Numbering of Ammunition."

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.



DEPARTMENT OF DEFENSE
AMMUNITION DATA CARD

Form Approved
Budget Bureau No. 22-R0269

1. ITEM NOMENCLATURE		2. FSN		3. LOT NUMBER
4. MANUFACTURING, LOADING OR ASSEMBLING ACTIVITY		5. NET QUANTITY		6. PACKING OF LOT
7. CONTRACTOR	8. CONTRACT OR ORDER NO.	9. DRAWING OR REVISION		10. SPECIFICATION & REVISION
11. DATE STARTED	12. DATE COMPLETED	13. DATE INSPECTED	14. LINE	15. ZONE WT SHELL
16. CHARGE WEIGHT	16a. INDEX OF POWDER	16b. MPD, IN INCHES		16c. PPDR IN INCHES
16d. EXPLOSIVE WEIGHT PER PKG	17. EXPECTED MUZZLE VELOCITY	18. EXPECTED PRESSURE		19. SHELL WEIGHT
20. NUMBER OF TEST SAMPLES	21. SENT TO	22. DATE AND MODE OF SHIPMENT		

23. COMPONENTS *(Continue on reverse, if necessary)*

COMPONENT	DRAWING NO.	MODEL	MANUFACTURER	DATE MFG	LOT NO.	QUANTITY

24. DISPOSITION	25. TYPED NAME OF GOVERNMENT INSPECTOR
	SIGNATURE

DD FORM 1650
1 February 1968 (FRONT)

Figure 1a

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

23d.

COMPONENTS (Continued)

COMPONENT	DRAWING NO.	MODEL	MANUFACTURER	DATE MFG	LOT NO.	QUANTITY

26. REMARKS (Identify by appropriate symbols: *Changes in process; **Deviations from drawing or specification; ***Unusual occurrences or difficulties)

(BACK)

Figure 1b

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE
AMMUNITION DATA CARD

Form Approved
Budget Bureau No. 22-R0269

1. ITEM NOMENCLATURE	2. FSN	3. LOT NUMBER
Flare Set AN/ALA-17		PA-22-1

4. MANUFACTURING, LOADING OR ASSEMBLING ACTIVITY	5. NET QUANTITY	6. PACKING OF LOT
Picatinny Arsenal	40	1 Flare set/cardbd. carton/barrier bag/ wood box

7. CONTRACTOR	8. CONTRACT OR ORDER NO.	9. DRAWING OR REVISION	10. SPECIFICATION & REVISION
Picatinny Arsenal		FXP-115810,7-3-63	6-7-63 Rev. 1 PA-PD-2329

11. DATE STARTED	12. DATE COMPLETED	13. DATE INSPECTED	14. LINE	15. ZONE WT SHELL
2-5-64	2-11-64	2-11-64	Bldg.732	

16. CHARGE WEIGHT	16a. INDEX OF POWDER	16b. MPD IN INCHES	16c. PPDR IN INCHES

16d. EXPLOSIVE WEIGHT PER PKG	17. EXPECTED MUZZLE VELOCITY	18. EXPECTED PRESSURE	19. SHELL WEIGHT

20. NUMBER OF TEST SAMPLES	21. SENT TO	22. DATE AND MODE OF SHIPMENT
		2-15-64 - Arsenal Truck

23. COMPONENTS *(Continue on reverse, if necessary)*

COMPONENT	DRAWING NO.	MODEL	MANUFACTURER	DATE MFG	LOT NO.	QUANTITY
Flare Rack					PA-1-5	20
CY2617/ALA-17 Assy	FXP-115619		Lambert Eng. Co.	1964	PA-1-6	20
Screw Cap (2)	P-119425		Allen Mfg. Co.	1963	None	

24. DISPOSITION	25. TYPED NAME OF GOVERNMENT INSPECTOR
PREVIOUSLY ACCEPTED	W. Kishpaugh
	SIGNATURE

DD FORM 1650
1 February 1968 (FRONT)

Figure 2a

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

23a. COMPONENTS (Continued)

COMPONENT	DRAWING NO.	MODEL	MANUFACTURER	DATE MFG	LOT NO.	QUANTITY
Shorting Ring	XP-116698		Drews Co.	1963	None	
Bushing (2)	P-119038		Picatinny Arsenal	1963	None	
Carton	8860600		Picatinny Arsenal	1963	None	
Box, Wood	8860555		R.C. Bennett Co.	1964	None	
Bag, Barrier	8860600		Picatinny Arsenal	1963	None	
Cord, Nylon	MIL-C-5040		Val Rayco Mfg. Co.	1963	None	
EXPLOSIVES						
Cartridge, Assy. Flare, MX 3529/ ALA-17	FXP-115485		Picatinny Arsenal	1963	PA-285-1	

26. REMARKS (*Identify by appropriate symbols: *Changes in process; **Deviations from drawing or specification; ***Unusual occurrences or difficulties*)

PA E.O. 5116-80. FSN-1370-862-6114.
Contract No. 4110.16.4159.22.
Screw Cap x-rayed 100%
Screw Cap, Washer Flat and Center Bar and Ring Assy. coated overall with molycoat 88 prior to assembly.
**PA-PD-1186, Para. 4.3.2 velocity test conducted in the vertical position.

(BACK)

Figure 2b

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE
AMMUNITION DATA CARD

Form Approved
Budget Bureau No. 22-R0269

1. ITEM NOMENCLATURE	2. FSN	3. LOT NUMBER
Fuze, Bomb, Train, M190 Inert	1325-099-5903	OWC-1-8
4. MANUFACTURING, LOADING OR ASSEMBLING ACTIVITY	**5. NET QUANTITY**	**6. PACKING OF LOT**
Central Metal Corporation Blankton, Ohio	19,950	1/ctn, 6 ctn (6 Fuzes) WDN Box

7. CONTRACTOR	8. CONTRACT OR ORDER NO.	9. DRAWING OR REVISION	10. SPECIFICATION & REVISION	
Central Metal Corp.	AF-AMC-300-1-56	P83881G/ECO-AMR-24986	MIL-F-12861 7-1-55	
11. DATE STARTED	**12. DATE COMPLETED**	**13. DATE INSPECTED**	**14. LINE**	**15. ZONE WT SHELL**
6 Jan 1956	16 Jan 1956	16 Jan 1956	B	
16. CHARGE WEIGHT	**16a. INDEX OF POWDER**	**16b. MPD IN INCHES**	**16c. PPDR IN INCHES**	
16d. EXPLOSIVE WEIGHT PER PKG	**17. EXPECTED MUZZLE VELOCITY**	**18. EXPECTED PRESSURE**	**19. SHELL WEIGHT**	
20. NUMBER OF TEST SAMPLES	**21. SENT TO**	**22. DATE AND MODE OF SHIPMENT**		

23. COMPONENTS *(Continue on reverse, if necessary)*

COMPONENT	DRAWING NO.	MODEL	MANUFACTURER	DATE MFG	LOT NO.	QUANTITY
Fuze;Body Assy.	P-8388101	M190				20,000
Arming Assy.	PX-74-273A	M1				20,000
Vane Assy.	PX-98-13451	M1				20,000

24. DISPOSITION	25. TYPED NAME OF GOVERNMENT INSPECTOR
ACCEPTED	J. J. JAYE
	SIGNATURE

DD FORM 1650
(FRONT)

1 February 1968

Figure 3a

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

23a. COMPONENTS (Continued)

COMPONENT	DRAWING NO.	MODEL	MANUFACTURER	DATE MFG	LOT NO.	QUANTITY
Carton, Cardboard Box, Packing	75-1-1581	M1				20,000 3,334

26. REMARKS *(Identify by appropriate symbols: *Changes in process; **Deviations from drawing or specification; ***Unusual occurrences or difficulties)*

**Deviations from drawing same as reported on Ammunition Lot CMC-1-6.

(BACK)

Figure 3b

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.

Copies of this Standard and other referenced documents required by contractors in connection with specific procurement functions may be obtained from the procuring agency or as directed by the contracting officer.

Custodians:

Army-MU
Navy-OS
Air Force-70

Preparing Activity:

Army-MU

Project Number:

1395-0004

Review Activities:

Army-MU, MI
Navy-OS
Air Force-70

User:

Marine Corps-MC
Navy-OS

303-227 (Z1226)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:22Z
Check the source to verify that this is the current version before use.