INCH-POUND

MIL-C-60537A (AR)
AMENDMENT 2
28 February 1995
SUPERSEDING
AMENDMENT 1
16 March 1994

MILITARY SPECIFICATION

CARTRIDGE; GRENADE: 5.56MM, M195

This amendment forms a part of MIL-C-60537A (AR), dated 17 November 1993, and is approved for use by the US Army Armaments, Research, Development and Engineering Center, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 6

* Table I Examination or Test column - Delete "Critical" and substitute "Critical/Special"

PAGE 7

* 4.4.1 Add the following new subparagraph:

"4.4.1.1 Component parts. Unless otherwise specified, component lots shall be homogeneous and of a size convenient to the contractor and inspected, tested and accepted by the contractor. The cartridge lot shall not contain:

a. Cartridge cases from more than one manufacturer.
b. Primers from more than one lot interfix number from on manufacturer.
c. Propellant from more than two lots.
d. Propellant from more than one manufacturer."

PAGE 9

Delete page 9 in its entirety and substitute new page 9 included as page 3.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:41Z
Check the source to verify that this is the current version before use.

PAGE 10

Delete page 10 in its entirety and substitute new page 10 included as page 4.

Add sheet 3 of 3 included as Page 5 (10a).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:41Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF CHARACTERISTICS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.1	Cartridge, Grenade: 5.56MM, M195	1 OF 3	10534926
			NEXT HIGHER ASSEMBLY

CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	INSPECTION METHOD REFERENCE
Critical				
1	Split case in K,L or M location	100%	3.1	Gage
2	Perforated Case	100%	3.1	Gage
3	Missing Wad	100%	3.1	Visual
4	Weight, min	100%	3.1	Weighing
5	Case split in I,S or J location when it is determined that there is a potential for loss of propellant	100%	3.1	Gage
Special				
a	No primer 2/, 3/	100%	3.1	Visual
b	Cocked primer 2/, 3/	100%	3.1	Visual
c	Inverted primer 2/, 3/	100%	3.1	Visual
Major				
101	Corroded or stained, if etched	Level I	3.1	Visual
102	Round head	Level I	3.1	Visual
103	Beveled underside of head	Level I	3.1	Visual
104	No chamfer on head (rim)	Level I	3.1	Visual
105	Loose primer	Level I	3.1	Visual
106	Wad lacquer missing or inadequate	Level I	3.1	Visual
107	Opening between wad and case wall	Level I	3.1	Visual

NOTES:
1/ Refer to MIL-STD-636, defects 1 through 38, except for 6 and 7, for visual standards. Defects 6 and 7 shall be inspected using a Government approved automated inspection system such as mechanical, optical, or electrical. While no photographs of grenade cartridges are included in this Standard, the cartridge case defects illustrated in the NATO Caliber 7.62mm section can be used. In the event of a conflict between this specification and MIL-STD-636 as to defect clasification, the classification specified in this specification shall apply.
2/ Special defects are defined in paragraph 6.5.4 of MIL-A-48078.

* 3 (9)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:41Z
Check the source to verify that this is the current version before use.

CLASSIFICATION OF CHARACTERISTICS

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.1	Cartridge, Grenade: 5.56MM, M195	2 OF 3	10534926
			NEXT HIGHER ASSEMBLY

CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	INSPECTION METHOD REFERENCE
Major				
108	Cartridge profile failure (requiring more than 20 pounds dead weight to insert in profile and alignment gage)	Level I	3.1	8654100, 8654102 8654108, 8654109 8654110, 8654111 8654112
109	Thickness of head, min			8654104
110	Depth of primer	Level I	3.1	8654105
111	Case dent	Level I	3.1	Visual
112	Draw Scratch	Level I	3.1	Visual
113	Scaly metal	Level I	3.1	Visual
114	Split case in I,S, or J location when it is determined that there is a poten- potential for loss of propellant.	100%	3.1	Gage
Minor				
201	Cartridge discolored, dirty, oily	Level II	3.1	Visual
202	Case dent	Level II	3.1	Visual
203	Draw scratch	Level II	3.1	Visual
204	Scratch	Level II	3.1	Visual
205	Scaly metal	Level II	3.1	Visual
206	Fold	Level II	3.1	Visual
207	Wrinkle	Level II	3.1	Visual
208	Bulge	Level II	3.1	Visual
209	Illegible or missing head stamp	Level II	3.1	Visual
210	Defective head	Level II	3.1	Visual
211	Nicked or dented primer	Level II	3.1	Visual
212	No waterproofing material (primer pocket joint)	Level II	3.1	Visual

NOTES:
3/ The visual defect standards in MIL-STD-636 shall be used except "critical" shall be changed to "special".

* 4 (10)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:41Z
Check the source to verify that this is the current version before use.

QUALITY CONFORMANCE INSPECTION

CLASSIFICATION OF CHARACTERISTICS

MIL-C-60537A (AR)
AMENDMENT 2

PARAGRAPH	TITLE	SHEET	DRAWING NUMBER
4.4.2.1	Cartridge, Grenade: 5.56MM, M195	3 OF 3	10534926
			NEXT HIGHER ASSEMBLY

CLASSIFICATION	EXAMINATION OR TEST	CONFORMANCE CRITERIA	REQUIREMENT PARAGRAPH	INSPECTION METHOD REFERENCE
Minor				
213	Defective primer crimp	Level II	3.1	Visual
214	Mouth crimp missing or incorrect	Level II	3.1	Visual
215	Diameter of extractor groove	Level II	3.1	8654102
216	Diameter of head	Level II	3.1	8654103
217	Thickness of head, max.	Level II	3.1	8654104
218	workmanship	Level II	3.1	Visual

NOTES:

AMSMC Form 1570b-E, 1 Jul 89 Replaces AMSMC Form 1570, 1 Feb 85, which may not be used.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:41Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1330-0386)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T00:41Z
Check the source to verify that this is the current version before use.