INCH-POUND


MIL-DTL-83413/10B
31 March 2005
SUPERSEDING
MIL-C-83413/10A
19 November 1993


DETAIL SPECIFICATION SHEET


CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT GROUNDING: JUMPER CABLE ASSEMBLY, AIRCRAFT TO FUEL NOZZLE, DISCHARGER, ELECTROSTATIC

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-C-83413.








CAP

FIGURE 1. Jumper cable assembly

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:02Z
Check the source to verify that this is the current version before use.



STUD

Inches	mm
.010	.25
.062	1.57
.078	1.98
.1093	2.78
.237	6.02
.251	6.38
.310	7.87
.332	8.43
.375	9.53
.420	10.67
.438	11.13
.469	11.91
.500	12.70
.625	15.88
.875	22.23
.893	22.68
75.000	1.905.00

FIGURE 1. Jumper cable assembly – Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:02Z
Check the source to verify that this is the current version before use.

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Unless otherwise specified, tolerance is ± .016(0.041 mm).
4. The cap on this assembly is also used on plug PIN M83413/4-1.

REQUIREMENTS

Grounding plug In accordance with MIL-C-83413/4

Grounding wire 7 X 7 wire in accordance with MIL-DTL-83420, type II, composition B, jacket color international orange 22510 in accordance with FED-STD-595

Splices shall not be used.

Part or Identifying Number (PIN): M83413/10-1.

QUALIFICATION

Qualification is not required for this specification sheet. First article inspection shall be a visual and mechanical inspection in accordance with MIL-C-83413.

Certain provisions of this specification are the subject of International Standardization Agreements AIR-STD 25/26 and NATO STANAG 3632. When revision or cancellation of this specification is proposed which wilt affect or violate the international agreements concerned, the preparing activity will take appropriate reconciliation action through international standardization channels, including departmental standardization offices, if required.

The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Reference documents. In addition to MIL-C-83413, this document references the following:

MIL-C-83413/4
MIL-DTL-83420
FED-STD-595
AIR-STD 25/26
NATO STANAG 3632

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:02Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army - AV
Navy - AS
Air Force - 11
DLA - CC

Preparing activity.
DLA - CC

(Project 5920-0826-000)

Review activities:
Army - AR, CR, CR4, MI
Navy - MC
Air Force – 02, 18, 99

International interest.
NATO STANAG 3632

Note: The activities listed above were interested in this document as of the date of this document. Since organization and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T08:02Z
Check the source to verify that this is the current version before use.