MILITARY STANDARD

AUTOMATED ENGINEERING
DOCUMENT PREPARATION SYSTEM

VALVES (POWERED)

TO ALL HOLDERS OF DOD-STD-35-46B(MI):

1. THE FOLLOWING PAGES OF DOD-STD-35-46B(MI) HAVE BEEN REVISED AND SUPERSEDE THE PAGES LISTED.

NEW PAGE	DATE	SUPERSEDED PAGE	DATE
v	30 JUNE 1992	v	26 SEPTEMBER 1986
1	26 SEPTEMBER 1986	(Reprinted without change)	
2	30 JUNE 1992	2	26 SEPTEMBER 1986
9	30 JUNE 1992	9	26 SEPTEMBER 1986
10	26 SEPTEMBER 1986	(Reprinted without change)	

2. RETAIN THIS NOTICE PAGE AND INSERT BEFORE THE TABLE OF CONTENTS.

3. Holders of DOD-STD-35-46B(MI) will verify that page changes and additions indicated above have been entered. The notice page will be retained as a check sheet. This issuance, together with appended pages is a separate publication. Each notice is to be retained by stocking points until the Military Standard is completely revised or canceled.

Custodians:
Army-MI

Review activities:
Army-AT
Army-AV
Army-ER
Army-ME
Army-MR
Army-SC
Army-CR

User activity:
Army - AR

Preparing activity:
Army - MI

(Project EGDS-A419)

AREA EGDS

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:56Z
Check the source to verify that this is the current version before use.

CONTENTS

			Page
Paragraph	1.	SCOPE	1
	1.1	General	1
	1.2	Purpose	1
	1.3	Utilization	1
	1.4	Military Specification Exception Title Index	1
	2.	REFERENCED DOCUMENTS	4
	2.1	Government Documents	4
	2.1.1	Specifications and Standards	4
	2.2	Other Publications	5
	2.3	Order of Precedence	5
	3.	DEFINITIONS	6
	4.	GENERAL REQUIREMENTS	7
	4.1	Introduction	7
	4.2	Specification Requirement Sheet (SRS)	7
	4.3	Configuration	7
	4.3.1	Dimensions	7
	4.3.2	Illustrations	7
	4.4	Units of measure	7
	5	DETAILED REQUIREMENTS	8
	5.1	Introduction	8
	5.2	MSE Formats	8
	5.3	Referenced documents	8
	5.4	Deleted	8
	5.5	Tabulation	10
	5.6	Keyword Code Index (KCI) and Standard Paragraphs	10
	5.6.1	Interrelationship of Codes	11
	5.6.2	Automatic MSE Data	11
	5.6.3	DOD-STD-35 Tables	11

TABLES

Table	I.	Title Index	2
	II.	Deleted	9
	III.	Tabulation Candidates	10

APPENDICES

Appendix	A.	Illustrations	114
	B.	Characteristic Code Index	128
		Index	134

Source: https://assist.dla.mil -- Downloaded: 202640-23T20:56Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 General. This dash-numbered part of the Automated Engineering Document Preparation System (AEDPS), provides detailed requirements for the preparation of Military Specification Exception (MSE) documentation for Valves (Powered).

1.2 Purpose. This military standard provides the necessary information to prepare a Specification Requirement Sheet (SRS) which will be used to generate an MSE by automated data processing.

1.3 Utilization. General instructions, quality assurance provisions, packaging, and notes, applicable to all AEDPS dash-numbered parts, have been included in the basic document (DOD-STD-35) to avoid redundancy. Unless otherwise specified in this dash-numbered part, the following list contains additional subjects applicable to all AEDPS dash-numbered parts and included in DOD-STD-35:

a. Writing Methodology
b. Document and Part Numbering
c. Applicable Documents
d. Single and Multi-item Specifications (Tabulation)
e. Keyword Code Index (KCI)
f. General Requirements of AEDPS

1.4 Military Specification Exception Title Index. The title code for a MSE shall be selected from one of the MSE titles listed in the Title Index (see table I). Data bases have been extablished for the generation of MSEs for the MSE titles indicated. If a suitable title code is not contained in the Title Index, leave the title code spaces on the SRS blank, and attach a request for assignment of a title code. Include in the request the desired title and the base document identifier. A code will be assigned and the code, title, and base document will be made a part of the Title Index.

One of the six-digit codes listed in the Title Index entered on a SRS, specifies that the title of the MSE will be the title shown in the Title Index.

Each MSE title listed in the Title Index, is compatible with the document(s) listed with that title under base document. The list of base documents may or may not be a complete listing. The information shown under coverage is intended for the user°s reference. When more than one document is listed for an MSE title, this information will be found useful in determining which of the documents is most suitable for use as the base document.

Reprinted without change
Source: https://assist.dla.mil -- Downloaded: 202610-23T20:56Z
Check the source to verify that this is the current version before use.

The MSE title may or may not be the same as the title used in DODISS, FIIG, or the base document. In general, the MSE title uses the basic federal item name listed in Cataloging Handbook H6. However, titles with additional modifying and identifying words are provided to assist in defining the scope of the MSE. Also, less restrictive titles are provided to prevent exclusion of items.

TABLE I. TITLE INDEX

MSE TITLE	TITLE CODE	BASE DOCUMENT NUMBER	BASE DOCUMENT COVERAGE
VALVE, SOLENOID	208001	MIL-V-8610	FUEL SHUTOFF 28 VOLTS DC
		MS29527	
		MIL-V-16556	THREE WAY BYPASS
		MIL-V-19593	PNEUMATIC 28 VOLTS DC
		MIL-V-23289 MS17841	REFRIGERANT-12
		MIL-V-46720	HYDRAULIC 24 VOLT
		MIL-V-62358	HYDRAULIC CONTROL
		MIL-V-62381	HYDRAULIC BYPASS
VALVE, ELECTRICAL MOTOR OPERATED	208002	MIL-V-8608	FUEL SHUTOFF
		MIL-V-82444	FUEL TANK PRESS

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:56Z
Check the source to verify that this is the current version before use.

THIS PAGE DELETED

Source: https://assist.dla.mil -- Downloaded: 202610-23T20:56Z
Check the source to verify that this is the current version before use.

5.5 Tabulation. Instructions for tabulation are provided in DOD-STD-35. Table III provides codes for column headings which may be used for Valves (Powered) characteristics. When different units of measure are available for specifying a characteristic, only one of the units may be tabulated; e.g. either ounces or pounds.

TABLE III. TABULATION CANDIDATES

CODE	COLUMN HEADING	CODE	COLUMN HEADING	CODE	COLUMN HEADING
1009	CONFIG-URATION	1562	TYPE	1563	SIZE
1564	STYLE	1565	CLASS	1576	SOLENOIDS
1578	CONNECTORS	1580	SWITCHES	7585	OPERATING PRESSURE PSI
7586	OPERATING PRESSURE KPS	7587	MIN PROOF PRESSURE PSI	7588	MIN PROOF PRESSURE KPA
7589	MIN BURST PRESSURE PSI	7590	MIN BURST PRESSURE KPA	7597	CURRENT RATING AMPERES
7598	CURRENT RATING MILLIA	7618	RATING VOLTS AC	7619	RATING VOLTS DC
7581	OPER PRESS PSIG (MIN)	7583	OPER PRESS PSIG (MAX)	7591	CURRENT RATING AMPS (MINIMUM)
7594	CURRENT RATING AMPS (MAXIMUM)				

5.6 Keyword Code Index (KCI) and Standard Paragraphs. The KCI provides codes, to be entered on a SRS, that are unique for the type part covered by this dash-numbered part of DOD-STD-35. The left-hand page presents the information in outline form using keywords and

Reprinted without change.
Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:56Z
Check the source to verify that this is the current version before use.