METRIC
MIL-C-89202
AMENDMENT 2
30 NOVEMBER 1992
SUPERSEDING
AMENDMENT 1
28 FEBRUARY 1992

MILITARY SPECIFICATION

COMBAT CHARTS

This amendment forms a part of MIL-C-89202, dated 20 August 1990, and is approved for use by all Departments and Agencies of the Department of Defense.

The attached insertable replacement pages listed below are replacements for the stipulated pages. When the new pages have been entered in the document, insert the amendment as the cover sheet to the specification.

Replacement page	Page replaced
13	13
14, 14.1, 14.2	14

PAGE 3

2.2: Delete MP004, Chart Specifications of the IHO and Regulations of the IHO for International (INT) Charts, and add IHO Special Publication 46, Correction of Echo Soundings.

PAGE 7

3.11.5: Delete and substitute:

"3.11.5 Catalog numbers are no longer shown on Combat Charts. Classified charts may be found in the classified chart catalog, and unclassified charts may be found in the unclassified chart catalog."

PAGE 18

3.13.f: Substitute IHO Special Publication 46, Correction of Echo Soundings, for IHO Publication MP004.

AMSC N/A AREA MCGT

DISTRIBUTION STATEMENT A. Approved for public release; distribution unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T12:56Z
Check the source to verify that this is the current version before use.

PAGE 115

30.1: Make the following changes to Appendix A, the Combat Chart Style Sheet (East-West):

Delete Catalog Note, and associated red bullets from the upper right corner of the style sheet.

Change the publishing note as follows:

Prepared and published by the
DEFENSE MAPPING AGENCY HYDROGRAPHIC/TOPOGRAPHIC CENTER
Bethesda, Maryland

© COPYRIGHT 1992 BY THE UNITED STATES GOVERNMENT
NO COPYRIGHT CLAIMED UNDER TITLE 17 U. S. C.

PAGE 116

30.1: Make the following changes to Appendix B, the Combat Chart Style Sheet (North-South):

Delete Catalog Note, and associated red bullets and placement information from the right margin of the style sheet.

Change the publishing note as follows:

Prepared and published by the
DEFENSE MAPPING AGENCY HYDROGRAPHIC/TOPOGRAPHIC CENTER
Bethesda, Maryland

© COPYRIGHT 1992 BY THE UNITED STATES GOVERNMENT
NO COPYRIGHT CLAIMED UNDER TITLE 17 U. S. C.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Source: https://assist.dla.mil -- Downloaded: 202610-23T12:56Z
Check the source to verify that this is the current version before use.

Custodians:
DMA - MP

Review activities:
Navy - NO
Army - PO
Marine Corps - MC

Preparing activity:
DMA - MP

(project MCGT-0096)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T12:56Z
Check the source to verify that this is the current version before use.

b. The horizontal datums, grid zones, and ellipsoids used on Combat Charts are those specified in the latest edition of DMA Technical Manual 8358.1, "Datums, Ellipsoids, Grids and Grid Reference Systems."

c. Type is Swiss 742, upper case. The type of projection is in 10 point, the rest of the Horizontal Datum note is 8 point. The type of projection, datum, and scale are shown in black (SPC-58600). UTM primary grid information is shown in purple (SPC-96532), and any UTM secondary grid information, if required, is shown in blue (SPC-47651). Occasionally a third grid is required; either a local grid or a grid crossing datum/ellipsoid boundaries. If the third grid is required, it and all related notes are shown in Red-Brown (SPC-61121).

3.11.23 Location diagram.

a. A Location Diagram is shown on each chart. The diagram portrays the location of the chart in relation to other charts in the series by a heavy outline of the chart. Degree graticule lines are shown and labeled. Shoreline and major names (country, city or town and water area identification) are shown. The diagram is black (SPC-58600), except for water area names, which are blue (SPC-47651), and water areas, which are tinted blue (SPC-47651, 21% screen). Location Diagrams are not shown for isolated Combat Charts.

b. The diagram is located below the title block in the right chart margin on North-South oriented charts and in the top chart margin on East-West oriented charts. Land names are shown in Swiss 742 type; country names are in 10 point, upper case, city or town names are 8 point, upper and lower case; chart numbers are 8 point Swiss 742 type, and water area names are 10 point Swiss 742 italic type.

3.11.24 Main title.

a. The main title is shown on each chart. It includes the following information:

(1) Type of chart - either COMBAT CHART or COMBAT TRAINING CHART

(2) Major water name - geographic name of ocean or sea

(3) Country name - name of nation

(4) Chart title - geographic name of specific locality

* 3.11.25 Publishing and copyright note. The DMAHTC Publishing
* Note identifies DMAHTC as the publishing authority, and identifies the
* product as copyrighted material. The note is shown on each chart in
* black (SPC-58600) and is centered between the right and left neatlines
* in the lower chart margin. Type is 8 point, Swiss 742, upper & lower
* case for the first and third lines, 8 point, Swiss 742, upper case for
* the second and fourth lines, and 6 point, Swiss 742, upper case for the
* fifth line.

Source: https://assist.dla.mil -- Downloaded: 202610-23T12:56Z
Check the source to verify that this is the current version before use.

Prepared and published by the
DEFENSE MAPPING AGENCY HYDROGRAPHIC/TOPOGRAPHIC CENTER
Bethesda, Maryland

© COPYRIGHT 1992 BY THE UNITED STATES GOVERNMENT
NO COPYRIGHT CLAIMED UNDER TITLE 17 U. S. C.

3.11.26 Sounding note. The unit of measurement used for soundings appears in purple (SPC-96532) and is located in the top and bottom margins on all charts. The type is 30 point Swiss 742, upper case.

3.11.27 Subtitle.

a. The Subtitle is shown on each chart. It identifies the following information:

(1) Type of chart - either COMBAT CHART or COMBAT TRAINING CHART

(2) Chart title - geographic name of specific locality. This name must be the same as the one in the main title.

(3) Unit of measure for soundings - Meters

(4) Scale - 1:50,000

b. The subtitle is shown in black (SPC-58600). The type of chart is in 10 point Swiss 742 Light Condensed, upper case type, the chart title is in 14 point Swiss 742 Light Condensed, upper and lower case type, and unit of soundings and scale is in 8 point Swiss 742 Light Condensed, upper case type. It is located below the lower right chart corner.

3.11.28 Symbol legend.

a. A Symbol Legend is shown on each chart. The Symbol Legend defines and illustrates the features most frequently represented in a series of charts. It is the same legend that is used on the equivalent scale topographic maps of the same area, with additional hydrographic features added. These features are light 2C050 (Replaces the topographic symbol for lighthouse) , sunken rocks 2D130 VRC=4, rocks awash 2D130 VRC=2, foreshore 2A020, sunken wreck 2D180 VRC=4, exposed wreck 2D180 VRC=1, Danger 2D000 SFC=2 without a label, reef 2D120 VRC=2, depth curve 2E010 CRV=10, and sounding 2E020 SND=6 HDP=3.

b. The legend shall be bi-lingual when the equivalent scale topographic maps are shown with a second language. The English descriptive type shall be vertical and the foreign language type shall be italic.

c. The legend is located below the Glossary on North-South oriented charts and in the top margin on East-West oriented charts. The

Source: https://assist.dla.mil -- Downloaded: 202640-23T12:56Z
Check the source to verify that this is the current version before use.

legend title is shown in 10 point Swiss 742, upper case type. The names of the symbols are in 5 point Swiss 742, upper case type (for major items), or upper and lower case type (for sub-items). Color for this type is black (SPC-58600).

d. The symbols and symbol labels in the legend are shown the same as they appear inside the chart neatlines and are specified in Section 3 of MIL-STD-600002.

3.11.29 Tide box.

a. A Tide Box is shown when sufficient data is available. Tidal information includes the name of the tidal stations located on the chart or the most representative tidal station in the proximity, and the height of tides in relation to the datum of soundings. The height of tides is indicated by gradients of Higher and Lower Spring and Neap

Reprinted without change

Source: https://assist.dla.mil -- Downloaded: 202610-23T12:56Z
Check the source to verify that this is the current version before use.