INCH-POUND

RR-F-191L/GEN
9 June 2026
SUPERSEDING
RR-F-191K/GEN
14 May 1990

FEDERAL SPECIFICATION

FENCING, WIRE AND POST METAL (AND GATES, CHAIN-LINK FENCE FABRIC, AND ACCESSORIES) (GENERAL SPECIFICATION)

The General Services Administration has authorized the use of this federal specification by all federal agencies.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers general requirements for chain-link fencing and accessories (see 6.1).

1.2 Classification. Classification for the various parts of chain-link fencing are included in the detail specifications.

RR-F-191/1 - Fencing, Wire and Post, Metal (Chain-Link Fence Fabric).
RR-F-191/2 - Fencing, Wire and Post, Metal (Chain-Link Fence Gates).
RR-F-191/3 - Fencing, Wire and Post, Metal (Chain-Link Fence Posts, Top Rails, and Braces)
RR-F-191/4 - Fencing, Wire and Post, Metal (Chain-Link Fence Accessories).

2. APPLICABLE DOCUMENTS

2.1 Other publications. The following documents form a part of this specification to the extent specified herein. Unless a specific issue is identified, the issue in effect on the date of invitation for bids or request for proposal shall apply.

AMERICAN SOCIETY FOR QUALITY (ASQ)

ASQ Z1.4 - Sampling Procedures and Tables for Inspection by Attributes

(Copies of this document are available online at www.asq.org or the American Society for Quality, 611 East Wisconsin Avenue, Milwaukee, WI 53202.)

Comments, suggestions, or questions on this document should be addressed to DLA Troop Support – Construction and Equipment (C&E) (ATTN: Code FCSB), 700 Robbins Avenue, Philadelphia, PA 19111-5098 or email to CE_Standardization@dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil.

AMSC N/A FSC 5660

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:09Z
Check the source to verify that this is the current version before use.

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

ASTM-A751 - Standard Test Methods and Practices for Chemical Analysis of Steel Product
ASTM-E1282 - Standard Guide for Specifying the Chemical Compositions and Selecting Sampling Practices and Quantitative Analysis Methods for Metals, Ores and Related Materials
ASTM-F552 - Standard Terminology Relating to Chain Link Fencing

(Copies of these documents are available from www.astm.org or the American Society for Testing and Materials, 100 Barr Harbor Drive, W. Conshohocken, PA 19428-2959.)

2.2 Order of precedence. In the event of a conflict between the text of this document and the reference cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 Materials. Materials used shall be free from defects which would adversely affect the performance or maintainability of individual components or of the overall assembly. Materials not specified herein shall be of the same quality used for the intended purpose in commercial practice. Unless otherwise specified herein, all equipment, material, and articles incorporated in the work covered by this specification are to be new and fabricated using materials produced from recovered materials to the maximum extent possible without jeopardizing the intended use. The term “recovered materials” means materials which have been collected or recovered from solid waste and reprocessed to become a source of raw materials, as opposed to virgin raw materials. Unless otherwise specified, none of the above shall be interpreted to mean that the use of used or rebuilt products are allowed under this specification.

3.2 Dimensional Tolerances. Unless otherwise specified dimensional tolerances shall be ± 1 percent. Minimum dimensions specified are the minimum dimensions allowed and the ± 1 percent tolerances does not apply.

3.3 Workmanship. All fence components shall be free from pits, excessive roughness. blisters, loose rust and mill scale, cracks, and seams to an extent that would be detrimental to the intended end use. Coated surfaces shall be free from uncoated areas except ends of wires on selvage. Polyvinyl-chloride coated components shall be free from cuts or cracks that permit access of water to the base metal. All fencing components, except barbed wire and barb selvage of fabric, shall be free from sharp edges.

3.4 Definitions. Definitions of fencing components not specified herein shall be in accordance with ASTM F552.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements (examinations and tests) as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his/her own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the documents where such inspections are deemed necessary to ensure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:09Z
Check the source to verify that this is the current version before use.

4.2 Inspection lot. All fence components of the same type, size and class, offered for delivery at the same time shall be considered a lot for the purposes of inspection.

4.3 Sampling. (See 6.4)

4.4 Test methods.

4.4.1 Frequency of tests. Unless otherwise specified (see 6.2), tests for chemical composition shall be performed on the initial inspection, and thereafter only when changes are made in the material.

4.4.2 Chemical analysis. Chemical analysis shall be in accordance with ASTM-E1282 or ASTM-A751. In case of dispute, referee analysis shall be by the wet method in ASTM-A751.

5. PACKAGING

5.1 Packaging. For acquisition purposes, the packaging requirements shall be as specified in the contract or order (see 6.2). When packaging of material is to be performed by DoD or in-house contractor personnel, these personnel need to contact the responsible packaging activity to ascertain packaging requirements. Packaging requirements are maintained by the Inventory Control Point's packaging activities within the Military Service or Defense Agency, or within the military service's system commands. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products, or by contacting the responsible packaging activity.

6. NOTES

(This section contains information of a general or explanatory nature that is helpful, but is not mandatory.)

6.1 Intended use. Fencing fabric, with proper posts, gates, and accessories, for complete fencing is intended for domestic, commercial, and industrial use.

6.2 Acquisition requirements. Purchasers should select the preferred options permitted herein and include the following information in acquisition documents:

a. Title, number, and date of this specification.
b. Frequency of tests (see 4.4.1).
c. Packaging requirements (see 5.1).

6.3 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue, due to the extensiveness of the changes.

6.4 Sampling. A random sample of like fence components shall be selected from each lot in accordance with ASQ-Z1.4.

6.4.1 Sampling for examination. A random sample for examination and tests shall be selected in accordance with ASQ-Z1.4 based on examination level II, and test level S-2. The Acceptable Quality Level (AQL) shall be 2.5 percent defective for major defects and 4.0 percent defective for minor defects.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:09Z
Check the source to verify that this is the current version before use.

6.5 Subject term (key word) listing.

Braces
Top Rails

Custodians:
Army - CR4
Navy - YD
Air Force - 84
DLA - CQ

Preparing activity:
DLA - CQ

(Project 5660-2026-001)

Review activities:
Army - CE

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:09Z
Check the source to verify that this is the current version before use.