RR-F-450D
AMENDMENT-1
April 20, 1976

FEDERAL SPECIFICATION

FLATWARE, STAINLESS STEEL

This amendment, which forms a part of Federal Specification RR-F-450D, dated May 31, 1974, was approved by the Commissioner, Federal Supply Service, General Services Administration, for the use of all Federal agencies.

PAGE 2

Delete Roman numerals "I, II, III" for style and substitute Arabic "1, 2, 3".

PAGE 4

3.3.1.2: Delete "430" and substitute "420".

PAGE 10

5.1: Delete in its entirety and substitute the following:

"5.1 Preservation-packaging. Preservation-packaging shall be level A or C as specified (see 6.2)."

5.1.2: Delete in its entirety and substitute the following:

"5.1.2 Level C. Flatware shall be packaged to afford adequate protection against physical damage during shipment from the supplier to the first receiving activity. The package and the quantity per packaged shall be the same as that normally used by the supplier for retail distribution."

5.2.1: Delete the last sentence and substitute the following:

"Each shipping container shall be closed in accordance with method III, waterproofed in accordance with method V, and reinforced as specified in the appendix of the container specification."

PAGE 11

5.2.2.1, line 3: Delete "the appendix thereto" and substitute "method III as specified in the appendix of PPP-B-636".

5.2.3, after the first sentence, insert the following: "The quantity per

Source: https://assist.dla.mil -- Downloaded: 2015-09-04T18:32Z
Check the source to verify that this is the current version before use.
Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:10Z
Check the source to verify that this is the current version before use.

PAGE 11 (Cont'd)

shipping container shall be the same as that normally used by the supplier for retail distribution."

PAGE 12

5.3.2 in the title: Delete "agencies" and substitute "requirements".

PAGE 15

Fig. 3: Delete "1 5/8" dimension and insert designation "TL" with arrow from tip of tine to base of tine.

Delete dimensions "1/4 ± 1/16 and 1/8 ± 1/16 and 3 ".

Delete "3/16 ± 1/16" and insert "3/4 ± 1/8".

TABLE III. After "at AA" in two places, add "(1/8" from tip of tine)".

After "at BB" in two places, add "(1/8" from base of tine)".

After "at CC" in two places, add "(at narrowest section)".

Add as last item the following, "Tine length - TL - 1 3/4 - 1 15/16."

PAGE 16

Fig. 4: Delete "1 1/8" and substitute "TL".

Indicate section A-A back from tip of tine.

TABLE IV. After "at AA" in two places, add "(1/8" from tip of tine)".

After "at CC" in two places, add "(at narrowest section)".

Add as last item the following: "Tine length - TL - 1.0 - 1 3/16."

PAGE 17

Fig. 5: Add arrow from tip of tine to base of tine with designation "TL" inserted.

Source: https://assist.dla.mil -- Downloaded: 2015-09-04T18:32Z
Check the source to verify that this is the current version before use.
Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:10Z
Check the source to verify that this is the current version before use.

PAGE 17 (Cont'd)

TABLE V After "at section AA" in two places, add "(1/8" from tip of tine)".

After "at section BB" in two places, add "(1/8" from base of tine)".

After "at section CC" in two places, add "(at narrowest section)".

Add as last item the following, "Tine length - TL - 1 5/8 - 1 15/16".

PAGE 18

Fig. 6: Indicate section A-A as back from tip of tine.

Add arrow from tip of tine to base of tine with designation "TL" inserted.

TABLE VI After "at section AA" in two places, add "(1/8" from tip of tine)".

After "at section BB" in two places, add "(1/8" from base of tine)".

After "at section CC" in two places, add "(at narrowest section)".

Add as last item the following, "Tine length - TL - 1 7/16 - 1 9/16".

Custodians:

Army - GL
Navy - SA
Air Force - 84

Review activities:

Army - MD
Navy - MC, MS
Air Force - 45

User activity:

Navy - YD, CG

Preparing activity:

Army - GL

CIVIL AGENCY COORDINATING ACTIVITIES:

GSA-FSS

Project No. 7340-0077

☆U.S. GOVERNMENT PRINTING OFFICE: 1976-703-020/660

Source: https://assist.dla.mil -- Downloaded: 2015-09-04T18:32Z
Check the source to verify that this is the current version before use.
Source: https://assist.dla.mil -- Downloaded: 2026-10-26T12:10Z
Check the source to verify that this is the current version before use.