[METRIC]

A-A-2849
January 12, 1994

COMMERCIAL ITEM DESCRIPTION

CASE, FILING, TRANSFER, FIBERBOARD

The General Services Administration has authorized the use of this commercial item description, for all federal agencies.

1. SCOPE. This description covers case, filing, transfer, fiberboard, used for maintenance, transfer or storage of letter or legal size documents.

2. SALIENT CHARACTERISTICS

A. Size:

1. Letter: Height - 26.35 cm (10-3/8"); Depth - 60.96 cm (24"); Width - 31.12 cm (12-1/4").

2. Legal: Height - 26.35 cm (10-3/8"); Depth - 60.96 cm (24"); Width - 38.74 cm (15-1/4").

B. Dimensional Tolerances: A plus or minus tolerance of 6.4 mm (1/4 inch), shall be allowed on all dimensions.

C. Case Body: One piece of fiberboard certified by the manufacturer as having a minimum dry bursting strength of 200 p.s.i., scored to form an open end box. The body joint (manufacturer's joint) shall be lapped or butted. Direction of flutes shall run perpendicular to the body joint. The closed end shall have four flaps or an interlocking closure. The case body shall be reinforced with metal or metal and other suitable material. The open end of the box shall have a metal edging on two or more sides.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York. N.Y. 10278.

Distribution statement A: Approved for public release; distribution is unlimited.

FSC 7520

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.

D. Drawer: The drawer shall be constructed from fiberboard, forming a bottom, two sides and two ends. The drawer front shall be metal covered or reinforced with hardboard completely encased by two or more thicknesses of fiberboard. The sides, front and back shall be reinforced with metal or hardboard or shall be two or more thicknesses of fiberboard. If single thickness, fiberboard shall be grade 275. If two or more thicknesses, the fiberboard shall be not less than grade 200.

E. The assembled drawer shall fit snugly into the case body and completely close the open end. Each drawer shall have a drawer pull fastened to the front. Each drawer shall have a label holder which will accommodate a card with the minimum dimensions of 7.62 cm x 3.81 cm (3" x 1-1/2"). Each drawer back shall have an opening placed near the top to permit gripping for lifting the drawer when loaded.

F. Metal devices shall be provided with each transfer case for interlocking when stacked and/or placed side by side.

G. Workmanship: All cases shall be free of any defects which may impair appearance or serviceability or may cause harm to the user.

3. RECOVERED MATERIALS

The fiberboard used shall have a minimum of 40% post consumer recovered material in accordance with 40 CFR, part 250.

4. QUALITY ASSURANCE

Each lot of Cases, Filing, Transfer, Fiberboard shall be inspected for conformance to the requirements herein. Inspection shall be in accordance with MIL-STD-105 using the sampling plans specified below.

A. Visual and dimensional characteristics - Inspection Level S-4 with an Acceptable Quality Level (AQL) of 4.0 percent defective. The sample unit shall be one Case, Filing, Transfer, Fiberboard.

B. Tests - Inspection Level S-2 with an AQL of 4.0 percent defective, for each test. The sample unit shall be one Case, Filing, Transfer, Fiberboard. See below:

Weight Performance Test: Stack and interlock sample unit cases three high on a flat surface. Place an 45.72 cm (18") by 71.12 cm (28") sheet of 1.91 cm (3/4") plywood lengthwise on the top of the stack. Then, place 136.08 kilograms (300 pounds) in weights, evenly distributed on the top of the plywood. The drawer of each of the bottom two cases shall operate easily without binding or jamming.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

Preservation, Packaging, Packing, Labeling, and Marking shall be as specified in the contract or purchase order.

6. NOTES

A Application for Copies of Technical Documents Referenced Herein.

The issue date in effect on date of invitation for bids or request for proposal shall apply.

1. MIL-STD-105 is available from Standardization Documents Order Desk; Building 4D; 700 Robbins Avenue; Philadelphia, PA 19111- 5094.

2. Code of Federal Regulations, Title 40, Part 250 is available through the Superintendent of documents, U.S. Government Printing Office, Washington DC 20402.

B. Ordering Data

Purchasers should reference this commercial item description when ordering, and state the size needed (see 2.A).

C. National Stock Numbers (NSN's)

The following NSN's are available. Dimensions listed are inside measurements in order of height, depth and width .

1. 7520-00-286-6956; letter size; 26.35 cm (10-3/8") x 60.96 cm (24") x 31.12 cm (12-1/4").

2. 7520-00-286-6955; legal size; 26.35 cm (10-3/8") x 60.96 cm (24") x 38.74 cm (15-1/4").

No Official DOD interest has been registered

Preparing Activity: GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:26Z
Check the source to verify that this is the current version before use.