MIL-STD-1767A (USAF)
15 June 1988
SUPERSEDING
MIL-STD-1767 (USAF)
14 December 1981

MILITARY STANDARD

PROCEDURES FOR QUALITY ASSURANCE AND CONFIGURATION CONTROL OF ICBM WEAPON SYSTEM TECHNICAL PUBLICATIONS/DATA

FSC 14GP

AMSC NO. F4437

DISTRIBUTION STATEMENT A, APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

Source: https://assist.dla.mil -- Downloaded: 202640-26T07:52Z
Check the source to verify that this is the current version before use.

DEPARTMENT OF DEFENSE
WASHINGTON, D.C. 20301

Quality Assurance and Configuration Control of ICBM Weapon System Technical Publications/Data.

MIL-STD-1767A (USAF)

1. This Military Standard is approved for use by the Ballistic Missile Office (BMO), Air Force Systems Command (AFSC), Department of the Air Force, and is available for use by all Departments and Agencies of the Department of Defense.

2. Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to HQ Ballistic Missile Office (AWD), Norton AFB, CA 92409, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document, or by letter.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the currentversion before use.

FOREWORD

This Standard describes the functions, roles and responsibilities for quality assurance and configuration control of ICBM Weapon System technical publications/data. It is applicable to all agencies, offices, commands and contractors involved in the development, production or use of ICBM Weapon System technical publications/data.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

CONTENTS

Paragraph		Page
1.	SCOPE	1
1.1	Purpose	1
1.2	Objectives	1
1.3	Application	1
1.3.1	Separate Directives	1
1.4	Precedence	1
2.	REFERENCED DOCUMENTS	1
2.1	Issues of Documents	1
2.1.1	Specifications and Standards	1
2.1.2	Other Government Documents and Publications	2
2.2	Order of Precedence	2
3.	DEFINITIONS	2
3.1	General	2
3.1.1	Associate Contractor	2
3.1.2	Central Technical Order Control Unit (CTOCU)	3
3.1.3	Configuration Accountability	3
3.1.4	Configuration Control	3
3.1.5	Data Element	3
3.1.6	Depot Technical Publications/Data	3
3.1.7	Development/Support/Interface Working Group (DSIWG)	3
3.1.8	Illustrated Parts Breakdown (IPB)	4
3.1.9	In-Process Review (IPR)	4
3.1.10	Interim Technical Order Field Change Notice (ITOFCN)	4
3.1.11	Post-Publication Review	4
3.1.12	Preliminary Technical Order (PTO)	4
3.1.13	Prepublication Review (PPR)	4
3.1.14	Quality Assurance	4
3.1.15	Reading Grade Level (RGL)	4
3.1.16	Real Property Installed Equipment (RPIE)	4
3.1.17	Review Team	4
3.1.18	Strategic Air Command Civil Engineering Manuals (SAC CEMs)	5
3.1.19	System Engineering/Technical Assistance (SE/TA) Contractor	5
3.1.20	Technical Order (TO)	5
3.1.21	Technical Order Change Notice (TOCN)	5
3.1.22	Technical Order Control Unit (TOCU)	5
3.1.23	Technical Order Field Change Notice (TOFCN)	5
3.1.24	Technical Order Management Agency (TOMA)	5
3.1.25	Technical Order Review Board (TORB)	5
3.1.26	Technical Order Verification Team (TOVT)	5
3.1.27	Technical Publications/Data	5
3.1.28	Using Command	6
3.1.29	Validation	6
3.1.30	Verification	6
3.2	Acronyms	6

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

4.	GENERAL REQUIREMENTS	7
4.1	Program Management	7
4.1.1	Management Objectives	7
4.1.2	Organizational Interfaces	7
4.2	Program Implementation	8
4.2.1	DSIWG SOP	9
4.2.2	CTOCU SOP	9
4.2.3	Memorandum of Agreement (MOA)	9
5.	DETAILED REQUIREMENTS	9
5.1	Contractor Quality Assurance Program	9
5.1.1	General	9
5.1.2	DSIWG/CTOCU/TOCU Support	9
5.1.3	Technical Publications/Data Validation	9
5.1.3.1	Validation Procedure	9
5.1.3.2	Validation Accomplishment	10
5.1.3.3	Witnessing Validation	10
5.2	Air Force Quality Assurance	10
5.2.1	Support Personnel	10
5.2.2	Technical Publications/Data Reviews	10
5.2.2.1	In-Process Reviews (IPRs)	11
5.2.2.1.1	Review Material	11
5.2.2.1.2	Review Team Minutes	11
5.2.2.1.3	Comment Compliance	11
5.2.2.1.4	Reading Grade Level (RGL) Computation	11
5.2.2.2	Prepublication Review (PPR)	11
5.2.2.2.1	Review Material	12
5.2.2.2.2	Review Team Minutes	12
5.2.2.2.3	Comment Compliance	12
5.2.2.3	Post-Publication Reviews	12
5.2.2.3.1	Conduct of Review	12
5.2.3	Technical Publications/Data Verification	12
5.2.3.1	Establishing Verification Requirements	12
5.2.3.1.1	Verification Identification	12
5.2.3.1.2	Verification Recommendation	12
5.2.3.1.3	Prior Review	13
5.2.3.2	Verification Assignment	13
5.2.3.2.1	Verification Location	13
5.2.3.2.2	Verification Coordination	13
5.2.3.3	Verification Accomplishment	13
5.2.3.3.1	Preverification Meeting	13
5.2.3.3.2	Verification Performance	13
5.2.3.3.3	Checklist Verification	13
5.2.3.3.4	Post-Verification Meeting	13
5.2.3.4	Verification Certification and Approval	14
5.2.3.5	Verification Limitations and Exceptions	14
5.2.3.5.1	Verification Changes	14
5.2.3.5.2	Substitutions	14
5.2.3.5.3	Contractor Data	14
5.2.3.5.4	New Equipment	14

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

Paragraph		Page
5.2.3.5.5	User Participation	15
5.2.3.5.6	Verification Exemptions	15
5.2.4	Verification/Validation	15
5.2.4.1	Verification Accomplishment	15
5.2.4.2	In-House Draft Usage	15
5.2.4.3	TOVCR Provision	15
5.3	Technical Acceptance Demonstrations	15
5.4	Technical Publications/Data Configuration Control and Accountability	15
5.4.1	Technical Publications/Data Control	16
5.4.2	Change Control	16
5.4.3	Fast Reaction Change Processing	16
5.4.3.1	TOFCN Processing	16
5.4.3.2	Engineering Change Processing	16
5.4.4	Revisions	16
5.4.4.1	Revision Criteria	17
5.4.4.2	Revision Recommendation	17
5.4.4.3	Revision Approval	17
5.5	Quality Assurance and Configuration Control Documentation	17
5.5.1	Technical Order Verification Recommendation (TOVR)	17
5.5.2	Technical Order Verification Completion Record (TOVCR)	18
5.5.2.1	Technical Order Verification Completion/Acceptance Certificate, AFTO Form 4	18
5.5.3	Technical Order Field Change Notice (TOFCN)	18
5.5.4	Interim Technical Order Field Change Notice (ITOFCN)	18
5.5.5	TOFCN Index	18
5.5.6	ITOFCN Index	18
5.5.7	Technical Order Change Notice (TOCN)	18
5.5.8	Verification Status Page ("B" Page)	19
5.5.9	Technical Order/Equipment Configuration Status Record ("C" Page)	19
6.	NOTES	19
6.1	Intended Use	19
6.2	Data Requirements	19
6.3	Changes From Previous Issue	20
6.4	Subject Term (Key Word Listing)	20

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

FIGURES

Figure		Page
1	Technical Order Verification Recommendation (TOVR)	21
2	Technical Order Verification Completion Record (TOVCR)	22
3	Technical Order Field Change Notice (TOFCN)	23
4	Interim Technical Order Field Change Notice (ITOFCN)	24
5	TOFCN Index	25
6	Technical Order Change Notice	26
7	Verification Status Page ("B" Page)	27
8	Configuration Accountability Record ("C" Page)	28
9	Sample TO Verification Flow	29

APPENDICES

Appendix A Organizational Interfaces 30

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

1. SCOPE

1.1 Purpose. This standard establishes the requirements for a quality assurance and configuration control program for technical publications/data procured by the Air Force in support of Intercontinental Ballistic Missile (ICBM) weapon systems. The program implements the quality assurance and change control requirements of AFR 8-2, TO 00-5-1, TO 00-5-2, and MIL-M-38784. It provides the minimum quality assurance and configuration control requirements for all ICBM weapon system technical publications/data except those specifically exempted elsewhere in the standard.

1.2 Objectives. The objectives of the program implemented by this standard are as follows:

a. To establish and maintain controls that will assure adequate, accurate and timely technical publications/data.

b. To provide means, by validation and verification, that the technical publications/data will support operation and maintenance activities.

c. To establish means for maintaining configuration accountability and control of technical publications/data coverage because of equipment and facility modifications.

d. To assure standardization of technical publications/data wherever practical.

e. To create change criteria, procedures and controls to assure timely update of technical publications/data.

1.3 Application. This standard applies to all agencies, offices, commands and contractors involved in the development, production or use of ICBM weapon system technical publications/data during the acquisition phase.

1.3.1 Separate Directives. Separate directives and operating procedures may be developed to expand and implement specific requirements of this standard.

1.4 Precedence. No deviations from this standard will be allowed without prior approval by AFSC BMO/AWD. If any specific directives and operating procedures contain data in conflict with this standard, this standard shall take precedence.

2. REFERENCED DOCUMENTS

2.1 Government Documents.

2.1.1 Specifications and Standards. Unless otherwise specified, the following specifications and standards of the issue listed in that issue of the Department of

Source: https://assist.dla.mil -- Downloaded: 202640-26T07:52Z
Check the source to verify that this is the currentversion before use.

Defense Index of Specifications and Standards (DoDISS) specified in the solicitation form a part of this standard to the extent specified herein.

STANDARDS

SAMSO-STD-77-6	System Requirements Analysis Program for the Peacekeeper Weapon System
MIL-STD-1752	Reading Grade Requirements for Preparation of Technical Orders

SPECIFICATIONS

MIL-M-38784	Manuals, Technical: General Style and Requirements

2.1.2 Other Government Documents and Publications. The following other Government documents, drawings and publications form a part of this standard to the extent specified herein.

AFR 8-2	Air Force Technical Order System
AFR 122-3	Air Force Nuclear Safety Certification Program
TO 00-5-1	Air Force Technical Order System
TO 00-5-2	Technical Order Distribution System
TO 11N-20-1001	Equipment Authorized for Use with Nuclear Weapons
AFCMDR 74-1	Procurement Quality Assurance Program

(Copies of specifications, standards, drawings and publications required by contractors in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Order of Precedence. In the event of a conflict between the text of this standard and the references cited herein, the text of this standard shall take precedence.

3. DEFINITIONS

3.1 General. For purposes of this standard, the following definitions shall apply.

3.1.1 Associate Contractor. An associate contractor is responsible to the Air Force Systems Command, Ballistic Missile Office (AFSC BMO) for preparing, or

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

providing inputs for, specific technical publications/data. For purposes of this standard, the term "contractor" is synonymous with "associate contractor".

3.1.2 Central Technical Order Control Unit (CTOCU). The CTOCU is the AFSC BMO agency responsible for configuration accountability, configuration control and quality assurance of organizational and intermediate level technical orders (TOs). The CTOCU may have one or more Technical Order Control Unit(s) (TOCU) (see 3.1.22), located at an operational base or test site, to implement portions of this standard. For purposes of this standard, the CTOCU is the Technical Order Review Board (see 3.1.25). Composition and responsibilities of the CTOCU are defined in the CTOCU SOP.

3.1.3 Configuration Accountability. Configuration accountability is the maintenance of records that completely describe the configuration of ICBM weapon system technical publications/data.

3.1.4 Configuration Control. Configuration control is the controlling of technical publications/data to ensure they include procedures to support all system and equipment configurations fielded and all approved operation and maintenance concepts associated with these configurations.

3.1.5 Data Element. A data element is the lowest identifiable level of technical publications/data being considered for verification. A data element may consist of any of the following items:

a. Paragraph.

b. Subparagraph.

c. Step.

d. Sub-step.

e. Figure.

f. Any identifiable portion of a figure.

g. Table.

h. Any identifiable portion of a table.

3.1.6 Depot Technical Publications/Data. Depot technical publications/data are used to overhaul, repair, and/or test hardware end items procured from the contractor(s). They are managed, controlled and distributed in accordance with TO 00-5-1 and TO 00-5-2.

3.1.7 Development/Support/Interface Working Group (DSIWG). The DSIWG is a working group established and chaired by the TOMA to plan, schedule and

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

coordinate the development and acquisition of all ICBM weapon system technical publications/data. Composition and responsibilities of the DSIWG are defined in the DSIWG SOP.

3.1.8 Illustrated Parts Breakdown (IPB). The IPB provides parts identification and supply information necessary to support organizational and intermediate level maintenance.

3.1.9 In-Process Review (IPR). An in-process review is defined in TO 00-5-1.

3.1.10 Interim Technical Order Field Change Notice (ITOFCN). An ITOFCN is a temporary TO change issued by a Technical Order Control Unit (TOCU) (see 3.1.22) to remedy emergency problems encountered or to support special activities at an operational base or test site. A TOFCN (see 3.1.23) may take the place of an ITOFCN.

3.1.11 Post-Publication Review. A post-publication review is defined in TO 00-5-1.

3.1.12 Preliminary Technical Order (PTO). A preliminary technical order is defined in TO 00-5-1.

3.1.13 Prepublication Review (PPR). A prepublication review is defined in TO 00-5-1.

3.1.14 Quality Assurance. Quality assurance provides effective procedures for review, validation and verification of technical publications/data for technical adequacy and accuracy, pertinency, and conformance to specifications requirements.

3.1.15 Reading Grade Level (RGL). Reading grade level relates to readability. Technical publications/data are written at a RGL commensurate with the capability of the target audience for which they are intended.

a. MIL-STD-1752 (USAF) provides RGL by Air Force Specialty Code (AFSC) for enlisted personnel.

b. Methodology for determining and validating readability of narrative material is described in MIL-M-38784.

3.1.16 Real Property Installed Equipment (RPIE). RPIE is government owned or leased equipment that is physically attached to, integrated into, or built on Air Force property. This equipment is normally procured through the Military Construction Program and installed as part of the construction effort.

3.1.17 Review Team. A technical publications/data review team participates in an IPR or PPR and is chaired by a designated representative of the TOMA. The composition of the team is dependent upon the content of the TOs being reviewed and the status of the TOs at the time of review. Normally, participants include

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

appropriate Strategic Air Command (SAC), Air Force Logistics Command (AFLC), Air Training Command (ATC), Air Force Operational Test and Evaluation Center (AFOTEC), Air Force Communications Command (AFCC) agencies, and contractor personnel.

3.1.18 SAC Civil Engineering Manuals (SAC CEMs). SAC CEMs provide operation and maintenance instructions, parts identification, and related information for systems and equipment classified as RPIE (see 3.1.16). These manuals are used by SAC, but are excluded from the Technical Order System per AFR 8-2. They are developed for SAC by AFSC during the acquisition phase in accordance with applicable specifications and are subject to the same reviews, validation and verification controls as specified in TO 00-5-1. After transition to SAC, they are maintained and controlled by SAC.

3.1.19 System Engineering/Technical Assistance (SE/TA) Contractor. The SE/TA contractor provides technical assistance to AFSC BMO for all technical publications/data activities.

3.1.20 Technical Order (TO). A technical order is defined in TO 00-5-1.

3.1.21 Technical Order Change Notice (TOCN). A TOCN is a cover sheet for any hard copy change to ICBM weapon system technical publications/data issued by the cognizant contractor during the acquisition phase.

3.1.22 Technical Order Control Unit (TOCU). A TOCU is an ancillary agency of the CTOCU. It is located at an operational base or test site and is responsible for implementing those portions of this standard as directed by the CTOCU.

3.1.23 Technical Order Field Change Notice (TOFCN). A TOFCN is an interim change to a technical publication, issued only by the CTOCU, to enable work to proceed while a proposed change is receiving further consideration and/or final preparation as a TOCN. A TOFCN may take the place of an ITOFCN (see 3.1.10).

3.1.24 Technical Order Management Agency (TOMA). A TOMA is defined in TO 00-5-1. For purposes of this standard, the TOMA is AFSC BMO.

3.1.25 Technical Order Review Board (TORB). A TORB is defined in TO 00-5-1. For purposes of this standard, the CTOCU (see 3.1.2) is the TORB.

3.1.26 Technical Order Verification Team (TOVT). A TOVT is composed of Air Force (AFSC/AFLC/SAC/AFOTEC) and contractor personnel, and chaired by a TOMA designated representative, to perform verification in accordance with AFR 8-2, TO 00-5-1, and this standard. ATC, AFCC, the SE/TA contractor, and other agencies may participate in the verification, when requested by the CTOCU.

3.1.27 Technical Publications/Data. All of the broad variety of technical orders, preliminary technical orders, parts identification manuals, work card decks, checklists, etc., used for operation and maintenance of systems and equipment.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

3.1.28 Using Command. A Using Command is defined in TO 00-5-1.

3.1.29 Validation. Validation is defined in TO 00-5-1.

3.1.30 Verification. Verification is defined in TO 00-5-1.

3.2 Acronyms. The following acronyms are used in this standard:

A&CO	Assembly and Checkout
AFALC	Air Force Acquisition Logistics Center
AFCC	Air Force Communications Command
AFLC	Air Force Logistics Command
AFPRO	Air Force Plant Representative Office
AFR	Air Force Regulation
AFSC	Air Force Specialty Code
AFSC	Air Force Systems Command
AFOTEC	Air Force Operational Test and Evaluation Center
ATC	Air Training Command
BMO	Ballistic Missile Office
CAPL	Critical Alloy Parts List
CDRL	Contract Data Requirements List
CEM	Civil Engineering Manual
CTOCU	Central Technical Order Control Unit
DCAS	Defense Contract Administration Services
DID	Data Item Description
DoD	Department of Defense
DSIWG	Development/Support/Interface Working Group
ECP	Engineering Change Proposal
ICBM	Intercontinental Ballistic Missile
IM	Item Manager
IPB	Illustrated Parts Breakdown
IPR	In-Process Review
ITOFCN	Interim Technical Order Field Change Notice
JNWPS	Joint Nuclear Weapons Publication System
LSA	Logistics Support Analysis
MOA	Memorandum of Agreement
NWSSG	Nuclear Weapons System Safety Group
OO-ALC	Ogden Air Logistics Center
ORA	Operational Requirements Analysis
PPR	Prepublication Review
PTO	Preliminary Technical Order
PTOCN	Preliminary Technical Order Change Notice
RGL	Reading Grade Level
RPIE	Real Property Installed Equipment
SAC	Strategic Air Command
SAC CEM	Strategic Air Command Civil Engineering Manual
SE/TA	System Engineering/Technical Assistance

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

SM	System Manager
SOP	Standard Operating Procedures
SRA	System Requirements Analysis
TCTO	Time Compliance Technical Order
TO	Technical Order
TOCN	Technical Order Change Notice
TOCU	Technical Order Control Unit
TOFCN	Technical Order Field Change Notice
TOMA	Technical Order Management Agency
TORB	Technical Order Review Board
TOVCR	Technical Order Verification Completion Record
TOVR	Technical Order Verification Recommendation
TOVT	Technical Order Verification Team
TPA	Test Planning Analysis
TRC	Technology Repair Center

4. GENERAL REQUIREMENTS

4.1 Program Management. AFSC BMO is the TOMA responsible for ICBM technical publications/data development. Management objectives will be achieved primarily through a quality assurance and configuration control program.

4.1.1 Management Objectives. The management objectives are as follows:

a. Establish an organization to plan, coordinate and implement the ICBM technical publications/data quality assurance and quality control programs.

b. Ensure that ICBM program events and requirements are supported with appropriate technical publications/data.

c. Monitor contractor technical publications/data development and validation activities to ensure that technically adequate and accurate data are delivered on time.

d. Demonstrate by verification that the technical publications/data will support operation and maintenance activities.

e. Establish procedures and controls to ensure timely update and fast reaction change processing of technical publications/data.

4.1.2 Organizational Interfaces. The organizational interfaces required to implement the quality assurance and configuration control program are described in the following paragraphs.

4.1.2.1 TOCU Interface. The TOCU is defined in 3.1.2 and 3.1.23. The TOCU implements, directs and manages the technical publications change request program (including validation and verification) for a given location, under direction of the

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

CTOCU. The TOCU processes AFTO Forms 22, ITOFCNs and other change requests generated at the site.

4.1.2.2 TORB Interface. The TORB is defined in TO 00-5-1. The CTOCU (see 3.1.2 and 4.1.2.3) is responsible for conducting the functions of the TORB in accordance with TO 00-5-1.

4.1.2.3 Primary AFLC Interface. The primary AFLC interface for the ICBM weapon system technical publications/data program is Air Force Acquisition Logistics Center (AFALC) Detachment 1 (AFSC BMO/ALY). All interfaces, coordination, and support from other AFLC organizations are accomplished through this agency.

4.1.2.3.1 Ogden Air Logistics Center (OO-ALC) Interface. OO-ALC is the AFLC System Manager (SM) for ICBM weapon systems. OO-ALC provides permanent members on the DSIWG, the CTOCU and the TOCU.

4.1.2.3.2 Other AFLC Interfaces. Other AFLC coordination and support may be required from time to time on specific matters. OO-ALC, or AFSC BMO/ALY, ensures that such coordination and support is provided by the Item Manager (IM), Technology Repair Center (TRC), Detachment, etc., when requested by the TOMA.

4.1.2.4 ATC Interface. ATC provides a permanent member on the DSIWG and the CTOCU.

4.1.2.5 SAC Interface. SAC provides permanent members on the DSIWG, the CTOCU and the TOCU. Membership on the CTOCU and TOCU may be satisfied by a single representative designated by SAC. Membership on the DSIWG may include representatives from more than one SAC agency.

4.1.2.6 AFOTEC Interface. AFOTEC provides permanent members on the DSIWG, the CTOCU and the TOCU.

4.1.2.7 AFSC Test Organization Interface. The AFSC Test Organization provides permanent members on the DSIWG and the CTOCU. If an AFSC Test Organization is established at a location where a TOCU is established, the Test Organization provides a permanent TOCU member.

4.1.2.8 AFCC Interface. AFCC provides permanent members on the DSIWG, the CTOCU and the TOCU, if requested by the TOMA.

4.1.2.9 SE/TA Contractor Interface. The SE/TA contractor shall provide permanent members on the DSIWG, the CTOCU and the TOCU.

4.1.2.10 Associate Contractor Interface. Associate contractors shall provide the necessary qualified personnel and services to support the technical publications/data quality assurance and configuration control program as directed by contract, and as specified in this standard.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the currentversion before use.

4.1.2.11 Other Government Interfaces. Other Air Force, Department of Defense (DoD), or government agencies may be invited to participate in DSIWG activities, on an as-required basis, for consideration of certain specific subjects.

4.2 Program Implementation. The detailed requirements of this standard may be implemented by separate plans, directives or Standard Operating Procedures (SOPs). Specifically, the following separate implementing documents shall be prepared.

4.2.1 DSIWG SOP. The TOMA will develop, coordinate and distribute a SOP to define the detailed operation of the DSIWG within the framework of this standard.

4.2.2 CTOCU SOP. The TOMA will develop, coordinate and distribute a SOP to define the detailed operation of the CTOCU within the framework of this standard. This SOP shall also define the operation of the TOCU under the direction of the CTOCU.

4.2.3 Memorandum of Agreement (MOA). The TOMA will initiate MOAs, as required, to define and establish support requirements from applicable agencies.

5. DETAILED REQUIREMENTS

5.1 Contractor Quality Assurance Program.

5.1.1 General. Each associate contractor shall plan for a program for in-house quality assurance (see 3.1.14) and configuration control (see 3.1.4) of technical publications/data.

5.1.2 DSIWG/CTOCU/TOCU Support. The contractor shall support the activities of the DSIWG, CTOCU and TOCU as directed by contract. All contractor representatives on the DSIWG, CTOCU and TOCU shall be authorized to act for their company on all matters involving ICBM weapon system technical publications/data with regard to content, accuracy, adequacy and configuration of the data, or other related subjects as may arise.

5.1.3 Technical Publications/Data Validation. Validation, as defined in TO 00-5-1, shall be accomplished by the contractor (see 6.2). Contractor draft editions of technical publications/data may be used for validations. Issues used for validation must be compatible with equipment and latest released engineering data. Differences in equipment used in validation will be by exception and will be documented for review by the TOMA or the CTOCU. Prior to verification, repeated validations shall be accomplished for critical and complex operations.

5.1.3.1 Validation Procedure. The contractor shall observe the following:

a. Validation shall be in accordance with TO 00-5-1.

b. Fault isolation, troubleshooting and repair procedures shall be validated during predelivery maintenance resulting from testing or A&CO as

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

opportunities arise. No item of equipment shall be deliberately "broken" to validate such procedures.

c. Procedures for accomplishing checkout of a number of similar equipment, such as console drawers, shall be validated using each individual piece of equipment, regardless of similarity. The accomplishment of a typical procedure shall not serve as blanket approval for other similar procedures.

d. Changes and revisions to basic issues of technical publications/data will be validated in the same manner as data in the basic issue.

5.1.3.2 Validation Accomplishment. Validations accomplished at a contractor's facility may be in accordance with the contractor's in-house quality assurance program to satisfy the requirements of this standard. Validations at test or operational sites shall be accomplished in accordance with this standard.

5.1.3.3 Witnessing Validation. Contractor validations will be witnessed by designated representatives of the TOMA in accordance with TO 00-5-1. Normally, this will be accomplished by the Air Force Plant Representative Office/Defense Contract Administration Office (AFPRO/DCAS) as established in applicable MOAs and AFCMDR 74-1. However, selected validations may be witnessed by other TOMA-designated representatives. The contractor shall notify the TOMA in advance of the validation so as to allow TOMA representatives to schedule validation attendance. Witnessing of these validations will be on a noninterference basis. Nonsupport by such witnesses of a validation will not restrict contractor validation accomplishment. Designated representatives must be government employees.

5.2 Air Force Quality Assurance. The DSIWG will establish program policy and operating procedures to ensure that a consistent and quality product is delivered to the Air Force. The policies and procedures adopted will be kept in consonance with established Air Force basic policies and criteria established by AFR 8-2 and TO 00-5-1.

5.2.1 Support Personnel. All agencies (AFSC/AFLC/SAC/AFOTEC/ATC/AFCC and SE/TA contractor) shall ensure the continuity of support personnel during all development phases of a particular technical publication (or series of similar technical publications) in accordance with TO 00-5-1. This requirement is mandatory to establish a common baseline for technical publications/data that is not subject to concept/philosophy changes during latter stages of development.

5.2.2 Technical Publications/Data Reviews. Quality assurance of technical publications/data shall include conduct of reviews in accordance with TO 00-5-1. The DSIWG will schedule, and the TOMA will chair, the following reviews to be performed by Air Force review teams. Review teams shall use AFTO Form 158, Technical Order Review Comment Sheet, to record all review comments.

Source: https://assist.dla.mil -- Downloaded: 202640-26T07:52Z
Check the source to verify that this is the currentversion before use.

5.2.2.1 In-Process Reviews (IPRs). IPRs are performed to achieve technical adequacy and accuracy of each technical publication during the course of its preparation. The TOMA will conduct a minimum of three (3) IPRs, as scheduled by the DSIWG, for each specific technical publication/data. At least one (1) IPR shall have been held and the review comments incorporated into the affected technical publication, prior to validation (see 5.1.3).

5.2.2.1.1 Review Material. Review teams will use material as provided by the contractor in accordance with his contract.

5.2.2.1.2 Review Team Minutes. The review team chairperson will record comments from the review in a proposed set of minutes reflecting actions taken, major problem areas, deficiencies and discrepancies noted during the review, and other pertinent remarks as appropriate. The proposed minutes will be presented to, discussed with, and finalized by the review team in a caucus during the last day of the review. Following approval in the caucus, the minutes will be presented to the contractor for critique and discussion. The minutes also will reflect the results of the contractor and Air Force discussion. Copies shall be reproduced by the contractor for each review team member.

5.2.2.1.3 Comment Compliance. Compliance with all review comments is mandatory unless justified exceptions are provided by the contractor and approved by the TOMA. The contractor may take exceptions to the review comments by letter to the TOMA no later than fourteen (14) working days following the review. The TOMA will allow review team members to rebut the contractor's exceptions, prior to approving or rejecting the exceptions. The exceptions shall be considered approved if there is no reply within fourteen (14) working days following receipt of the request by the TOMA. Comments from a previous review shall be incorporated into the technical publication prior to any subsequent review.

5.2.2.1.4 Reading Grade Level (RGL) Computation. An IPR shall include computation of RGL as established in MIL-M-38784 (also see 3.1.16). The review team shall use AFTO Form 124, Computation of Technical Order Reading Grade Level, to record RGL. If the contractor utilizes a computer-derived product for RGL determination, such product is acceptable for use by the review team. If the calculated RGL does not conform to the established criteria, the contractor shall rewrite the manuscript as necessary to meet the criteria. Such rewriting shall be accomplished by the contractor prior to any ensuing reviews.

5.2.2.2 Prepublication Review (PPR). At least one (1) PPR shall be performed after Air Force verification (see 5.2.3) to provide assurance that the technical publication/data complies with Air Force directions as given in military specifications, standards, exhibits, contract work statements, etc., and that verification results and IPR comments have been incorporated. The PPR will be scheduled by the DSIWG and chaired by the TOMA. The TOMA will notify all concerned military agencies and, if appropriate (as in the case of integrated manuals), other associate contractors.

Source: https://assist.dla.mil -- Downloaded: 202640-26T07:52Z
Check the source to verify that this is the currentversion before use.

5.2.2.2.1 Review Material. The form of data to be used for the PPR shall be as agreed by the contractor and the TOMA.

5.2.2.2.2 Review Team Minutes. Comply with 5.2.2.1.2.

5.2.2.2.3 Comment Compliance. Contractor compliance with all PPR comments is mandatory and no exceptions will be allowed.

5.2.2.3 Post-Publication Reviews. Post-publication reviews are normally conducted after management responsibility for the technical publication/data is transferred from AFSC to AFLC. However, it may be jointly determined by the TOMA, AFLC/SM and the Using Command (see 3.1.29) that such reviews should be performed after initial turnover of an increment of the weapon system to the Using Command, but prior to the end of the acquisition phase. Post-publication reviews will be chaired jointly by the TOMA and AFLC/SM.

5.2.2.3.1 Conduct of Review. The post-publication review will follow the procedures of 5.2.2.2, except that the material to be reviewed is a formal TO and AFTO Form 22, Technical Order System Improvement Report, shall be used to document recommended changes. Process AFTO Forms 22 in accordance with TO 00-5-1.

5.2.3 Technical Publications/Data Verification. Verification of operation and organizational and intermediate level maintenance technical publications/data will be accomplished in accordance with TO 00-5-1 as implemented by this standard. Figure 9 illustrates a sample TO verification flow.

5.2.3.1 Establishing Verification Requirements. Selection of technical publications/data elements (see 3.1.6) requiring verification shall be based upon criticality and complexity. Initial verification requirements shall be identified by the contractor to the DSIWG and documented on DSIWG worksheets in accordance with the DSIWG SOP. Also see 5.2.3.1.2. Final approved verification requirements shall be established by the CTOCU.

5.2.3.1.1 Verification Identification. Initial verification requirements shall be identified by the contractor based upon System Requirements Analysis (SRA), Operational Requirements Analysis (ORA) and Logistics Support Analysis (LSA) functions and tasks. The test code numbers from the Test Planning Analysis (TPA) identifying the test where the verification accomplishment is planned shall also be documented in the DSIWG worksheets. Contractor recommended verification requirements will be reviewed, coordinated and documented in the DSIWG worksheets. Details on completing the DSIWG worksheets are provided in the DSIWG SOP.

5.2.3.1.2 Verification Recommendation. The contractor shall recommend verifications to the CTOCU (see 6.2). The contractor recommendations shall be identified on a Technical Order Verification Recommendation (TOVR) form (see Figure 1). Detailed information on processing verification recommendations is provided in the CTOCU SOP.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

5.2.3.1.3 Prior Review. Several reviews of the technical publications/data shall have been accomplished prior to the verification (see 5.2.2.1). Also, proof of validation completion shall be provided to the CTOCU by the contractor prior to verification (see 5.1.3.1), except as indicated in 5.2.4.3. In addition, the format of the technical publications/data shall have been converted into a Preliminary Technical Order (PTO) (see 3.1.13).

5.2.3.2 Verification Assignment. Upon CTOCU approval of a TOVR, the CTOCU shall assemble a TOVR package in accordance with the CTOCU SOP. The TOVR package shall then be assigned to the appropriate verification team chief for scheduling and conducting the verification.

5.2.3.2.1 Verification Location. For verifications accomplished at locations where a TOCU or AFSC Test Organization exists, one of these agencies will normally be assigned responsibility as the verification team chief. For verifications to be performed at locations where these agencies do not exist, the CTOCU shall assume the responsibility of verification team chief.

5.2.3.2.2 Verification Coordination. The verification team chief shall coordinate with concerned agencies to assure availability of required facilities, equipment and personnel and shall establish and disseminate complete scheduling information. The scheduling shall include a preverification meeting, verification performance and post-verification meeting.

5.2.3.3 Verification Accomplishment. The verification team chief shall assemble the Technical Order Verification Team (TOVT). The TOVT shall include representation from AFSC, AFLC, AFOTEC, SAC, and concerned contractors. ATC, AFCC, the SE/TA contractor, and other agencies may participate in the verification, when requested by the CTOCU.

5.2.3.3.1 Preverification Meeting. The verification team chief shall convene a preverification meeting with all members of the TOVT. A complete description of the verification effort will be provided and specific assignments made so that each team member fully understands individual responsibilities.

5.2.3.3.2 Verification Performance. During the verification, the TOVT shall assure that the procedures are performed exactly as stated in the technical publications/data. If the procedures cannot be performed in accordance with the instructions, the instructions shall be changed prior to verification completion so that they accurately reflect the proper procedure.

5.2.3.3.3 Checklist Verification. Where checklists are prepared covering the procedure to be verified, the checklists shall be verified concurrently with the basic technical publication/data.

5.2.3.3.4 Post-Verification Meeting. At the conclusion of the verification, the verification team chief shall convene a post-verification meeting. TOFCNs reflecting changes resulting from the verification shall be prepared, reviewed and

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

approved. The Technical Order Verification Completion Record (TOVCR) (see Figure 2) shall be completed and signed by the verification team chief and other affected agencies.

5.2.3.4 Verification Certification and Approval. Upon receipt of the TOCN incorporating the TOFCNs, cognizant CTOCU personnel will review the TOCN for proper incorporation of the TOFCNs. The TOVCR will then be presented to the CTOCU chairperson for final acceptance signature and filing in the verification records.

5.2.3.5 Verification Limitations and Exceptions. The following paragraphs describe limitations and exceptions applicable to verifications performed in accordance with this standard.

5.2.3.5.1 Verification Changes. Changes made to technical publications/data as a result of verification will be restricted as follows:

a. Editorial changes shall be made only if they will improve understandability. Typographical errors shall be corrected by the contractor prior to the PPR (see 5.2.2.2).

b. Information will not be added that is considered elementary.

c. Addition of information shall be made only if within the scope of the technical publications/data. The scope of coverage shall be determined by the TOMA.

d. Controversial items will be resolved by the CTOCU chairperson.

5.2.3.5.2 Substitutions. The verification team chief may authorize the use of substitute equipment, facilities and draft editions of technical publications/data. This authorization may be given when hardware or released technical publications/data are not available and no appreciable changes to procedures would result. Equipment differences must be documented on the TOVCR. Draft technical publications must be compatible with released engineering data, unless the exceptions are approved by the CTOCU.

5.2.3.5.3 Contractor Data. When a publication is not current with the latest released engineering data, contractor technical data may be used to conduct verification if prior written authorization is obtained from the CTOCU and a master copy of the data to be used is on file in the CTOCU library. The data, in all other ways, shall conform to applicable military specifications.

5.2.3.5.4 New Equipment. If during the verification, a new item of Air Force supplied equipment (including a locally manufactured item) is identified, a TOFCN shall be generated for the fabrication or use of the equipment to expedite the verification effort. Thereafter, incorporation of the equipment into the weapon system will be accomplished in accordance with SAMSO-STD-77-6.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

5.2.3.5.5 User Participation. The CTOCU or verification team chief through AFOTEC, shall arrange for user personnel of the appropriate skill level to perform the procedures to be verified.

5.2.3.5.6 Verification Exemptions. Specifically exempt from the verification requirements of this standard are the publications listed in 5.4.

5.2.4 Verification/Validation. Verification will not be performed simultaneously with validation; however, verification may be performed immediately following validation provided:

a. Contractor equipment/facilities availability does not permit validation to be performed in advance.

b. Procedures are relatively simple and the possibly of errors is slight.

c. Contractor personnel perform the validation.

d. Validation comments are incorporated prior to verification, or a validation mark-up copy is approved for use.

e. Air Force personnel perform the verification.

f. Approval is obtained from the acquiring agency.

5.3 Technical Acceptance Demonstrations. Validated and verified technical publications/data shall be available for use during Class I and II Technical Acceptance Demonstrations. Recommended technical publications/data changes resulting from the demonstrations shall be submitted to the CTOCU, or TOCU, via AFTO Form 22.

5.4 Technical Publications/Data Configuration Control and Accountability. The CTOCU is responsible for configuration control and accountability for all ICBM weapon system technical publications/data, except those listed below.

a. Depot technical data.

b. Commercial manuals and contractor data incorporated into the Air Force TO system.

c. Weapon System Illustrated Parts Breakdown (IPB).

d. Index Type TOs (for example, List of Applicable Publications).

e. Critical Alloy Parts List (CAPL).

f. Any TO issued under the Joint Nuclear Weapons Publication System (JNWPS).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

g. Technical publications/data used by, but not specifically prepared for ICBM weapon systems.

h. Other individual technical publications/data specifically approved for exemption by the TOMA in coordination with the AFLC/SM.

i. Strategic Air Command Civil Engineering Manuals (SAC CEMs).

5.4.1 Technical Publications/Data Control. Technical publications/data subject to configuration control and accountability shall come under CTOCU control after release through the Technical Order Index, or at the start of the verification, whichever occurs first. Configuration control and accountability is the responsibility of the cognizant associate contractor prior to that time.

5.4.2 Change Control. Changes (TOCNs, TOFCNs, ITOFCNs) shall not be made to technical publications/data subject to CTOCU control without prior approval of the CTOCU. Exceptions to this requirement are changes resulting from hardware or contract changes (for example, engineering change proposals, change in specification compliance, change in scope, etc.). The contractor shall be responsible for technical accuracy and adequacy of these changes. However, these changes will be submitted to the CTOCU in preliminary TOCN (PTOCN) form for configuration accountability and reviewed to determine validation and verification requirements.

5.4.3 Fast Reaction Change Processing. Fast reaction change processing will be accomplished by the CTOCU during the acquisition phase. Data affecting manuals will be processed as they are received rather than accumulated and processed at scheduled intervals. Changes that have been approved by the CTOCU for incorporation into technical publications/data shall be processed as described in TO 00-5-1, the CTOCU SOP and this standard.

5.4.3.1 TOFCN Processing. TOFCNs approved by the CTOCU for incorporation into hard copy shall be processed within the timelines specified in the contract. Approved routine AFTO Forms 22, shall be processed into TOCNs as soon as practical, but not later than one hundred and eighty (180) calendar days after CTOCU approval.

5.4.3.2 Engineering Change Processing. For Engineering Change Proposal (ECP) changes, Air Force policy and contractual compliance requires the issuance of TOCNs to affected technical orders concurrently with or prior to modification kit/Time Compliance Technical Order (TCTO) delivery. Prior to modification kit/TCTO distribution, CTOCU review is required for verification impact (see 5.4.2.). TOMA approval is required for any deviation to this policy. Any requests for release of interim changes to support kit delivery shall be submitted through the CTOCU with sufficient justification to enable TOMA consideration of contract noncompliance approval.

5.4.4. Revisions. Revisions shall not be made to technical publications/data subject to CTOCU control without prior approval of the TOMA/CTOCU.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

5.4.4.1 Revision Criteria. The primary criteria for revising a technical publication is usability. A revision shall be considered any time the utility of the technical publication/data is impaired due to extensive changes. Revisions shall also be considered when over eighty (80) percent of a publication, including backup pages, is affected by outstanding or proposed changes. Technical publications consisting of eight or fewer pages shall be revised in every instance instead of changed. No prior approval is required for these revisions.

5.4.4.2 Revision Recommendation. When it is determined that a revision of a technical publication is required, the contractor shall submit a revision recommendation to the TOMA. The revision recommendation will include the following information using Contractor Furnished Equipment/Contractor Furnished Aeronautical Equipment (CFE/CFAE) Notice (see 6.2):

a. Number and title of publication.

b. Reason for revision recommendation.

c. Approximate number of pages changed, or requiring change, and approximate percentage of total pages affected.

d. List of all TOCNs and TOFCNs involved.

e. Description of any proposed rearrangement of contents (see 5.4.4.3).

f. Proposed delivery date.

g. Identification of any proposed changes, not previously approved by the CTOCU, to be incorporated into the revision.

5.4.4.3 Revision Approval. TOMA approval is required when recommended revisions involve proposed rearrangement of contents, changed scope of coverage, specification deviations or other contractual implications. This approval must be obtained prior to submitting a recommendation for revision. The request for approval with substantiating material, including a detailed outline of the proposed revision, shall be submitted to AFSC BMO, with a copy to the CTOCU.

5.5 Quality Assurance and Configuration Control Documentation. The following documentation is required in support of the technical publications/data quality assurance and configuration control program. Detailed information for these documents is provided in the CTOCU SOP.

5.5.1 Technical Order Verification Recommendation (TOVR). The TOVR (Figure 1) shall be prepared by the contractor to identify specific elements in a technical publication recommended for verification (see 6.2). The elements recommended shall be those coordinated with the DSIWG and identified on the DSIWG worksheets.

Source: https://assist.dla.mil -- Downloaded: 202640-26T07:52Z
Check the source to verify that this is the currentversion before use.

5.5.2 Technical Order Verification Completion Record (TOVCR). The TOVCR (use Figure 2 as an example and modify accordingly) is an interim record used by the CTOCU to document those technical publication/data elements that have been verified. When signed by the CTOCU chairperson, the TOVCR documents approval of the verification of the elements listed thereon. Collectively, all of the TOVCRs approved for technical publications/data identify the verification completion status of that publication at any point in time. The TOVCR shall be prepared in accordance with the CTOCU SOP.

5.5.2.1 Technical Order Verification Completion/Acceptance Certificate, AFTO Form 4. The CTOCU, acting as the Technical Order Review Board (TORB), will complete AFTO Form 4 in accordance with TO 00-5-1 and the CTOCU SOP, and submit same to the TOMA prior to the PPR for the specific technical publication/data.

5.5.3 Technical Order Field Change Notice (TOFCN). TOFCNs (use Figure 3 as an example and modify accordingly) shall be prepared and issued by the CTOCU in accordance with the CTOCU SOP. TOFCNs are printed on green stock, depending on the contents of the change. TOFCNs are coded, indicating to the contractor whether the TOFCN is or is not to be incorporated as a hard copy TOCN. TOFCNs are incorporated into hard copy TOCNs in accordance with the timelines established in the CTOCU SOP and the contract.

5.5.4 Interim Technical Order Field Change Notice (ITOFCN). ITOFCNs (use Figure 4 as an example and modify accordingly) are prepared and issued by the TOCU in accordance with the CTOCU SOP. ITOFCNs are printed on pink stock and distribution is limited to the initiation base and the CTOCU. ITOFCNs remain in effect for a period of time prescribed by the CTOCU SOP, or when replaced by a TOFCN.

5.5.5 TOFCN Index. A TOFCN Index (use Figure 5 as an example and modify accordingly) shall be issued by the CTOCU for each technical publication/data under their control. The TOFCN Index identifies all active TOFCNs against the technical publication/data and provides pertinent data for each TOFCN, including recision information. A new TOFCN Index is issued concurrently with, or prior to, release of each TOCN against a technical publication/data. No TOCN is posted until a matching TOFCN Index is received. The TOFCN Index is printed on blue stock.

5.5.6 ITOFCN Index. An ITOFCN Index (use Figure 5 as an example and modify accordingly) shall be issued by the TOCU each time an ITOFCN (see 5.5.4) is prepared and distributed. The conditions applicable to an ITOFCN, apply also to an ITOFCN Index (see 5.5.4).

5.5.7 Technical Order Change Notice (TOCN). A TOCN (use Figure 6 as an example and modify accordingly) shall be prepared by the contractor (see 6.2). The TOCN is printed on yellow stock as a cover sheet for each hard-copy change or revision to technical publications/data. The TOCN identifies the authority for all changes included in hard-copy (i.e., TOFCNs, ECPs/TCTOs, AFTO Forms 22, and AFLC Forms 252).

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

5.5.8 Verification Status Page ("B" Page). A "B" page (use Figure 7 as an example and modify accordingly) shall be provided in each technical publication/data that contains elements requiring verification. The "B" page lists all unverified procedures, against specific locations or configurations, that cannot be used by operational personnel in an operational environment pending completion of verification. The "B" page is included in the technical publication/data immediately following the "A" page. The contractor shall prepare the "B" page in accordance with MIL-M-38784.

5.5.9 Technical Order/Equipment Configuration Status Record ("C" Page). Each change to a technical publication/data, as approved by the CTOCU, shall be reported against a basic publication freezeline maintained by the applicable associate contractor. The freezeline lists the configuration of the publication as it is released under the Technical Order Index distribution system. (The freezeline is part of the contractor's in-house configuration accountability records.) After the freezeline is established, any changes incorporated into the technical publication/data are recorded on the "C" page. The "C" page (use Figure 8 as an example and modify accordingly) is prepared in accordance with specific instructions in the CTOCU SOP. The "C" page follows the "B" page (or "A" page, if there is no "B" page) in each technical publication/data. Only TCTOs/ECPs that affect the content of the technical publications/data are listed. For retrofit modifications, the "C" page data is not changed to delete information after the retrofit has been completed. The contractor shall prepare the "C" page in accordance with MIL-M-38784.

6. NOTES

6.1 Intended Use. Standards conforming to the requirements of this standard are intended for use as military standardization documents and are listed in the DoDISS. The purpose of this standard is to standardize the preparation of military standards and handbooks, to ensure the inclusion of essential data and descriptions essential to the selection and application of items and processes, and to aid in the use and analysis of DoD standardization documents.

6.2 Data Requirements. When this standard is used in an acquisition which incorporates a DD Form 1423, Contract Data Requirements List (CDRL), the data requirements identified below shall be developed as specified by an approved Data Item Description (DD Form 1664) and delivered in accordance with the approved CDRL incorporated into the contract. When the provisions of the DoD FAR Supplement Part 27, Sub-Part 27.475-1 are invoked and the DD Form 1423 is not used, the data specified below shall be delivered by the contractor in accordance with the contract or purchase order requirements. Deliverable data required by this standard is cited in the following paragraphs.

Paragraph No.	Data Requirement Title	Applicable DID
5.1.3	Validation Completion Report, Technical Manuals	DI-TMSS-80070

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

5.2.3.1.2, 5.5.1	Technical Order Verification Recommendation	DI-TMSS-80607
5.4.4.2	Technical Manual CFE/CFAE Notices	DI-TMSS-80067

6.3 Changes From Previous Issue. Vertical lines or asterisks are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

6.4 Subject Term (Key Word Listing).

Associate Contractor
Central Technical Order Control Unit
Configuration Control
Intercontinental Ballistic Missile
Quality Assurance
Standard Operating Procedures
Technical Order
Technical Order Management Agency
Technical Publications
Validation
Verification

Custodian:
Air Force - 14

Review Activities:
Air Force 15

Preparing Activity:
Air Force 14

Project Number 14GP-F116

FSC 14GP

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the currentversion before use.

TECHNICAL ORDER VERIFICATION RECOMMENDATION

Form Approved OMB No. 0704-0188 | PAGE OF PAGES

CONTRACTOR		CONCUR	NON-CONCUR	
T.O. NUMBER	AFLC			DATE
T.O. TITLE	AFTEC			DATE
CHANGE DATE / NUMBER	BMO			DATE
WING EFFECTIVITY	SAC			DATE
VAFB ONLY ☐ YES ☐ NO	CTOCU			DATE
CONTROL NUMBER				
VERIFICATION NEED DATE				

REMARKS

PARA	FIGURE	TAB	TITLE	EQUIPMENT REQUIREMENTS	ECP RECEIVED

AFSC Form 1290, JAN 87 PREVIOUS EDITION IS OBSOLETE

FIGURE 1. Technical Order Verification Recommendation

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

TECHNICAL ORDER VERIFICATION COMPLETION RECORD

SHEET ____ OF ____

T.O. NO:			CTOCU MCLN: DATE:		
T.O. TITLE:			VERIFICATION START: COMP'L:		
T.O. BASIC DATE:	T.O. CHANGE NO.	T.O. CHANGE DATE	VERIFICATION ☐	COMBINED V/V ☐	LOCATION EFF:
T.O. CONTRACTOR	SOURCE DATA FROM:		TEST IDENT AND LOCATION	TOVR CONTROL NO.	

APPROVED VERIFICATION REQUIREMENTS			T.O. ELEMENTS			OB/TS TOFCNs	VAFB TOFCNs	AFLC SIGNATURE	PUBLICATIONS ENGINEER SIGNATURE & DATE	REMARKS
PARA	FIG	TAB	PARA	FIG	TAB					

AFOTEC OBSERVER/PERFORMER _____ SAC COORDINATION _____ VERIFICATION TEAM CHIEF _____ AFSC ACCEPTANCE - CTOCU

Figure 2. Example of Technical Order Verification Completion Records (TOVCR)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

TECHNICAL ORDER FIELD CHANGE NOTICE

T.O. NUMBER		MASTER LOG CONTROL NUMBER(S)		TOFCN CONTROL NUMBER(S)	
PRIORITY	EFFECTIVITY	1ST ISSUE DATE	CURRENT ISSUE DATE	CHG NO/DATE	SHEET __ OF __
VERIFICATION REQUIRED YES ☐ NO ☐ ACCOMPLISHED ☐		POST OPPOSITE PAGE _____		TOFCN AFFECTS PARA _____ FIG _____ TAB _____	
AFTO 22 ORIGINATOR		CONTRACTOR REPRESENTATIVE		CTOCU APPROVAL	
REASON FOR CHANGE					
(GREEN STOCK)					

Figure 3. Example of Technical Order Field Change Notice (TOFCN)

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

INTERIM TECHNICAL ORDER FIELD CHANGE NOTICE

T.O. NUMBER		MASTER LOG CONTROL NUMBER(S)		ITOFCN CONTROL NUMBER(S)	
PRIORITY	EFFECTIVITY	1ST ISSUE DATE	CURRENT ISSUE DATE	CHG NO/DATE	SHEET __ OF __
VERIFICATION REQUIRED YES ☐ NO ☐ ACCOMPLISHED ☐		POST OPPOSITE PAGE _____		ITOFCN AFFECTS PARA _____ FIG _____ TAB _____	
AFTO 22 ORIGINATOR		CONTRACTOR REPRESENTATIVE		CTOCU/TOCU APPROVAL	
REASON FOR CHANGE					
(PINK STOCK)					

Figure 4. Example of Interim Technical Order Field Change Notice (ITOFCN)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

TOFCN INDEX

T.O. NO. _____

DATE _____ PAGE _____ OF _____

T.O. TITLE _____

T.O. BASIC DATE _____ CHG. NO. _____ CHG. DATE _____

TOFCN CONTROL NO.	FIRST ISSUE DATE	CURRENT ISSUE DATE	PAGE NO.	EFFECTIVITY	INCORPORATED (I) CANCELLED (C) RE-ISSUED (R)
(BLUE STOCK)					

* ADDED OR CHANGED THIS ISSUE

CTOCU APPROVAL: _____

NOTE

FILE THIS PAGE FACING THE "A" PAGE OF THE T.O. NO TOFCN SHALL BE POSTED UNTIL RECEIPT OF MATCHING TOFCN INDEX. REMOVE YOUR LAST TOFCN INDEX BEFORE INSERTING THIS SHEET. TOFCN ANNOTATED, DELETED OR NOT LISTED SHALL BE REMOVED FROM THE T.O. THIS INDEX DOES NOT INCLUDE TOCU ISSUED ITOFCNs. IF ADDITIONAL COPIES OF THIS PAGE ARE REQUIRED, THEY MAY EITHER BE OBTAINED FROM THE CTOCU OR REPRODUCED LOCALLY.

Figure 5. Example of TOFCN Index

Source: https://assist.dla.mil - Downloaded: 202640-26T07:52Z
Check the source to verify that this is the current version before use.

TECHNICAL ORDER CHANGE NOTICE

T.O. TITLE

T.O. NUMBER	T.O. DATE (BASIC)	EFFECTIVITY
CHANGE NUMBER	CHANGE DATE	
WRITER	APPROVED	DATE

Refer to the "A" page for listing of pages affected by this Technical Order Change Notice.

*Refer to the TOFCN Index authorizing use of this change for listing of current TOFCNs.

EXAMPLES:

This TOCN incorporates the following TOFCN(s):

50FEDTM0980284R-1 (VB-80B)
20F41DET001020U-1 (VB-81, VB-82)
20S3901SME1201U-1 (VB-83, VB-84)

This TOCN incorporates the following OGDEN ALC Approved AFLC Forms 252:

20YS2150CS0133R (M81-384)
20YS3901SM0515R (M81-385)
50FEDTM0981267R

This TOCN incorporates the following ECPs/TCTOs:

ECP 1806R1
1808R1/TCTO 21M-LGM30-1283
1809/TCTO 21M-LGM30-1278
1810/TCTO 21M-LGM30G-1279
1812R1/TCTO 21LBM30-1280
TCTO 31R2-2FR-518
31R2-2FRR-513
31W4-2FR-505
31R2-2FRR78-504
31R2-2FRR78-505

(YELLOW STOCK)

- Do not post the contents of this change until in receipt of the TOFCN Index from the CTOCU authorizing use of this change.
- Applicable only to those organizations receiving CTOCU interim changes.

Figure 6. Example of Technical Order Change Notice

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

LIST OF DATA TO BE VERIFIED

THE PARAGRAPHS, AND TABLES THAT REQUIRE VERIFICATION ARE LISTED BELOW

REQUIREMENTS		UNVERIFIED FOR USE AT LOCATION(S) INDICATED OR WITH EQUIPMENT CONFIGURATION NOTED	REQUIREMENTS		UNVERIFIED FOR USE AT LOCATION(S) INDICATED OR WITH EQUIPMENT CONFIGURATION NOTED
PARA.	FIG / TAB		PARA.	FIG / TAB	

ALL OTHER APPROVED REQUIREMENTS HAVE BEEN ACCOMPLISHED

Figure 7. Example of Verification Status Page ("B" Page)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

TECHNICAL ORDER/EQUIPMENT CONFIGURATION STATUS RECORD		
ECPs AND TCTOs AFFECTING THIS TECHNICAL ORDER ARE LISTED BELOW		
ECP/TCTO NUMBER	INITIAL TOCN NUMBER	REMARKS
WS133B-Boe-B622 (TCTO 21M-LGM30G-726)	6	Hybrid Explicit Multiplexer
WS-133B-Boe-B623 (TCTO 21M-LGM30G-730)	6	PBV/Stage III Jumper
WS133B-Boe-B507R1	9	Deletion of Tin Plate Finish from Mod 7 Section
WS-133B-Boe-1619R1 (TCTO 21M-LGM30F-1385)	17	Installation of Adapter Ring Debris Deflectors for LGM30F Missiles
WS133-Boe-1672R2	17	Modification of LER Shock Isolated Floor at LF00-04
WS133-Boe-1733	17	ILCS Configuration Control of LF-00-04 Modification
WS133-Boe-1763	17	Incorporation of ERCS Program Modification into LF00-04
FECP-3501	17	LF00-04 Facility Modifications for Integrated Program
CCP-4234	17	Incorporate ILCS Modification in LF00-04
CCP-4235	17	Incorporate ILCS Modification in LF00-04
CCP-4296	17	Revise Tier II Test Program for LF00-04
WS-133-Boe-1788	21	Incorporate Thrust Termination Event to Diagnostic Data Package
WS-133-Boe-5188	22	Modify GP R/V for Combat Training Launch
WS-133-Boe-1798	25	Incorporate ERCS Battery Monitor at LF00-04

Figure 8. Example of Configuration Accountability Record ("C" Page)

Source: https://assist.dla.mil -- Downloaded: 202640-26T07:52Z
Check the source to verify that this is the current version before use.




Figure 9. Sample TO Verification Flow

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.

APPENDIX A

ORGANIZATIONAL INTERFACES

10. SCOPE

10.1 SCOPE. The organizational interfaces required to implement the quality assurance and configuration control program are illustrated in Figure 1 to this appendix. This appendix is not a mandatory part of the specification. This information contained herein is intended for guidance only.

20. APPLICABLE DOCUMENTS

This section is not applicable to this appendix.

30. ORGANIZATIONAL INTERFACES

30.1 AFSC BMO Interface. AFSC BMO is responsible for overall management of the ICBM technical publications/data quality assurance and configuration control program. Management of the program requires coordination with, and support from, other governmental and contractor agencies in accordance with AFR 8-2, TO 00-5-1 and other related regulatory documents. The primary vehicles for accomplishing the coordination and support interfaces are the DSIWG, the CTOCU and the TOCU.

30.2 DSIWG Interface. The DSIWG is defined in 3.1.7. The DSIWG establishes operating procedures, develops and monitors technical publications/data program schedules, continuously monitors program events and requirements, and assures that technical publications/data are scheduled and available to support various program milestones.

30.3 CTOCU Interface. The CTOCU is defined in 3.1.2. The CTOCU is chaired by a TOMA representative at a location designated by the TOMA. The CTOCU is responsible for management of technical publications/data verification, change control and configuration accountability within the framework of this standard.

30.4 TOCU Interface. The TOCU is defined in 3.1.2 and 3.1.22. The TOCU implements, directs and manages the technical publications change request program (including validation and verification) for a given location, under direction of the CTOCU. The TOCU processes AFTO Forms 22, ITOFCNs and other change requests generated at the site.

30.5 TORB Interface. The TORB is defined in TO 00-5-1. The CTOCU (see 3.1.2 and 4.1.2.3) is responsible for conducting the functions of the TORB in accordance with TO 00-5-1.

30.6 Primary AFLC Interface. The primary AFLC interface for the ICBM weapon system technical publications/data program is Air Force Acquisition Logistics Center

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

(AFALC) Detachment 1 (AFSC BMO/ALY). All interfaces, coordination, and support from other AFLC organizations are accomplished through this agency.

30.7 Ogden Air Logistics Center (OO-ALC) Interface. OO-ALC is the AFLC System Manager (SM) for ICBM weapon systems. OO-ALC provides permanent members on the DSIWG, the CTOCU and the TOCU.

30.8 Other AFLC Interfaces. Other AFLC coordination and support may be required from time to time on specific matters. OO-ALC, or AFSC BMO/ALY, ensures that such coordination and support is provided by the Item Manager (IM), Technology Repair Center (TRC), Detachment, etc., when requested by the TOMA.

30.9 ATC Interface. ATC provides a permanent member on the DSIWG and the CTOCU.

30.10 SAC Interface. SAC provides permanent members on the DSIWG, the CTOCU and the TOCU. Membership on the CTOCU and TOCU may be satisfied by a single representative designated by SAC. Membership on the DSIWG may include representatives from more than one SAC agency.

30.11 AFOTEC Interface. AFOTEC provides permanent members on the DSIWG, the CTOCU and the TOCU.

30.12 AFSC Test Organization Interface. The AFSC Test Organization provides permanent members on the DSIWG and the CTOCU. If an AFSC Test Organization is established at a location where a TOCU is established, the Test Organization provides a permanent TOCU member.

30.13 AFCC Interface. AFCC provides permanent members on the DSIWG, the CTOCU and the TOCU, if requested by the TOMA.

30.14 SE/TA Contractor Interface. The SE/TA contractor shall provide permanent members on the DSIWG, the CTOCU and the TOCU.

30.15 Associate Contractor Interface. Associate contractors shall provide the necessary qualified personnel and services to support the technical publications/data quality assurance and configuration control program as directed by contract, and as specified in this standard.

30.16 Other Government Interfaces. Other Air Force, Department of Defense (DoD), or government agencies may be invited to participate in DSIWG activities, on an as-required basis, for consideration of certain specific subjects.

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the currentversion before use.




FIGURE 1. Organizational Interfaces

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

☆ U.S. Government Printing Office: 1982—360-979/5804

(Fold along this line)

(Fold along this line)

HQ BALLISTIC MISSILE OFFICE/AWD
NORTON AFB CA 92409-6468

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 73236 WASH DC

POSTAGE WILL BE PAID BY HQ U.S. AIR FORCE

HQ BALLISTIC MISSILE OFFICE/AWD
NORTON AFB, CA 92409-6468

Source: https://assist.dla.mil -- Downloaded: 202610-26T07:52Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil - Downloaded: 2026-10-26T07:52Z
Check the source to verify that this is the current version before use.