INCH-POUND

MIL-C-28754D
SUPPLEMENT 1
21 APRIL 1989

MILITARY SPECIFICATION

CONNECTORS, ELECTRICAL, MODULAR,

AND COMPONENT PARTS

GENERAL SPECIFICATION FOR

This supplement forms a part of MIL-C-28754D, dated 21 April 1989.

SPECIFICATION SHEETS

MIL-C-28754/6	-	Connectors, Electrical, Modular, Type IV, 40 Pin, Straight Through.
MIL-C-28754/7	-	Connectors, Electrical, Modular, Type IV, Single Span, Connector Assembly.
MIL-C-28754/8	-	Connectors, Electrical, Modular, Type IV, 40 Pin, Right Angle (For Die Cast Frame).
MIL-C-28754/9	-	Connectors, Electrical, Modular, Type IV, Double Span, Connector Assembly, (Dip Frame).
MIL-C-28754/10	-	Connectors, Electrical, Modular, Connector, Type IV, 40 Pin Contact Tails On 0.050 Centers.

AMSC N/A FSC 5935

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-20T14:29Z
Check the source to verify that this is the current version before use.

MIL-C-28754/11 - Connectors, Electrical, Modular, Type IV, 40 Pin, Right Angle, (For Solid or Dip Frame).

MIL-C-28754/12 - Connectors, Electrical, Modular, Connector Assembly, Type IV, Single Span (For Solid or Dip Frame).

MIL-C-28754/13 - Connectors, Electrical, Modular, Connector Assembly, Type IV, Single Span (Without Guide Ribs).

MIL-C-28754/14 - Connectors, Electrical, Modular, Connector, Type IV, 20 Pin, Right Angle (For Die Cast Frame).

MIL-C-28754/15 - Connectors, Electrical, Modular, Crimp Contact, Type V.

MIL-C-28754/16 - Connectors, Electrical, Modular, Block, 40 Pin, Type V, Straight Through.

MIL-C-28754/17 - Connectors, Electrical, Modular, Connector Assembly, Type V, Style I, Contact Tails On .100 Centers.

MIL-C-28754/18 - Connectors, Electrical, Modular, Spacer, Pin, Type IV, Single Span.

MIL-C-28754/19 - Connectors, Electrical, Modular, Spacer, Pin, Type IV, Single Span.

MIL-C-28754/20 - Connectors, Electrical, Modular, Spacer, Pin, Type IV, Double Span.

MIL-C-28754/21 - Connectors, Electrical, Modular, Frame, Casting, Type IV, Double Span.

MIL-C-28754/22 - Connectors, Electrical, Modular, Frame, Casting, Type IV, Single Span.

MIL-C-28754/23 - Connectors, Electrical, Modular, Connector Assembly, Type IV, Single Span.

Source: https://assist.dla.mil -- Downloaded: 202610-20T14:29Z
Check the source to verify that this is the current version before use.

MIL-C-28754/24	-	Connectors, Electrical, Modular, Pin, Keying.
*MIL-C-28754/25	-	Connectors, Electrical, Modular, Guide, Retaining.
*MIL-C-28754/26	-	Connectors, Electrical, Modular, Extractor, Module, Single Span, Styles I and II.
*MIL-C-28754/27	-	Connectors, Electrical, Modular, Extractor, Module, Double Span, Style I.
*MIL-C-28754/28	-	Connectors, Electrical, Modular Interface, and Component Parts (Holder, Module Extractor).
MIL-C-28754/31	-	Connectors, Electrical, Modular, Connector Assembly, Type V, 40-Pin, Two Piece Insert, and 20-Pin, One Half, One Piece Insert.
MIL-C-28754/32	-	Connectors, Electrical, Modular, Connector Assembly, Type V, Style I, Slip Lock Cover Plate.
MIL-C-28754/33	-	Connectors, Electrical, Modular, Connector Assembly, Type V, Style II, Slip Lock Cover Plate.
MIL-C-28754/34	-	Connectors, Electrical, Modular, Connector Type III, Female Contact and Insulator Bushing Set, Removable Wire Wrappost Terminal.
MIL-C-28754/35	-	Connectors, Electrical, Modular, Connector Type III, Male Contact and Insulator Bushing Set, Removable Wire Wrappost Terminal.
MIL-C-28754/36	-	Connectors, Electrical, Modular, Connector, Type III, Female Contact and Grounding Bushing Set, Removable Wire Wrappost Terminal.

* Inactive for new design.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:29Z
Check the source to verify that this is the current version before use.

MIL-C-28754/37 - Connectors, Electrical, Modular, Connector, Type III, Female Contact and Polarizing Bushing Set, Removable Wire Wrappost Terminal.

MIL-C-28754/38 - Connectors, Electrical, Modular, Connector, Type III, Wrappost Contact Grounding.

MIL-C-28754/39 - Connectors, Electrical, Modular, Connector, Type III, Keying Pegs.

MIL-C-28754/40 - Connectors, Electrical, Modular, Type IV, Connector Assembly, Screw.

MIL-C-28754/41 - Connectors, Electrical, Modular, Type IV, Connector Assembly, Screw, Insert.

MIL-C-28754/42 - Connectors, Electrical, Modular, Type IV, Connector, 100 Pin, Contact Tails, On .050 Centers.

MIL-C-28754/43 - Connectors, Electrical, Modular, Connector Assembly, Type IV, 100 Pin, Double Span, Contact Tails On .050 Centers.

MIL-C-28754/44 - Connectors, Electrical, Modular, Type IV, 100 Pin, Straight Through, Contact Tails On .100 Centers.

MIL-C-28754/45 - Connectors, Electrical, Modular, Connector Frame, Type IV, Double-Span.

MIL-C-28754/46 - Connectors, Electrical, Modular, Connector Assembly, Type IV, 100 Pin, Double-Span.

MIL-C-28754/47 - Connectors, Electrical, Modular, Connector Assembly, Type IV, 100 Pin, Contact Tails, Right Angle, .050 Centers.

Source: https://assist.dla.mil -- Downloaded: 20260-20T14:29Z
Check the source to verify that this is the current version before use.

MIL-C-28754/48 - Connectors, Electrical, Modular, Type IV, Connector Assembly, Single Span.

MIL-C-28754/49 - Connectors, Electrical, Modular, Housing.

MIL-C-28754/50 - Connectors, Electrical, Modular, Insert, Top.

MIL-C-28754/51 - Connectors, Electrical, Modular, Insert, Bottom.

MIL-C-28754/52 - Connectors, Electrical, Modular, Housing, Connector Assembly, Style I.

MIL-C-28754/53 - Connectors, Electrical, Modular, Housing, Connector Assembly, Style II.

MIL-C-28754/54 - Connectors, Electrical, Modular, Extractor, Module, Styles I and II, Single and Double Span.

MIL-C-28754/55 - Connectors, Electrical, Modular, Connector Assembly, Type V, Cable Connector, 100 Pin, Contacts On .100 Centers.

MIL-C-28754/56 - Connectors, Electrical, Modular, Type IV, Connector, 100 Pin, Offset Contact Tails On .050 Centers (Ceramic Compatible).

MIL-C-28754/57 - Connectors, Electrical, Modular, Type IV, Connector, 100 Pin, Offset Contact Tails On .050 Centers (Modified Frame, Ceramic Compatible).

MIL-C-28754/58 - Connectors, Electrical, Modular, Type IV, Connector, 100 Pin, Offset Contact Tails On .050 Centers (Modified Frame.)

MIL-C-28754/59 - Connectors, Electrical, Modular, Type IV, Connector, 100 Pin, Center Contact Tails On .100 Centers (Ceramic Compatible).

Source: https://assist.dla.mil -- Downloaded: 202610-20T14:29Z
Check the source to verify that this is the current version before use.

MIL-C-28754/60 - Connectors, Electrical, Modular, Type IV, Connector, 100 Pin, Center Contact Tails On .100 Centers.

MIL-C-28754/61 - Connectors, Electrical, Modular, Type IV, Connector, 100 Pin, Center, Crossover, Contact Tails On .050 Centers (Ceramic Compatible).

MIL-C-28754/62 - Connectors, Electrical, Modular, Type IV, Connector, 100 Pin, Center Crossover, Contact Tails On .050 Centers.

MIL-C-28754/63 - Connectors, Electrical, Modular, Type IV, Connector, 40 Pin, Offset, Contact Tails On .050 Centers (Ceramic Compatible).

MIL-C-28754/64 - Connectors, Electrical, Modular, Type IV, Connector, 40 Pin, Offset, Contact Tails On .050 Centers (Modified Frame, Ceramic Compatible).

MIL-C-28754/65 - Connectors, Electrical, Modular, Type IV, Connector, 40 Pin, Center Contact Tails On .100 Centers (Ceramic Compatible)

MIL-C-28754/66 - Connectors, Electrical, Modular, Type IV, Connector, 40 Pin Crossover, Contact Tails On .050 Centers (Ceramic Compatible).

MIL-C-28754/67 - Connectors, Electrical, Modular, Connector Frame, Type IV, Double Span, Center.

MIL-C-28754/68 - Connectors, Electrical, Modular, Connector Frame, Type IV, Double Span, T-Dip.

MIL-C-28754/69 - Connectors, Electrical, Modular, Connector Frame, Type IV, Double Span, Offset.

MIL-C-28754/70 - Connectors, Electrical, Modular, Connector Frame, Type IV, Single Span, Center.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:29Z
Check the source to verify that this is the current version before use.

MIL-C-28754/71 - Connectors, Electrical, Modular, Connector Frame, Type IV, Single Span, Offset.

MIL-C-28754/72 - Connectors, Electrical, Modular, Connector Frame, Type IV, Single Span, T-Dip.

MIL-C-28754/73 - Connectors, Electrical, Modular, Connector Assembly, Type IV, 100 Pin, Double Span, Dip.

MIL-C-28754/74 - Connectors, Electrical, Modular, Connector Assembly, Type IV, 100 Pin, Double Span, Center.

MIL-C-28754/75 - Connectors, Electrical, Modular, Connector Assembly, Type IV, 100 Pin, Double Span, Offset.

MIL-C-28754/76 - Connectors, Electrical, Modular, Connector Assembly, Type IV, 40 Pin, Single Span, Center.

MIL-C-28754/77 - Connectors, Electrical, Modular, Connector Assembly, Type IV, 40 Pin, Single Span, Offset.

MIL-C-28754/78 - Connectors, Electrical, Modular, Connector Assembly, Type IV, 40 Pin, Single Span, Dip.

MIL-C-28754/79 - Connectors, Electrical, Modular, Type III, Female Contact and Insulator Bushing Set, Low Insertion Force (LIF), Removable Wire Wrappost Terminal.

MIL-C-28754/80 - Connectors, Electrical, Modular, Type III, Female Contact and Grounding Bushing Set, Low Insertion Force (LIF), Removable Wire Wrappost Terminal.

MIL-C-28754/81 - Connectors, Electrical, Modular, Type III, Female Contact and Polarizing Bushing Set, Low Insertion Force (LIF), Removable Wire Wrappost Terminal.

MIL-C-28754/82 - Connectors, Electrical, Modular, Type IV, Connector Assembly, Fastener.

Source: https://assist.dla.mil -- Downloaded: 202640-20T14:29Z
Check the source to verify that this is the currentversion before use.

MIL-C-28754/83 - Connectors, Electrical, Modular, Type IV, Connector, 0.6 Pitch, 250 Contact, Center.

MIL-C-28754/84 - Connectors, Electrical, Modular, Type IV, Connector, 0.3 Pitch, 100 Contact, Offset.

MIL-C-28754/85 - Connectors, Electrical, Modular, Type IV, Connector, 0.3 Pitch, 100 Contact, Dip.

MIL-C-28754/86 - Connectors, Electrical, Modular, Connector Frame, Type IV, Dip.

MIL-C-28754/87 - Connectors. Electrical, Modular, Connector Frame, Type IV, Center.

MIL-C-28754/88 - Connectors, Electrical, Modular, Connector Frame, Type IV, Offset, (0.050 Thickness).

MIL-C-28754/89 - Connectors, Electrical, Modular, Connector Frame, Type IV, Offset, (0.071 Thickness).

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:29Z
Check the source to verify that this is the current version before use.

CROSS REFERENCE		
TYPE III CONNECTOR:		
Contact	Female and Insulator Bushing	MIL-C-28754/34
Contact	Female and Grounding Bushing	MIL-C-28754/36
Contact	Female and Polarizing Bushing	MIL-C-28754/37
Contact	Male and Insulator Bushing	MIL-C-28754/35
Contact	Wrappost and Grounding Bushing	MIL-C-28754/38
	Keying Pegs	MIL-C-28754/39
Contact	Female and Insulator Bushing (LIF)	MIL-C-28754/79
Contact	Female and Grounding Bushing (LIF)	MIL-C-28754/80
Contact	Female and Polarizing Bushing (LIF)	MIL-C-28754/81
TYPE IV CONNECTOR ASSEMBLIES		
Single Span	Dip or Solid Frame	MIL-C-28754/12
Single Span	without Guide Ribs	MIL-C-28754/13
Single Span	---	MIL-C-28754/23
Single Span	---	MIL-C-28754/7
Single Span	---	MIL-C-28754/48
Single Span	Screw	MIL-C-28754/40
Single Span	Screw Insert	MIL-C-28754/41
Single Span	40 Pin, Center	MIL-C-28754/76
Single Span	40 Pin, Offset	MIL-C-28754/77
Single Span	40 Pin, Dip	MIL-C-28754/78
Double Span	Dip Frame, 80 Pin	MIL-C-28754/9
Double Span	Solid, 100 Pin, .050 Centers	MIL-C-28754/43
Double Span	Solid, 100 Pin	MIL-C-28754/46
Double Span	100 Pin, Right Angle	MIL-C-28754/47
Double Span	100 Pin, Dip	MIL-C-28754/73
Double Span	100 Pin, Center	MIL-C-28754/74
Double Span	100 Pin, Offset	MIL-C-28754/75

Source: https://assist.dla.mil -- Downloaded: 202610-20T14:29Z
Check the source to verify that this is the current version before use.

CROSS REFERENCE (CONTINUED)		
TYPE IV CONNECTOR:		
40 Pin	Straight through 0.100 on Center	MIL-C-28754/6
40 Pin	Right Angle for Die Cast Frame	MIL-C-28754/8
40 Pin	Straight, 0.050 Center	MIL-C-28754/10
40 Pin	Right Angle (For Solid or Dip Frame)	MIL-C-28754/11
20 Pin	Right Angle For Die Cast Frames	MIL-C-28754/14
100 Pin	Straight, 0.050 Centers	MIL-C-28754/42
100 Pin	Straight, 0.100 Centers	
40 Pin	Offset, On 0.050 Centers (Ceramic Compatible)	MIL-C-28754/63
40 Pin	Offset, On 0.050 Centers (Modified Frame, Ceramic Compatible)	MIL-C-28754/64
40 Pin	Center, On 0.100 Centers (Ceramic Compatible)	MIL-C-28754/65
40 Pin	Crossover, On 0.050 Centers (Ceramic Compatible)	MIL-C-28754/66
100 Pin	Offset, On 0.050 Centers (Ceramic Compatible)	MIL-C-28754/56
100 Pin	Offset, On 0.050 Centers (Modified Frame, Ceramic Compatible)	MIL-C-28754/57
100 Pin	Offset, On 0.050 Centers (Modified Frame)	MIL-C-28754/58
100 Pin	Offset	MIL-C-28754/84
100 Pin	Dip	MIL-C-28754/85
100 Pin	Center, On 0.100 Centers (Ceramic Compatible)	MIL-C-28754/59
100 Pin	Center, On 0.100 Centers	MIL-C-28754/60
100 Pin	Center, Crossover, On 0.050 Centers (Ceramic Compatible)	MIL-C-28754/61
100 Pin	Center, Crossover, On 0.050 Centers	MIL-C-28754/62
250 Pin	Center	MIL-C-28754/83

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T14:29Z
Check the source to verify that this is the current version before use.

CROSS REFERENCE (CONTINUED)

TYPE IV FRAMES:		
Single Span	Casting	MIL-C-28754/22
Single Span	Center	MIL-C-28754/70
Single Span	Offset	MIL-C-28754/71
Single Span	T-Dip	MIL-C-28754/72
Double Span	---	MIL-C-28754/45
Double Span	Casting	MIL-C-28754/21
Double Span	Center	MIL-C-28754/67
Double Span	T-Dip	MIL-C-28754/68
Double Span	Offset	MIL-C-28754/69
Format D	Dip	MIL-C-28754/86
Format D	Center	MIL-C-28754/87
Format D	Offset (0.050 Thick)	MIL-C-28754/88
Format D	Offset (0.071)	MIL-C-28754/89
TYPE IV SPACER PIN:		
Single Span	---	MIL-C-28754/18
Single Span	---	MIL-C-28754/19
Double Span	---	MIL-C-28754/20
Keying Pin	---	MIL-C-28754/24
TYPE V CONNECTOR ASSEMBLIES:		
Style I	0.100 Centers	MIL-C-28754/17
---	40 Pin 2 piece insert 20 Pin 1 piece insert	MIL-C-28754/31
Style I	Slip lock cover plate	MIL-C-28754/32
Style II	Slip lock cover plate	MIL-C-28754/33
---	100 Pin Cable Connector, Contacts On 0.100 Centers	MIL-C-28754/55

Source: https://assist.dla.mil -- Downloaded: 202640-20T14:29Z
Check the source to verify that this is the current version before use.

CROSS REFERENCE (CONTINUED)		
TYPE V:		
Block	40 Pin Straight	MIL-C-28754/16
Contact	Crimp	MIL-C-28754/15
Insert	Top	MIL-C-28754/50
Insert	Bottom	MIL-C-28754/51
Housing	Style I	MIL-C-28754/52
Housing	Style II	MIL-C-28754/53

Preparing activity:
Navy - SH

Agent:
NWSC, Crane

Source: https://assist.dla.mil -- Downloaded: 202610-20T14:29Z
Check the source to verify that this is the current version before use.