INCH-POUND

MIL-F-52920D(ME)
AMENDMENT 2
27 March 1995
SUPERSEDING
AMENDMENT 1
4 October 1991

MILITARY SPECIFICATION

FLOODLIGHT SET, TRAILER-MOUNTED

This amendment forms a part of MIL-F-52920D(ME), dated 28 October 1987, and is approved for use within the USA Communications-Electronics Command, Logistics Research Center, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 1.1, line 6, delete "military standard trailer" and substitute "high mobility trailer (HMT) chassis".

* Line 10, delete "or gasoline engine-driven generator" and substitute "tactical, quiet generator (TQG)".

* Line 11, delete the word "a" and substitute "the".

* Line 22, delete the words "any" and "a" and substitute both with "the".

PAGE 2

2.1.1, under SPECIFICATIONS, FEDERAL, delete QQ-S-781 in its entirety.

* Under SPECIFICATIONS, MILITARY, delete MIL-T-10579 in its entirety and add:

"MIL-V-62038 - Vehicles, Wheeled: Preparation for Shipment and Storage of."

Under STANDARDS, MILITARY, delete MIL-STD-281 and MS52152 in their entirety.

PAGE 3

* 2.1.2, under DRAWINGS, ME, delete "TA13226E4350" and substitute "TA13230E6430".

AMSC N/A FSC 6210

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:40Z
Check the source to verify that this is the current version before use.

2.2, delete "SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT" and substitute "SOUTH COAST AIR QUALITY MANAGEMENT CONTROL DISTRICT".

Under AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM), add:

"D 3953 - Strapping, Flat Steel and Seals."

PAGE 4

* 3.1, line 2, delete "TA13226E4350" and substitute "TA13230E6430".

PAGE 5

* 3.5.1, line 1, delete "generator" and substitute "TQG". Line 2, delete "2780" and substitute "3000".

* 3.5.1.1, line 2, delete the word "a 3 kW generaot" and substitute "the 3 kW generator".

PAGE 6

3.6.1, line 6, between "Management" and "District", add "Control".

* 3.7, line 2, delete "TA13226E4350" and substitute "TA13230E6430".

* 3.8, line 2, delete "TA13226E4350" and substitute "TA13230E6430".

PAGE 7

* 3.9, line 2, delete "TA13226E4350" and substitute "TA13230E6430".

* 3.10.1, lines 6, 7, and 8, delete "US Army Belvoir Research, Development and Engineering Center, ATTN: STRBE-VO, Fort Belvoir, VA 22060-5606" and substitute "ARMY RESEARCH LABORATORY, ATTN AMSRL MA E, BLDG 363, 10235 BURBECK RD STE 110, FT BELVOIR VA 22060-5838".

* 3.11, under Description, delete in its entirety and substitute "High Mobility Trailer Chassis".

* Under Identification, delete in its entirety and substitute "Electrospace Systems, Inc.".

* 3.12, under Description, delete in its entirety and substitute "Tactical Quiet Generator Set, Skid Mounted, Model MEP-831, 3 kW, 60 Hz".

* Under Identification, delete "See 6.6" and substitute "NSN 6115-01-285-3012".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:40Z
Check the source to verify that this is the current version before use.

* 3.13.3, delete "TA13226E4350" and substitute "TA132306430".

PAGE 9

* 4.4.1, 4.4.2, and 4.4.3, delete in their entirety and substitute:

"4.4.1 Sampling. Sampling for examination and test shall be in accordance with MIL-STD-105. Sample size shall be determined by using MIL-STD-105, table I and table IIa. A lot shall be accepted when zero defects are found and rejected when one or more defects are found.

"4.4.2 Examination. Samples selected as specified in 4.4.1 shall be examined for the defects specified in 4.5.1. Presence of one or more defects shall be cause for rejection.

"4.4.3 Tests. Samples selected as specified in 4.4.1 shall be tested as specified in 4.5.2. Failure of any test shall be cause for rejection.

* Table I, under 101, line 2, delete "TA13226E4350" and substitute "TA13230E6430".

* Under 104, line 1, delete "Use" entirely.

PAGE 16

5.2.1.6, line 2, delete "MIL-STD-281" and substitute "MIL-V-62038".

PAGE 17

5.2.2, line 3, delete "MIL-STD-281" and substitute "MIL-V-62038".

5.3.1, delete last three lines and substitute: "ASTM D 3953, type 1 or type 2, size as applicable; and unless otherwise specified, shall be zinc coated. When specified (see 6.2), organic-coated strapping shall be used.".

PAGE 18

6.2.1.f, delete "finish A" and substitute "organic-coated".

PAGE 19

* 6.6, delete the last sentence.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:40Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army - ME

Review activities:
Navy - MC
Air Force - 99
DLA - GS

Preparing activity:
Army - ME

Project 6210-1059

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T21:40Z
Check the source to verify that this is the current version before use.