
INCH-POUNDS

MIL-I-17988/11D(CG)
25 June 1990
SUPERSEDING
MIL-I-17988/11C(NU)
25 January 1984

MILITARY SPECIFICATION SHEET
INSIGNIA, CAP AND HAT
CHIEF PETTY OFFICER (U.S. COAST GUARD)

This Specification sheet is approved for use by the United States Coast Guard, Department of Transportation and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the insignia described herein shall consist of this document and the latest issue of Specification MIL-I-17988.



Size:	Regular and miniature
Material:	Brass
Design:	Approved sample
Color:	Shield and star - Silver Anchor - Gold

Guide sample: Available for finish and workmanship.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Officer in Charge, Navy Clothing and Textile Research Facility, 21 Strathmore Road, Natick, Ma. 01760-2490 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8455

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:51Z
Check the source to verify that this is the current version before use.

Dimensions (inches)	Regular (overall)	Miniature (overall)
Anchor and fouling		
Height (overall)	1-3/4	1-1/4
Width of anchor stock	5/8	1/2
Width of flukes and fouling	1-1/4	7/8
Tolerance	± 1/32	± 1/32
Shield		
Width	3/4	1/2
Height	7/8	9/16
Tolerance	± 1/32	± 1/32
Star, diameter	3/8	3/16
Tolerance	± 1/32	± 1/32

Thickness: (at thickest point): 0.085 inch (minimum) for regular and 0.075 inch (minimum) for miniature measured at anchor flukes.

Finish: Anchor - Nickel underplated, 24 Karat Gold Electroplated, mirror-like polish and lacquered.

Shield - Silver plated, mirror-like polish and lacquered.

Forcer:

Regular: Shield - Full forcer permitted.
Anchor - No forcer permitted.

Placement of attachment:

Regular

One screw post and one registration prong shall be required. One knurled thumb nut of 1/2 inch diameter shall be required. The screw post and nut shall be properly sized to accommodate each other. The screw post shall be brass material with a gold-like finish.

A screw post shall be fused (soldered or electronic fusion) to the center back of the anchor shanks and fitted with a thumb nut. A registration prong shall be fused (soldered or electronic fusion) to the top back of the anchor shank. The measurement between the centers of the prongs shall be 27/32 (± 1/32) inch.

Miniature

Two prongs and two clutch fasteners are required. The prongs shall be fused (soldered or electronic fusion) to the back of the anchor, one at the top of the anchor shank and one at the bottom of the anchor. The measurement between the centers of the prongs shall be 15/16 (± 1/32) inch.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:51Z
Check the source to verify that this is the current version before use.

Where used:

Regular - Chief Petty Officer Hat.

Miniature - Chief Petty Officers Garrison Cap.

Note:
1. The shield and stars (when applicable) shall be fused (soldered or electronic fusion) to the anchor as shown on the figure.
2. The figure is for information purposes only.
3. Packaging and packing shall be standard commercial practice.

Custodian:
Navy - NU

Preparing Activity:
Navy - NU

Review Activity:
DLA-CT

Project No. 8455-0430

User Activity:
Navy - CG

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:51Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-I-17988/11D(CG)	INSIGNIA, CAP AND HAT CHIEF PETTY OFFICER(U.S. COAST GUARD)

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ USER
	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil - Downloaded: 2026-10-18T10:51Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Navy Clothing and Textile Research Facility
21 Strathmore Road, (Code 50)
Natick, MA 01760-2490

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:51Z
Check the source to verify that this is the current version before use.