
INCH-POUNDS

MIL-I-17988/13F(CG)
25 June 1990
SUPERSEDING
MIL-I-17988/13E(NU)
1 March 1979

MILITARY SPECIFICATION SHEET
INSIGNIA, CAP AND HAT
ENLISTED PERSONNEL (U.S. COAST GUARD)

This Specification sheet is approved for use by the United States Coast Guard, Department of Transportation and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the insignia described herein shall consist of this document and the latest issue of Specification MIL-I-17988.



Size:	Regular and miniature
Material:	Brass
Design:	Government hub
Color:	Anchors and Shield - Silver Balance of Design - Gold

Guide sample: Available for finish and workmanship.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Officer in Charge, Navy Clothing and Textile Research Facility, 21 Strathmore Road, Natick, Ma. 01760-2490 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8455

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:51Z
Check the source to verify that this is the current version before use.

Dimensions (inches)	Regular (overall)	Miniature (overall)
Anchor		
Length (overall)	2	1-1/8
Width of anchor stock	24/32	14/32
Width of flukes	1	17/32
Tolerance	± 1/32	± 1/32
Disk		
Diameter	1-1/4	21/32
Tolerance	± 1/32	± 1/32

Thickness: Miniature - (at thickest point) 0.139 (minimum) measured at center of device.

Finish: Anchors - Rhodium Electroplated, mirror-like polish and lacquered.
Disk - Shield: Rhodium electroplated, mirror-like polish and lacquered.

Balance of disk: Nickel underplated, 24 Karat Gold electroplated, background matte (dull) finish, raised lettering and ring borders, mirror-like polish and lacquered.

Forcer: Regular - Forcing of top (ring and stock) and bottom (arms and flukes) of anchor is permitted as per guide sample.

Miniature - No forcer permitted.

Placement of attachment:

Regular

One screw post and one prong shall be required. One knurled thumb nut of 1/2 inch diameter and one prong lock washer of 3/8 inch diameter shall be required. The screw post and nuts shall be properly sized to accommodate each other. The screw post shall be of brass material with a gold-like finish.

A screw post and prong shall be fused (soldered or electronic fusion) on the back of the disk. The disk shall have small surface projections (lugs) on the back side for positioning crossed anchors. The screw post shall pass through a hole in the center of the crossed anchors and the two pieces securely fastened with a double pronged washer and knurled thumb nut. The measurement between the centers of the screw post and prong shall be 1/2 (± 1/32) inch.

Miniature

The insignia shall consist of two parts: gold disk and silver crossed anchors. The gold disk shall have a pre-drilled hole of a suitable size and centered to accommodate a rivet. A second pre-drilled hole shall be centered on the crossed anchors. The crossed anchors shall be superimposed over the disk and riveted or fused (soldered or electronic fusion) together so that they cannot swivel or move.

The flat eyelet rivet shall be of brass material and rhodium plated, 3/32

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:51Z
Check the source to verify that this is the current version before use.

inch long, diameter of tube 0.008 inch (± 0.001 inch) or Evans type 801 Flat Rivet Eyelet.

Two prongs and two clutch fasteners are required. The prongs shall be fused (soldered or electronic fusion) on the back side of one of the crossed anchors; one at the intersection of shank and stock at top and one at the intersection of shank and arms at bottom. The disk shall have small surface projections (lugs), as per guide sample, on the back side for positioning crossed anchors. The measurement between the centers of the prongs shall be 7/8 (± 1/32) inch.

Where used: Regular size - Coast Guard dress service hat.
Miniature size - Coast Guard garrison cap.

Note:
1. The mount used for the regular size device shall be the same as that worn by Chief Petty Officers.
2. The figure is for information purposes only.
3. Packaging and packing shall be standard commercial practice.

Custodian:
Navy - NU

Review Activity:
DLA-CT

User Activity:
Navy - CG

Preparing Activity:
Navy - NU

Project No. 8455-0430

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:51Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-I-17988/13F(CG)	INSIGNIA, CAP AND HAT ENLISTED PERSONNEL (U.S. COAST GUARD)

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)*: _____

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording

c. Reason/Rationale for Recommendation.

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil - Downloaded: 2026-10-18T10:51Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE. This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Navy Clothing and Textile Research Facility
21 Strathmore Road, (Code 50)
Natick, MA 01760-2490

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:51Z
Check the source to verify that this is the current version before use.