
INCH-POUNDS

MIL-I-17988/1C(NU)
25 June 1990
SUPERSEDING
MIL-I-17988/1B(NU)
25 January 1984

MILITARY SPECIFICATION SHEET
INSIGNIA, CAP AND HAT
COMMISSIONED OFFICER/COMMISSIONED WARRANT OFFICER

This Specification sheet is approved for use by the Navy Clothing and Textile Research Facility, Department of The Navy and is available for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the insignia described herein shall consist of this document and the latest issue of Specification MIL-I-17988.



Size:	Regular and miniature
Material:	Brass
Design:	Government hub
Color:	Shield and Eagle - Silver Anchor - Gold

Guide sample: Available for finish and workmanship.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: Officer in Charge, Navy Clothing and Textile Research Facility, 21 Strathmore Road, Natick, Ma. 01760-2490 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8455

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:50Z
Check the source to verify that this is the current version before use.

Dimensions (inches)	Regular (overall)	Miniature (overall)
Eagle and Shield		
Width	2-1/2	1-3/16
Height	2-1/16	15/16
Tolerance	± 1/32	± 1/32
Shield		
Width	1-1/16	3/8
Height	15/16	15/32
Tolerance	± 1/32	± 1/32
Crossed Anchors		
Anchor length	2-5/16	1-5/32
Width of anchor stock	3/4	3/8
Width of anchor across flukes	7/8	7/16
Tolerance	± 1/32	± 1/32

Finish:

Regular and miniature

Eagle and Shield	- Rhodium Electroplated, mirror-like polish and lacquered.
Anchor	- 24 Karat Gold Electroplated, mirror-like polish and lacquered.

Forcer: Eagle, shield and anchors (regular) - Partial forcer permitted.
Eagle and shield (miniature) - Partial forcer permitted.

Placement of attachment:

Regular

Two screw posts shall be required. Two knurled thumb nuts of 1/2 inch diameter and one two prong lock washer of 3/8 inch diameter shall be required. The screw posts and nuts shall be properly sized to accommodate each other. The screw posts shall be Brass material with a silver-like finish.

A screw post shall be fused (soldered or electronic fusion) to the middle of the shield (back) and shall fit into a drilled hole at the intersection of the crossed anchors and fitted with a pronged washer and thumb-nut. An additional screw post shall be fused (soldered or electronic fusion) to the back of the eagle's body and fitted with a thumb-nut. The measurement between the centers of the screw posts shall be 1-1/8 (± 1/32) inches.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:50Z
Check the source to verify that this is the current version before use.

Miniature

The insignia shall consist of two parts: Silver eagle and shield and gold crossed anchors. The eagle's shield area shall have a pre-drilled hole of a suitable size and centered to accommodate a rivet. The pre-drilled hole in the shield shall be 1/16 (± 1/32) inch from the top of the shield in the lengthwise direction and be 5/16 (± 1/32) inch from the bottom of the shield. A second pre-drilled hole shall be centered at the top juncture of the crossed anchors. The crossed anchors shall be superimposed over the eagle's shield area and riveted or fused (soldered or electronic fusion) to the shield so that they cannot swivel or move.

The flat eyelet rivet shall be of brass material and rhodium plated, 3/32 inch long, diameter of tube 0.008 inch (± 0.001 inch) or Evans type 801 Flat Rivet Eyelet.

Two prongs and two clutch fasteners shall be required. A prong shall be fused (soldered or electronic fusion) to the back center of each stock. The shield shall be fused (soldered or electronic fusion) or riveted to the center of the crossed anchors. The measurement between the centers of the prongs shall be 11/16 (± 1/32) inches.

Where used:

Regular - Commissioned Officer and Commissioned Warrant Officer hat.

Miniature - Commissioned Officer and Commissioned Warrant Officer Garrison Cap.

Note:
1. Insignia (Regular size) shall be positioned on the mount so that the lowest point of intersection of the crossed anchors is even with the top edge of the band.
2. The figure is for information purposes only.
3. Packaging and packing shall be standard commercial practice.

Custodian:
Navy - NU

Preparing Activity
Navy - NU

Review Activity
DLA-CT

Project No. 8455-0430

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:50Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

Navy Clothing and Textile Research Facility
21 Strathmore Road, (Code 50)
Natick, MA 01760-2490

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:50Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-I-17988/1C(NU)	INSIGNIA, CAP AND HAT COMMISSIONED OFFICER/WARRANT OFFICER

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)* _____

5. PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

Source: https://assist.dla.mil – Downloaded: 2026-10-18T10:50Z
Check the source to verify that this is the current version before use.

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.