MIL-D-17951B(SHIPS)
AMENDMENT-1
5 October 1972

MILITARY SPECIFICATION

DECK COVERING, LIGHTWEIGHT, NONSLIP, SILICON CARBIDE

PARTICLE COATED FABRIC AND SEALING COMPOUND

This amendment forms a part of Military Specification MIL-D-17951B(SHIPS), dated 25 October 1961.

Page 1

Title: Change to "DECK COVERING, LIGHTWEIGHT, NONSLIP, SILICON CARBIDE PARTICLE COATED FABRIC, FILM, OR COMPOSITE; AND SEALING COMPOUND".

1.1: Delete and substitute:

"1.1 This specification covers lightweight, nonslip silicon carbide particle coated fabric, film, or composite deck-covering for decks aboard Naval ships and sealing compound."

Pages 1 and 2

Section 2: Delete and substitute:

"2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of the specification to the extent specified herein.

SPECIFICATIONS

FEDERAL

PPP-B-566 - Boxes, Folding, Paperboard.
PPP-B-576 - Box, Wood, Cleated, Veneer, Paper Overlaid.
PPP-B-591 - Boxes, Fiberboard, Wood-Cleated.
PPP-B-601 - Boxes, Wood, Cleated-Plywood.
PPP-B-621 - Boxes, Wood, Nailed and Lock-Corner.
PPP-B-636 - Boxes, Shipping, Fiberboard.
PPP-B-640 - Boxes, Fiberboard, Corrugated, Triple-Wall.
PPP-B-676 - Boxes, Setup.
PPP-C-96 - Cans, Metal, 28 Gage and Lighter.
PPP-C-186 - Containers, Packaging and Packing for Drugs, Chemicals, and Pharmaceuticals.
PPP-P-704 - Pails, Metal: (Shipping, Steel, 1 through 12 Gallon).

MILITARY

MIL-P-116 - Preservation, Methods of.
MIL-L-10547 - Liners, Case, and Sheet, Overwrap; Water-Vaporproof or Waterproof, Flexible.
MIL-L-15016 - Lubricating Oil, General Purpose.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129 - Marking for Shipment and Storage.
MIL-STD-147 - Palletized and Containerized Unit Loads 40" x 48" Pallets, Skids, Runners, or Pallet-Type Base.

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

2.2 Other publications. The following documents form a part of this specification to the extent specified herein. Unless otherwise indicated, the issue in effect on date of invitation for bids or request for proposal shall apply:

UNIFORM CLASSIFICATION COMMITTEE
Uniform Freight Classification Rules.

(Application for copies should be addressed to the Uniform Classification Committee, Room 1106, 222 South Riverside Plaza, Chicago, Illinois 60606.)

FSC 7220

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:48Z
Check the source to verify that this is the current version before use.

Pages 1 and 2 (cont'd.)

NATIONAL CLASSIFICATION BOARD
National Motor Freight Classification Rules.

(Application for copies should be addressed to the National Motor Freight Traffic Association, Inc., 1616 P Street, N. W., Washington, D. C. 20036.)

(Technical society and technical association specifications and standards are generally available for reference from libraries. They are also distributed among technical groups and using Federal agencies.)"

Page 2

3.1.1: Delete and substitute:

"3.1.1 The deck covering shall consist of a backing uniformly coated on one surface with silicon carbide particles, approximately number 60 grit (medium grade flint abrasive designations), bonded to the fabric, film, or composite with a resin or similar material. The back of the fabric, film, or composite shall be coated with a pressure-sensitive type of adhesive, covered with a removable protective liner."

Page 5

3.12: Delete.

4.1: Delete and substitute:

"4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements."

Pages 13 through 16

Section 5: Delete and substitute:

"5. PREPARATION FOR DELIVERY

(The preparation for delivery requirements specified herein apply only for direct Government procurements.)

5.1 Packaging. Packaging shall be level A or C, as specified (see 6.1).

5.1.1 Level A.

5.1.1.1 Deck-covering Deck-covering of like kind and size and in quantities specified shall be packaged in fiberboard boxes conforming to class weather-resistant of PPP-B-636. Box closure shall be as specified in the appendix to the box specification. Boxes shall be waterproofed in accordance with the appendix to the box specifiication.

5.1.1.2 Sealer. Sealer shall be furnished in 5-ounce metal collapsible tubes, 1 gallon cans, or in 5 gallon pails as specified (see 6.2).

5.1.1.2.1 Collapsible tubes. Five-ounce collapsible tubes shall conform to type II, class B of PPP-C-186. Each tube shall be placed in folding or set-up paperboard box conforming to PPP-B-566 or PPP-B-676 at the option of the contractor. Box closure shall be as specified in the appendix to the applicable box specification.

5.1.1.2.2 One-gallon cans. One-gallon cans shall conform to type V, class 2 of PPP-C-96. Exterior plan B coating and side seam striping shall be required. Cans shall be provided with wire handles which shall be galvanized or protectively coated to resist corrosion. After filling, the plugs shall be spot soldered to the friction ring at three points, spaced equidistant from each other around the periphery of the plug.

5.1.1.2.3 Five-gallon pails. Five-gallon pails shall conform to type II of PPP-P-704.

5.1.2 Level C. Deck-covering and sealer shall be packaged in such a manner that will afford protection against deterioration, physical damage, and loss of contents during shipment from supply source to the first receiving activity for immediate use. The supplier's commercial practice may be used when such meets the requirements of this level.

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:48Z
Check the source to verify that this is the current version before use.

5.2 Packing. Packing shall be level A, B, or C as specified (see 6.1).

5.2.1 Level A. Deck-covering shall be packed in containers conforming to any one of the following specifications at the option of the supplier:

Specification	Type or class
PPP-B-576	Class 2
PPP-B-591	Class weather-resistant
PPP-B-601	Overseas type
PPP-B-621	Class 2
PPP-B-636	Class weather-resistant
PPP-B-640	Class 2

Shipping containers shall have caseliners conforming to MIL-L-10547. Caseliners shall be closed and sealed in accordance with the appendix to MIL-L-10547. Caseliners for class weather-resistant or class 2 fiberboard boxes conforming to PPP-B-636 or PPP-B-640 may be omitted provided all corners and edge seams and manufacturer's joints are waterproofed in accordance with the appendix to the box specification. Boxes shall be closed, strapped, or banded in accordance with the applicable box specification or appendix thereto, except that metal strapping shall not be used on fiberboard boxes. The gross weight of wood or wood-cleated boxes shall not exceed 200 pounds.

5.2.1.1 Sealer.

5.2.1.1.1 Collapsible tubes. Collapsible tubes shall be packed in accordance with level A of PPP-C-186.

5.2.1.1.2 One- and 5-gallon containers. One-gallon cans shall be arranged and packed level A in accordance with the appendix to PPP-C-96. Five-gallon pails shall require no additional packing. Five-gallon pails may be palletized if specified (see 6.1).

5.2.2 Level B. Deck-covering shall be packed in boxes conforming to any one of the following specifications at the option of the supplier.

Specification	Type or class
PPP-B-576	Class 1
PPP-B-591	Domestic type
PPP-B-601	Domestic type
PPP-B-621	Class 1
PPP-B-636	Class domestic
PPP-B-640	Class 1

Box closures shall be as specified in the applicable box specification or appendix thereto. The gross weight of wood or wood-cleated boxes shall not exceed 200 pounds.

5.2.2.1 Sealer.

5.2.2.1.1 Collapsible tubes. Collapsible tubes shall be packed in accordance with level B of PPP-C-186.

5.2.2.1.2 One- and 5-gallon containers. One-gallon cans shall be arranged and packed level B in accordance with the appendix to PPP-C-96. Five-gallon pails shall require no additional packing. Five-gallon pails may be palletized when specified (see 6.1).

5.2.3 Level C. Packing shall be accomplished in a manner which will insure acceptance by common carrier and will afford protection against physical damage during direct shipment from the supply source to the using activity for early use. The shipping containers or method of packing shall conform to the Uniform Freight or National Motor Freight Classification Rules and Regulations or other carrier regulations as applicable to the mode of transportation.

5.3 Pallets. Five-gallor pails shall be palletized in accordance with MIL-STD-147 when specified (see 6.1).

5.4 Marking. In addition to the labeling specified in 3.11.5 and any special marking required by the contract or order, unit and interior packages, shipping containers, and palletized unit loads shall be marked in accordance with MIL-STD-129."

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:48Z
Check the source to verify that this is the current version before use.

6.1: Delete and substitute:

"6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number, and date of this specification.
(b) Size of treads or width of rolls required (see 3.9).
(c) Color of deck-covering, when required (see 3.10).
(d) Quantity and container size of sealing compound required (see 3.11.4 and 5.1.1.2).
(e) Levels of packaging and packing required (see 5.1 and 5.2).
(f) When palletization is required (see 5.2.1.1.2, 5.2.2.1.2, and 5.3)."

Notice: Delete.

Preparing activity:
Navy - SH
(Project 7220-N070)

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T10:48Z
Check the source to verify that this is the current version before use.