INCH-POUND

MIL-DTL-3779F
15 May 2024
SUPERSEDING
MIL-C-3779E
22 November 1991

DETAIL SPECIFICATION

CASE, ENGINEER BATTALION, DRAFTING EQUIPMENT, CANVAS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This document covers a canvas carrying case for engineer battalion drafting equipment.

2. APPLICABLE DOCUMENTS

2.1 General. The documents listed in this section are specified in sections 3 and 4 of this specification. This section does not include documents cited in other sections of this specification or recommended for additional information or as examples. While every effort has been made to ensure the completeness of this list, document users are cautioned that they must meet all specified requirements of documents cited in sections 3 and 4 of this specification, whether they are listed.

2.2 Government documents.

2.2.1 Specifications, standards, and handbooks. The following specifications and standards form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited or contract.

DEPARTMENT OF DEFENSE STANDARDS

MIL-STD-130	Identification Marking of US Military Property.
MIL-STD-889	Galvanic Compatibility of Electrically Conductive Materials.

(Copies of these documents are available online at https://assist.dla.mil.)

2.2.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

Comments, suggestions, or questions on this document should be addressed to DLA Troop Support – Construction and Equipment (C&E) (ATTN: Code FCSB), 700 Robbins Avenue, Philadelphia, PA 19111-5096 or email CE_Standardization@dla.mil. Since contact information can change, you may want to verify the currency of this address information using the ASSIST Online database at https://assist.dla.mil .

AMSC N/A FSC 6675

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T21:28Z
Check the source to verify that this is the current version before use.

DRAWINGS

ME

TA13217E7420 Case, Engineer Battalion, Drafting Equipment, Canvas.

(Copies of drawings are available from U.S. Army Natick Research, Development, and Engineering Center, ATTN: SATNC-WEE, Natick, MA 01760-5018.)

2.3 Non-Government publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those cited in the solicitation or contract.

AMERICAN SOCIETY FOR QUALITY (ASQ)

ASQ Z1.4 Sampling Procedures and Tables for Inspection by Attributes.

(Copies of this documents are available online at http://www.asq.org or the American Society for Quality, 600 North Plankinton Avenue, Milwaukee, WI 53203.)

2.4. Order of precedence. Unless otherwise noted herein or in the contract, in the event If a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 Description. The case shall be in accordance with TA13217E7420 and as specified herein.

3.1.1 Drawings. The drawings forming a part of this specification are product drawings. No deviation from the prescribed dimensions or tolerances is permissible without prior approval of the contracting officer. Where tolerances could cumulatively result in incorrect fits, the contractor shall provide tolerances within those prescribed on the drawings to insure correct fit, assembly, and operation of the case. Any data (e.g., shop drawings, layouts, flow sheets, processing procedures, etc.) prepared by the contractor or obtained from a vendor to support fabrication and manufacture of the production item shall be made available upon request, for inspection by the contracting officer or the designated representative.

3.2 First article.When specified (see 6.2), a sample shall be subjected to first article inspection (see 6.3) in accordance with 4.3.

3.3 Material. Material shall be as shown on the applicable drawings. Materials not specified shall be selected by the contractor and shall be subject to all provisions of this specification.

3.3.1 Material deterioration prevention and control. The drafting equipment case shall be fabricated from compatible materials, inherently corrosion resistant or treated to provide protection against the various forms of corrosion and deterioration that may be encountered in any of the applicable operating and storage environments to which the drafting equipment case may be exposed.

3.3.2 Dissimilar metals. Dissimilar metals shall not be used in intimate contact with each other unless protected against galvanic corrosion. Dissimilar metals and methods of protection are defined and detailed in MIL-STD-889.

3.3.3 Identification of materials and finishes. The contractor shall identify the specific material, material finish or treatment for use with component and subcomponent and shall make information available upon request to the contracting officer or designated representative.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T21:28Z
Check the source to verify that this is the current version before use.

3.4 Recovered materials. For the purpose of this requirement, recovered materials are those materials which have been collected from solid waste and reprocessed to become a source of raw materials, as distinguished from virgin raw materials. The components, pieces and parts incorporated in the cases may be newly fabricated from recovered materials to the maximum extent practicable, provided the drafting equipment case produced meets all other requirements of this specification. Used, rebuilt or remanufactured components, pieces and parts shall not be incorporated in the drafting equipment case.

3.5 Seams. Seams shall be as shown on the applicable drawings.

3.6 Treatment of canvas. Canvas shall be treated as shown on applicable drawings.

3.7 Identification marking. The case shall be identified in accordance with MIL-STD-130.

3.8 Workmanship. Finished cases shall be clean and free from abrasion marks, permanently embedded creases and wrinkles, loopy and loose edges, dye stains, and streaks.

4. VERIFICATION

4.1

4.2 Classification of inspections. Inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.3).
b. Conformance inspection (see 4.4).

4.3 First article inspection.

4.3.1 First article examination. The first article shall be examined as specified in 4.5.l. Presence of one or more defects shall be cause for rejection.

4.4 Conformance inspection.

4.4.1 Sampling. Sampling for examination shall be in accordance with ASQ Z1.4. Sample size shall be determined by using ASQ Z 1.4, table I and table II A. A lot shall be accepted when zero defects are found and rejected when one or more defects are found.

4.4.2 Examination. Samples selected in accordance with 4.4.1 shall be examined as specified in 4.5.1. Presence of one or more defects shall be cause for rejection.

4.5 Inspection procedure.

4.5.1 Examination. The cases shall be examined as specified herein for the following defects:

101. Dimensions not as shown on the drawings (see 3.1.1).
102. Material not as shown on the drawings (see 3.3).
103. Materials not resistant to corrosion and deterioration or treated to be resistant to corrosion and deterioration for the applicable storage and operating environments (see 3.3.1).
104. Dissimilar metals as defined in MIL-STD-889 are not effectively insulated from each other (see 3.3.2).
105. Contractor does not have documentation available for identification of materials, material finishes, or treatment (see 3.3.3).
106. Used, rebuilt or remanufactured components, pieces, or parts incorporated in the case (see 3.4).
107. Seams not as specified (see 3.5).
108. Treatment not as specified (see 3.6).
109. Identification marking missing, incomplete, or illegible (see 3.7).
110. Workmanship not as specified (see 3.8).

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T21:28Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Packaging. For acquisition purposes, the packaging requirement shall be as specified in the contract or order (see 602). When actual packaging of material is to be performed by DoD personnel, these personnel need to contact the responsibility packaging activity to ascertain requisite packaging requirements. Packaging requirements are maintained by the Inventory Control point's packaging activity within the Military department of defense Agency or within the Military Department's System Command. Packaging data retrieval is available from the managing Military Department's or Defense Agency's automated packaging files, CD-ROM products or by contacting the responsible packaging activity.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful but is not mandatory.)

6.1 Intended use. The case is intended for carrying engineer battalion drafting equipment used in field reconnaissance.

6.2 Acquisition requirements. Acquisition documents should specify the following:

a. Title, number, and date of this specification.
b. Applicable drawing (see3.1).
c. Time frame required for submission of first article, and number of cases required (see 3.2).
d. Packaging requirements (see 5.1).

6.3 First article. When a first article inspection is required, the item(s) should be an initial production model. The first article should consist of one or more units. The contracting officer should include specific instructions in acquisition documents regarding arrangements for examinations, approval of the first article test results and disposition of the first articles. Invitation for bids should provide that the Government reserves the right to waive the requirement for samples for first article inspection to those bidders offering a product which has been previously acquired or tested by the Government, and that. bidders offering such products, who wish to rely on such production or test, must furnish evidence with the bid that prior Government approval is presently appropriate for the pending contract. Bidders should not submit alternate bids unless specifically requested to do so in the solicitation.

6.4 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

6.5 Subject term key words listing.

Carrying Case
Field reconnaissance.

Custodian:
Army - CE3
DLA - CQ

Preparing Activity:
DLA -CQ

(Project 6675-2024-001)

NOTE: The activities listed above were interested in this document as of the date of document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T21:28Z
Check the source to verify that this is the current version before use.