INCH-POUND

MIL-C-48156 (AR)
AMENDMENT 4
27 May 1992
SUPERSEDING
AMENDMENT 3
07 November 1990

MILITARY SPECIFICATION

CARTRIDGE, IGNITION, XM299
LOADING, ASSEMBLING AND PACKING

This Amendment forms a part of Military Specification MIL-C-48156 (PA), dated 1 September 1974 and is approved for use by the U.S. Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 1

* 2.1, Add new military specification as follows:

"MIL-P-60312 - Parts, Molded, Plastic Foam, Polystyrene (For use with ammunition)"

PAGE 7

4.3.2.2, Major 135: Change inspection method from "Gage" to "Visual/manual".

PAGE 8

4.3.2.3, Add Critical 3 which reads:

"3. Firing plug above flush with head surface ... 100%...3.2... ... Gage

4.3.2.3, Add new Major and note a. at bottom of page as follows:

"Major 104 Environmental conditions inadequate.../a...3.2 ...Gage.

a. Temperature and humidity shall be checked at the beginning and end of each shift. If conditions are not proper at either time, the quantity of product represented by the conditioning shall be rejected."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:15Z
Check the source to verify that this is the current version before use.

Major 132: Delete in its entirety and substitute:

"132 Percussion primer above flush (max) of body ... 100% ... 3.2 ... Gage"

* Major B, Add new major:

"137 Stakes missing ...0.40% .....3.2....Visual"

4.3.2.4, Major category:

Major 101: Add new defect which reads as follows:

"101 Environmental conditions inadequate .../a ... 3.2...Gage."

* Major B, 133: Delete in its entirety.

Major 135: Delete in its entirety.

Major 136: Delete in its entirety and substitute:

"136 Position of outside diameter to major diameter of threads...0.40%...3.2...Gage."

Note a: Add note a. which reads as follows: "a. Temperature and humidity shall be checked at the beginning and end of each shift. If conditions are not proper at either time, the quantity of product represented by the conditioning shall be rejected."

* 4.3.2.5, Add new major and note (a) as follows:

"101 Moisture content excessive (a) 5.1 (a)"
"(a) Requirement and inspection procedure shall be per MIL-P-60312. Two (2) samples shall be randomly selected from a quantity of trays for scheduled production for five (5) consecutive shifts. If one or more samples are defective, the quantity of trays represented by the samples shall be rejected. Inspection shall be accomplished within 24 hours of scheduled use of the trays."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:15Z
Check the source to verify that this is the current version before use.

PAGE 12

* 4.3.2.6, Add new Majors and notes as follows:

"101	Moisture content excessive for any packaging component (4 items)	(a)	5.1	Gage
102	Environmental conditions inadequate	(b)	5.1	Gage"

"(a) Components shall be inspected prior to use every hour during the production shift. If any sample exceeds the requirement, the inspection lot shall be rejected from further processing.

(b) Temperature and humidity shall be checked at the beginning and end of each shift. If conditions are not proper at either time, the quantity of product represented by the conditioning shall be rejected for further processing."

PAGE 19

* 4.5.3, Add at the beginning of the paragraph as follows:

"After the ignition cartridges have been assembled and the RTV is applied, the ignition cartridges will be kept in the controlled environmental storage for two (2) hours minimum prior to performing the leak test."

NOTE: The margins of this amendment are marked with an asterisk or vertical line to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1315-AD85)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:15Z
Check the source to verify that this is the current version before use.