INCH-POUND

MIL-C-50413A (AR)
AMENDMENT 5
18 June 1990
SUPERSEDING
AMENDMENT 4
20 December 1985

MILITARY SPECIFICATION

CARTRIDGE, 165MM, TP, M623
LOADING ASSEMBLING AND PACKING

This amendment forms a part of Military Specification MIL-C-50413A (AR), dated 18 May 1979, and is approved for use within the U.S. Army Armament, Munitions and Chemical Command and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 3

4.3.1: Part Description Column, delete: "washer" and substitute "disc".

Drawing column, delete: "9234094" and substitute "9335994".

PAGE 5

Table I, first item, delete: "Washer" and substitute "Disc".

Delete: "9234094" and substitute "9335994".

PAGE 6

Table I, last item, Ballistic Test, Muzzle Velocity, add: "para. reference 4.4.3.3.1.1".

Last item, Ballistic Test, Security, 125°F -5°F, add: "para. reference 4.4.3.3.2".

Last item, Ballistic Test, Security, -40°F +5°F, add: "para. reference 4.4.3.3.2".

Notes block, add: "Test is performed with handle assembly removed from cartridge."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.
Source: https://assist.dla.mil -- Downloaded: 202640-22T20:24Z
Check the source to verify that this is the current version before use.

PAGE 8

4.4.2.1, Title: delete "Washer" and substitute "Disc".

Delete: "9234094" and substitute "9335994".

PAGE 15

4.4.2.8: Delete "Major 102" and add:

"Major 103 Absence of felt disc AQL 0.40%
Req. Para. 3.2 Insp. Method Visual".

PAGE 16

4.4.2.9: Delete Critical "1" in its entirety and substitute "None Defined".

Major Category 103: Delete in its entirety.

Add to Major Category:

"104 Base plug rotates (moves) when minimum assembly torque is reapplied (see Note 1) 0.40% 3.1 Gage
105 Weight 0.40% 3.1 Balance".

Notes block, add: "1. Minimum assembly torque is to be reapplied while the adhesive is still wet."

PAGE 25

4.4.3.3.1.1: Add to beginning of first sentence: "For first article testing and for Quality Conformance Inspection...".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:24Z
Check the source to verify that this is the current version before use.

PAGE 26

* 4.5.5: Fourth sentence, delete: "Muzzle velocity shall be recorded for all rounds, including reference ammunition and spotters; and, maximum chamber pressure shall be recorded for all reference and security phase rounds."

and substitute:

"Muzzle velocity of reference ammunition and spotters shall be recorded during the muzzle velocity test phase. Maximum chamber pressure shall be recorded for all reference and security phase rounds."

4.5.5.1: Delete last sentence: "All rounds shall be observed for target impact dispersion on a vertical cloth target, for information only."

PAGE 27

* 4.5.5.1.1: Delete in its entirety.

* 4.5.5.1.1.1: Delete in its entirety.

* 4.5.5.1.1.2: Delete: "4.5.5.1.1.2" and substitute: "4.5.5.1.1".

* 4.5.5.1.1.3: Delete in its entirety.

* 4.5.5.1.1.4: Delete in its entirety.

* 4.5.5.1.1.5: Delete: "4.5.5.1.1.5" and substitute: "4.5.5.1.2".

First sentence, delete: "...and at the 900 meter target prior to and after the velocity/target dispersion test group,..." and substitute: "...and at a point 900 meters downrange prior to and after the velocity test group,...".

Second sentence, delete: ".../dispersion...".

Last sentence, delete: ".../dispersion...".

PAGE 28

* 4.5.5.1.1.6: Delete in its entirety.

* 4.5.5.2: Delete: "Muzzle velocity shall be recorded for information."

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:24Z
Check the source to verify that this is the currentversion before use.

PAGE 29

* 6.5: Third sentence, delete: "...target impact coordinates,...".

PAGE 30

* 6.5.1: Last sentence, delete: ".../target impact dispersion...".

* 6.7: Delete: "TID (info) 4.5.5.1.1" and "M.V. (info)".

NOTE: The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1320-AC06)

Source: https://assist.dla.mil -- Downloaded: 202610-22T20:24Z
Check the source to verify that this is the current version before use.