MILITARY SPECIFICATION

FUZE, GUIDED MISSILE, M934E6 PARTS
ASSEMBLY, LOADING AND PACKING POR

This Amendment forms a part of Military Specification MIL-F-48863C (AR), dated 1 July 1985, and is approved for use within the U.S. Army Armament Munitions and Chemical Command, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 13

Add new paragraph 3.3.2.1 as follows:

"3.3.2.1 Process control documents. Where adhesives, sealants or lubricants are permitted or required by the drawings, a process control document is required in accordance with MIL-A-48078."

3.3.3: Add the following after ". . . in the contract":

", and shall include an analysis of Critical Defect material handling (see 3.5)."

PAGE 15

Add new paragraph 3.5 as follows:

"3.5 Critical defect material handling. An analysis of critical defect material handling shall be made in accordance with MIL-A-48078. This analysis shall be provided to the Government prior to First Article Submission."

PAGE 31

4.4.2.8: Major Category:

Major 101: Delete ".25%" and substitute "--".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 202610-22T19:42Z
Check the source to verify that this is the current version before use.

4.4.2.11: Minor Category:

Minor 204: Delete "UNF-28" and substitute "UNF-2B".

In paragraph 4.4.2.12 add new major category in the appropriate columns as follows:

"Category Major	Exam or Test	AQL or 100%	Reg. Para.	Para Ref/ Insp.Meth.
102	Adhesive on shoulder-stop pins missing or improperly applied following cure."	.40%	3.3.1.3	Visual

In paragraph 4.4.2.13 add new major category in the appropriate columns as follows:

"Category Major	Exam or Test	AQL or 100%	Reg Para.	Para Ref/ Insp. Meth.
106	sealant on 22 g lock screw missing or improperly applied"	100%	3.3.1.3	Visual

4.4.2.16: Minor Category:

Minor 203: In column Labeled Paragraph Reference/Inspection Method delete "Gage" and substitute "Visual".

4.4.2.18: Major Category:

Major 105: Delete "Slope, diameter, and true position of window recess to outside diameter" and substitute "Slope and virtual condition of the window recess".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:42Z
Check the source to verify that this is the current version before use.

PAGE 47

4.4.2.24: Major Category:

Major 111: Delete "actuator" and substitute "lever".

PAGE 49

4.4.2.26: Major Category:

Major 101: Delete "B-B" and substitute "A-A".

Major 104: Delete "A-A" and substitute "B-B".

PAGE 50

4.4.2.26: Minor Category:

Minor 201: Delete "from centerline large" and substitute "center line to the large".

Minor 205: Delete "breaks in to" and substitute "breaks into".

Minor 206: Delete "size and true position" and substitute maximum and minimum virtual condition".

PAGE 51

4.4.2.26: Minor Category:

Minor 208: Delete "size and true position" and substitute "maximum and minimum virtual condition".

Minor 209: Delete "size and true position" and substitute "maximum and minimum virtual condition".

PAGE 54

4.4.2.27: Major and Minor Categories:

Major 116: Delete "Large radius and true position shown in section P-P" and substitute "Maximum and minimum virtual condition inspected with respect to Datums C-D and E-F of the large radius shown in section P-P".

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:42Z
Check the source to verify that this is the current version before use.

Major 117: Delete "angled large threaded hole, Datum H," and substitute "Datum H".

Minor 203: Delete "Depth of second deepest recess" and substitute "Depth of third deepest recess".

PAGE 57

4.4.2.30: Major Category:

Major 101: Delete "Dimension and Location" and substitute "Maximum and Minimum virtual condition".

PAGE 61

4.4.2.34" Major Category:

Major 101: Delete "Lens height" and substitute "Distance from tab to end opposite the lens".

PAGE 62

4.4.2.35: Major Category:

Major 101: Delete "Lens height" and substitute "Distance from tab to end opposite the lens".

PAGE 65

4.4.2.38: Major Category:

Major 106: Under paragraph Reference/Inspection Method delete "3.2.13.8".

Major 106: Under Requirement paragraph add "3.2.13.8".

PAGE 75

6.3 Submission of equipment design for approval.

Delete ",Dover, N.J. 07801." and substitute "(D), Picatinny Arsenal, NJ, 07806-5000."

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1336-A537)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T19:42Z
Check the source to verify that this is the current version before use.