A-A-55457
November 5, 1993


COMMERCIAL ITEM DESCRIPTION

DISK, FLEXIBLE, TWO-SIDED, DOUBLE-DENSITY, UNFORMATTED,
5.3 TRACKS PER MILLIMETER (TPMM) (135 TRACKS PER INCH (TPI)),
90 MILLIMETERS (MM) (3.5 INCH)

The General Services Administration has authorized
the use of this commercial item description (CID).

Abstract. This CID covers the general requirements for a two-sided, double-density, unformatted, 90 millimeters (3.5 inches) flexible disk.

Part or Identifying Number (PIN). The PIN for the CID shall be as shown in the following example:



Salient characteristics.

Recording surfaces. This flexible disk shall have two recording surfaces.

Number of tracks. There shall be 80 discrete concentric data tracks in the recording area for data interchange on each side of this disk.

Track density. This flexible disk shall have 5.3 tpmm (135 tpi).

Disk format. This flexible disk shall be unformatted.

Disk density. This flexible disk shall be double density with a minimum of 1.0 megabytes (Mb) of unformatted memory.

Bits per radian (bpr). The bpr for this flexible disk shall be 7,958 bits per radian.

Jacket. The jacket's side dimensions shall be 90.0 millimeters +0.4 millimeter -0.1 millimeter (3.54 inches +0.016 inch -0.004 inch) x 94.0 millimeters ±0.3 millimeter (3.70 inches ±.012 inch).

Jacket thickness. The jacket thickness shall be 3.3 millimeters ±0.2 millimeter (.13 inch ±.008 inch).

Operating surface temperature. This flexible disk shall withstand an operating temperature at its surface in the range from 10 to 60°C (50 to 140°F) at a relative humidity of 8 to 80 percent.

Design and construction. Flexible disks supplied to this CID shall be as specified herein and shall meet the requirements of ANSI X3.137.

Used or reconditioned material. A manufacturer shall not furnish any flexible disk which is used or reconditioned or is comprised of used or reconditioned material.

Regulatory requirements. This section is not applicable to this CID.

AMSC N/A
FSC 7045

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:47Z
Check the source to verify that this is the current version before use.

Quality assurance provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection, examination, and test requirements specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections, examinations, or tests set forth in this description where such inspections, examinations, and tests are deemed necessary to assure supplies and services conform to prescribed requirements.

Contractor certification statement. The contractor shall certify and maintain objective quality evidence that the product offered meets the requirements of this CID, and that the product conforms to the producer's own drawings, specifications, standards, quality assurances practices, and is the same as the product provided as a bid sample. The Government reserves the right to require proof of such conformance prior to the first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Certificate of compliance. A certificate of compliance shall accompany all flexible disks supplied to this CID. The letter of certification shall state that the flexible disk meets all the requirements of ANSI X3.137, and all requirements of this CID.

Packaging.

Preservation, packaging, packing, labeling, and marking. Preservation, packaging, packing, labeling, and marking shall be as specified in the contract or purchase order.

Notes. This section contains relevant information which is useful to buyers, users, and suppliers in the process of acquiring the item, but is not mandatory.

Referenced documents. The following documents, of the issue in effect on date of invitation for bids for request for proposal, form a part of this CID to the extent specified herein.

Other Publication

AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI)

ANSI X3.137 - One- and Two-Sided, Unformatted, 90-mm (3.5 Inch) , 135-tpi (5.3 tpmm), Flexible Disk Cartridge for 7958 bpr Use- General, Physical, and Magnetic Requirements.

(Applications for copies should be addressed to the American National Standards Institute, 11 West 42nd Street, New York, NY 10036-8002).

Ordering data. The contract or purchase order shall specify the following:

a. CID document number and revision and CID PIN.

b. Quality assurance provisions.

c. Packaging requirements.

Comments. Comments on this CID should be directed to Defense Electronics Supply Center, 1507 Wilmington Pike, ATTN: DESC-EMM, Dayton, OH 45444-5270, or telephone (513) 296-6184, or fax (513) 296-8868.

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:47Z
Check the source to verify that this is the currentversion before use.

Suggested sources of supply. Suggested sources of supply are listed herein. Additional sources will be added as they become available.

CID dash number A-A-55457-	Vendor commercial PIN CAGE 0CEN9	Vendor commercial PIN CAGE 0EGZ7	Vendor commercial PIN CAGE 0TWG7	Vendor commercial PIN CAGE 04833	Vendor commercial PIN CAGE 52327	Vendor commercial PIN CAGE 55151	Vendor commercial PIN CAGE 74712
01	15720-09-E000	54249	C14A211X	725-2995-1	051111-12042	555910	47-6501

Vendor CAGE number	Vendor name and address
0CEN9	Syncom Technologies, Incorporated 1000 Syncom Drive Mitchell, SD 57301-4767 (800) 843-9862
0EGZ7	BASF Corporation Information Systems Division 35 Crosby Drive Bedford, MA 01730-1471 (703) 256-7112
0TWG7	Wabash Computer Products, Incorporated 12210 E. 52nd Street Tulsa, OK 74146-6204 (918) 254-9704
04833	Nashua Media, Incorporated DBA Wang Express 57 Daniel Webster Highway Merrimack, NH 03054-4811 (508) 656-8585
52327	Minnesota Mining and MFG Company Data Storage Products Division 3M Center St. Paul, MN 55144-1000 (800) 854-0033
55151	Maxell Corporation of America 22-08 Route 208 Fair Lawn, NJ 07410-2606 (619) 661-6600
74712	Athana, Incorporated 23955 President Avenue Harbor City, CA 90710-1333 (310) 320-4581

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE

PREPARING ACTIVITY:

DLA-ES

Project 7045-0008

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:47Z
Check the source to verify that this is the current version before use.